
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





FALL, 1951

SPRING, 1952

PRICE LIST

Roses Evergreens
Herbaceous Perennials
Shrubs Trees

Henry Kohankie & Son

PAINESVILLE, OHIO

30 Miles East of Cleveland on Route 20

TELEPHONE 4100

The second of th the way managed and be seen

PRICE LIST

W E OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standard Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

Henry Kohankie & Son

Route 20, One Mile East of Painesville
PAINESVILLE, OHIO

PLEASE READ CAREFULLY

CONDITIONS OF SALE

Prices do not include packing. A charge for the cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. Losses may occur from causes beyond our control. The purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities — We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery — We are in a position to arrange bulk deliveries of large orders by truck and the charges approximate railroad freight rates.

CONTENTS

Deciduous and Evergreen Trees, Shrubs and Vines	1
Herbaceous Material (including Rock and Alpine Plants) 162-20	0
Fruit Garden Material	1
Large Specimen Material	1
Plants for Special Purposes 211-21	2
Schedule of B&B Charges	3
PLANT CLASSIFICATIONS	
Coniferous Evergreens	3
Broad-leaved Evergreens 20	3
Deciduous Shade Trees	4
Deciduous Small Trees	6
Deciduous Shrubs	0
Vinos 210-21	1

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

DECIDUOUS AND EVERGREEN TREES, SHRUBS AND VINES

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss of these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

<i>y</i> .			5-24 Each	25 & up Each
Abelia	chinensis. Chinese Abelia. 5'			
	15 to 18 in., 4 in. pots\$	2.50	\$2.00	\$1.50
gra	andiflora. Glossy Abelia. 3'			
	12 to 15 in., 4 in. pots	1.25	1.10	1.00
	15 to 18 in., 4 in. pots		1.35	1.25
	18 to 24 inB&B		2.25	2.00
	2 to 3 ftB&B		3.00	2.75
sch	numanni. Schumann Abelia. 5'			
	12 to 18 in., 4 in. pots	2.50	2.00	
Abies	alba. Silver Fir. 50'			
	3 ftB&B	12.50	10.00	
all	oa pyramidalis. Sentinel Fir. 50) '		
	18 inB&B	7.50		
	2 ftB&B	10.00	•	
ba	lsamea. Balsam Fir. 50'			
	7 ftB&B	22.50		
	For larger sizes to 15 ft., add \$5		r foot	
ce	phalonica. Greek Fir. 60'			
-	2 ftB&B	10.00		

	1-4	5-24 25 & up
Abies	Each	Each Each
concolor. White Fir. 70'		
2 ft	10.00	7.50
3 ft		10.00
4 ft		10.00
5 ft		
6 ft		
7 ft		
8 ftB&B		
9 ftB&B		
10 ftB&B	52.50	
concolor violacea. Purplecone Wh	ite Fir.	70"
3 ft		
4 ft	17.50	
5 ft		
6 ft		
0 1tt	00.00	
firma. Momi Fir. 50'		
3 ftB&B	12.50	10.00
4 ftB&B	15.00	
5 ft	20.00	
Laurellania Will Will ad		
homolepis. Nikko Fir. 60'	10.50	
3 ftB&B		
4 ft		
5 ftB&B		
6 ftB&B	25.00	
7 ftB&B	30.00	
8 ft	37.50	
lasiocarpa arizonica. Cork-bark Fe	ir 50'	
2 ft		
2 It	12.00	
nordmanniana. Nordmann Fir. 7	5 '	
3 ftB&B		
procera glauca. Blueleaf Noble Fig.	· 50'	
18 in		
2 ft B&B	12.50	

Abies

veitch	ıi.	Veitch Fir. 80'			
2	ft.	B&B	10.00		
3	ft.	B&B	12.50		
4	ft.	B&B	15.00		
		x henryi. Henry Acanthon		10'	
		4 ft		1.75	
		5 ft			
5	to	6 ft	3.50		
ricini	foli	ım (see Kalopanax pictu	s).		
siebol	dia	nus (pentaphyllum). ${\it Five}$	leaved	Aralia.	10 '
			.75	.65	.60
		4 ft	1.00	.80	.75
4	to	5 ft	1.50	1.25	1.00
5	to	6 ft	2.00	1.50	
	_	rianum. Trident Maple. 4			
		4 ft			
4	to	5 ft	5.00		
gam n	oetr	e. Hedge Maple. 25'			
_		4 ft	2.75	2.50	2.25
_		5 ft	3.00	2.75	2.20
		6 ft		3.50	
9	to	0 10	1.00	0.00	
dasyc	arp	um, (see saccharinum)			
_	_				
_		Amur Maple. 12'			
3	to	4 ft	1.75	1.50	1.25
4	to	5 ft	2.00	1.75	1.50
5		6 ft	3.00	2.50	2.25
6	to	8 ft	4.00	3.25	3.00
8	to	10 ft	5.00	4.25	4.00
ور ما ما ما		Dealer Manutain Manle	a El		
•			25'		
		3 ft	4.00		
3	ιο	4 ft	5.00		
griseu	m.	Paperbark Maple. 25'			
_		3 ft	3.00		
		4 ft	4.00		
			_,,,		

	1-4 Each		25 & up Each
Acer	Hach	Hach	Bach
japonicum aureum. Goldenmoon M 6 to 8 ftB&B	-	<i>15</i> ′	
negundo. Box Elder. 60'			
6 to 8 ft	2.75	2.25	2.00
8 to 10 ft	3.25	2.75	2.50
1½ to 1½ in	4.50		
1½ to -1¾ in	6.00		
13/4 to 2 in	8.50	7.50	
nigrum. Black Maple. 80'			
8 to 10 ft	7.50		
nikoense. Nikko Maple. 40'			,
6 to 8 ft	10.00		
0 00 0 10	10.00		
palmatum. Japanese Maple. 15'			
2 to 3 ftB&B	4.00		
3 to 4 ftB&B	5.00		
nalmatum atronurnuroum			
palmatum atropurpureum.			
$Bloodleaf\ Japanese\ Maple.\ 10'$ 2 to 3 ftB&B 1	12.50	10.00	
3 to 4 ftB&B 1		10.00	
4 to 5 ft			
5 to 6 ft., heavyB&B 4			
6 to 8 ft., heavyB&B 5			
8 to 10 ft., heavyB&B			
pennsylvanicum. Striped Maple. 2			
4 to 5 ft			
5 to 6 ft	6.00		
platanoides. Norway Maple. 75'			
6 to 8 ft	4.50	4.25	4.00
8 to 10 ft	5.50	5.25	5.00
1¼ to 1½ in	7.50	6.75	6.25
	10.00	8.50	8.00
, , , , , , , , , , , , , , , , , , ,	12.50	10.00	9.50
·	17.50	15.00	13.50
		20.00	18.00
		30.00	
	15.00	40.00	
4 to $4\frac{1}{2}$ in 5	55.00	50.00	

	1-4	5-24 25 & up
Acer	Each	Each Each
platanoides columnare. Columnar	Norway	Maple, 75'
6 to 8 ft		2.2 stp tot , o
8 to 10 ft		
platanoides globosum. Globe Norr	way Ma	ple.
4 year, 6 ft. standards		•
		·
platanoides schwedleri. Schwedler	. Maple.	. 60 '
8 to 10 ft	7.50	6.50
1¼ to 1½ in	10.00	8.50
1½ to 1¾ in	12.50	
134 to 2 in	15.00	
	18.00	
2½ to 3 in		
3 to 3½ in		
3½ to 4 in	40.00	
pseudoplatanus. Planetres Maple.	60 '	
8 to 10 ft	6.50	6.00
1½ to 1½ in	7.50	
1½ to 1¾ in	10.00	
134 to 2 in	12.50	
2 to 2½ in	18.00	
rubrum. Red Maple. 75'		
6 to 8 ft	4.50	4.25
8 to 10 ft	5.50	5.25
1½ to 1½ in		6.75
1½ to 1¾ in	10.00	8.50
1 ³ / ₄ to 2 in	12.50 17.50	10.00 15.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22.50	20.00
3 to 3½ in	35.00	30.00
3½ to 4 in	45.00	
4 to 5 in	60.00	
	3 2 . 2 2	
rubrum columnare. Column Red I	Manla	75 '
6 to 8 ft	10.00	10
8 to 10 ft		
1¼ to 1½ in		
11/4 40 17/2 111:	10.50	

Acer				1-4 Each	5-24 Each	25 & up Each
		~.				
	nur		lver Maple. 75'			
6	to	8	ft	2.50	2.00	1.75
8	to	10	ft	3.50	3.00	2.50
11/4			in	5.00	4.25	3.75
1½			in	6.00	5.50	5.00
13/4	• •	2	in	8.00	7.00	6.25
$2 \ 2\frac{1}{2}$	to		in	12.50 17.50	10.00 13.50	9.50 12.50
$\frac{272}{3}$	to		in	25.00	15.50	12.50
ð	ιο	3 1/2	111	25.00		
sacchari	nur	n py	ramidale.			
Pyr	ami	dal Si	ilver Maple. 75'			
6	to	8	ft	4.00		
8	to	10	ft	5.00		
$1\frac{1}{4}$	to	$1\frac{1}{2}$	in	6.00		
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	7.50		
13/4	to	2	in	10.00		
2	to		in	15.00		
$2\frac{1}{2}$	to	3	in	20.00		
sacchari	nur	n wie	eri. Wier Maple.	75'		
6	to	8	ft	4.50		
8	to	10	ft	5.50		
11/4	to	$1\frac{1}{2}$	in	6.50		
1½	to	$1\frac{3}{4}$	in	8.00		
13⁄4	to	2	in.`	12.50		
2	to	$2\frac{1}{2}$	in	17.50		
saccharı	ım.	Sara	ar Maple. 75'			
6	to	8	ft	4.50	4.25	4.00
8	to	10	ft	5.50	5.25	5.00
11/4	to		in	7.50	6.75	6.25
11/2	to	13/4	in	10.00	8.50	8.00
13/4	to	2	in	12.50	10.00	
2	to	$2\frac{1}{2}$	in	17.50	15.00	
$2\frac{1}{2}$	to	3	in	22.50	20.00	
3	to	$3\frac{1}{2}$	in	35.00	30.00	
3½	to	4	in	45.00	40.00	
4	to	$4\frac{1}{2}$	in	55.00	50.00	
$4\frac{1}{2}$	to	5	in	65.00		

1-4		5 & up
Acer	Each	Each
saccharum monumentale. Pyramidal Sugar Maple. 75'		
1½ to 1¾ in		
13/4 to 2 in		
2 to 2½ in		
sieboldianum. Siebold Maple. 25'		
4 to 5 ft 7.50		
5 to 6 ft		
spicatum. Mountain Maple. 20'		
2 to 3 ft		
3 to 4 ft 3.50		
tataricum. Tatarian Maple. 20'		
4 to 5 ft 2.50	2.25	2.00
5 to 6 ft	2.75	2.50
6 to 8 ft	3.25	3.00
8 to 10 ft 5.00	4.25	4.00
Actinidia arguta. Bower Actinidia. 20'		
2 year 1.00	.75	.65
3 year 1.25	1.00	
Aesculus carnea. Red Horsechestnut. 40'		
6 to 8 ft		
8 to 10 ft		
174 to 172 m 25.00		
glabra. Ohio Buckeye. 25'	4.50	
6 to 8 ft	4.50	
8 to 10 ft 6.00 1½ to 1½ in 7.50	5.50 6.50	
	0.50	
1½ to 2 in		
2 10 272 111 11.30		

				1-4	5-24	25 & up
Aesculus gla	ahr:	e con	tinuad	Each	Each	
				25.00		
2½		3	in			
3	to	31/2	in	3 5.00		
hippoca	star	ium.	Horsechestnut. 7	'o'		
6	to	8	f t	5.00	4.25	4.00
8	to	10	ft	6.00	5.25	5.00
11/4	to	$1\frac{1}{2}$	in	7.50	6.50	6.25
11/2	to	13/4	in	8.50	7.50	7.00
13/4	to	2	in	12.50	10.00	9.00
2 .	to	$2\frac{1}{2}$	in	18.00	15.00	13.50
$2\frac{1}{2}$	to	3	in	22.50	20.00	
3	to	$3\frac{1}{2}$	in	30.00	25.00	
31/2	to	4	in	40.00	35.00	
4	to	5	in	60.00		
hippoca	star	um :	baumanni.			•
Ran	maı	n H	orsechestnut. 50'			
6	to	8	ft	10.00		
8	-	10	ft	12.50		
2½	to	3	in	35.00		
3	to	31/2		45.00		
31/2	to	4	in			
octandra		Vallare	Buckeye. 60'			
6	to	8	ft	5.00	4.25	4.00
8	to		ft	6.00	5.25	5.00
11/4			in	7.50	6.50	6.25
11/2			in	8.50	7.50	7.00
13/4		2	in	12.50	10.00	9.00
2	to		in	18.00	15.00	13.50
21/2		3	in.	22.50	20.00	18.00
3	to		in.	30.00	25.00	10.00
$\frac{3}{1/2}$		4	in	40.00	35.00	
4	to	5	in	60.00	00.00	
			ebrush Buckeye.			
			B&B	5.00		
18 1	o 2	4 in.	B&B	6.50		
turbinai	a.	Japan	nese Horsechestnut.	<i>30</i> ′		
5 to	6	in		70.00		

	1-4 Each	5-24 2 Each	25 & up
Ailanthus altissima (glandulosa).	Mach	Each	Hach
Tree of Heaven. 50'			
6 to 8 ft	5.00	4.25	4.00
8 to 10 ft	6.00	5.25	5.00
10 to 12 ft	7.50	6.50	
1½ to 1¾ in	8.50	7.50	
1¾ to 2 in	12.50	10.00	
2 to 2½ in	15.00	13.50	
2½ to 3 in	20.00	18.00	
vilmoriniana. Vilmorin Ailanthus.	<i>50</i> ′		
1½ to 1¾ in			
134 to 2 in			
2 to 2½ in			
Akebia trifoliata. Threeleaf Akebia. 1	5 '		
2 year		.85	.75
3 year from pots		1.10	1.00
quinata. Fiveleaf Akebia. 15'			
2 year,	.85	.70	.60
3 year	1.00	.85	.75
Albizzia julibrissin rosea. Silktree. 30	7 ′		
3 to 4 ftB&B			
4 to 5 ftB&B			
2 10 0 20000000000000000000000000000000			
Alnus cordata. Italian Alder. 40'			
6 to 8 ft	5.00	4.50	
8 to 10 ft	6.00	5.50	
1½ to 1¾ in	10.00	7.50	
134 to 2 in		10.00	
2 to 2½ in		15.00	
2 10 2/2 111	10.00	20100	
glutinosa. European Alder. 60'			
6 to 8 ft	5.00	4.25	4.00
8 to 10 ft	6.00	5.25	5.00
1¼ to 1½ in	7.50	6.75	6.25
1½ to 1¾ in	10.00	8.50	8.00
13/4 to 2 in	12.50	10.00	9.50
2 to 2½ in	17.50	15.00	13.50
2½ to 3 in	25.00	20.00	
3 to 3½ in	35.00	30.00	

	1-4 Each	5-24 : Each	25 & up Each
Alnus	134011	Liuon	134011
glutinosa laciniata. Cutleaf Alder.	<i>40</i> ′		
6 to 8 ft	12.50		
8 to 10 ft	15.00		
hirsuta. Manchurian Alder. 60'			
6 to 8 ft	10.00		
incana. Speckled Alder. 50'			
3 to 3½ ft	30.00		
incana pendula. Weeping Alder.			
5 ft. stem	10.00		
japonica. Japanese Alder. 50'	•		
2 to 3 ft	5.00		
3 to 4 ft	6.00		
4 to 5 ft	7.50		
rugosa. Hazel Alder. 10'			
6 to 8 ft	6.50		
8 to 10 ft	8.50		
Amelanchier alnifolia. Saskatoon Servi	ceberry.	7'	
5 to 6 ft	3.50		
asiatica. Asian Serviceberry. 40'			
5 to 6 ft	4.00	3.00	
6 to 8 ft	5.00	4.00	
canadensis. Shadblow Serviceberry.	·30 ′		
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.50	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	5.00	4.00	
8 to 10 ft	7.50	6.00	
10 to 12 ft	15.00		
6 to 8 ft. standards	7.50	6.00	
8 to 10 ft. standards	10.00	7.50	
grandiflora rubescens.			
Ruddy Allegheny Serviceberry.	35'		
8 to 10 ft. standards			
10 to 12 ft. standards			

1-4	5-94	25 & up
Amelanchier	Each	Each
Amelanchier		
laevis. Allegheny Serviceberry. 35'		
8 to 10 ft 7.50		
6 to 8 ft. standards 7.50		
8 to 10 ft. standards 10.00		
10 to 12 ft. standards 15.00		
oblongifolia. Thicket Serviceberry. 25'		
3 to 4 ft	1.50	1.25
4 to 5 ft	1.75	1.50
5 to 6 ft	2.50	2.00
6 tó 8 ft	4.00	3.75
8 to 10 ft	6.00	5.00
8 to 10 ft. clumpsB&B 25.00		
10 to 12 ft. clumpsB&B 30.00		
ovalis (vulgaris). Garden Serviceberry.	25 '	
2 to 3 ft	1.25	1.00
3 to 4 ft	1.50	1.25
4 to 5 ft 2.50	1.75	1.50
5 to 6 ft	2.50	2.00
6 to 8 ft	4.00	3.75
8 to 10 ft	6.00	5.00
6 to 8 ft. standards 7.50	6.00	
8 to 10 ft. standards 10.00	7.50	
8 to 10 ft. clumps B&B 25.00		
10 to 12 ft. clumps B&B 30.00		
sanguinea. Roundleaf Serviceberry. 10'		
4 to 5 ft	3.00	
5 to 6 ft	4.00	
6 to 8 ft 6.00	5.00	
8 to 10 ft 7.50	6.50	
stelevitere Dunning Compiech own 1		
stolonifera. Running Serviceberry. 1' 18 to 24 in	1.00	.90
2 to 3 ft	1.25	1.00
3 to 4 ft	1.20	1.00
0 to 11 2.00		
Amorpha brachycarpa. 3'	0.5	D C
18 to 24 in	.85	.75
2 to 3 ft	1.10	1.00

	1-4 Each	5-24 Each	25 & up Each
Amorpha	Each	Lacii	Басп
canescens. Leadplant Amorpha. 4'			
15 to 18 in	1.00	.75	
18 to 24 in	1.25	1.00	
2 to 3 ft	1.50	1.25	
fruticosa. Indigobush Amorpha. 20	,		
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	
6 to 8 ft	2.50	2.00	
Ampelopsis aconitifolia. Monkshood Vin	ne 15'		,
2 year	1.00	.75	.60
3 year	1.25	.90	.75
4 year	1.50	1.25	1.00
1 year	1.00	1.20	1.00
brevipedunculata. Amur Ampelopsi			
2 year	1.25	.85	.75
3 year	1.50	1.25	1.00
brevipedunculata elegans. Basket	Ampelo	psis.	<i>15</i> ′
2 year	1.50		
3 year	2.00		
brevipedunculata maximowiczi.			
Porcelain Ampelopsis. 25'			
2 year	1.00	.75	.60
•			
3 year	1.25		.75
4 year	1.50	1.25	1.00
quinquefolia. (see Parthenocissus)			
Amygdalus (see Prunus)			
Aralia elata. Japanese Aralia. 50'			
	4.50		
4 to 5 ft	6.00		

pentaphyllum (see Acanthopanax)

Aralia	1-4 Each	5-24 Each	25 & up Each
Aralla			
spinosa. Devil's Walkingstick. 25'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.50	2.00
	2.50	10.00	
	5.00	12.50	
Arctostaphylos uva-ursi. Bearberry.			
3½ in. pots	1.50	1.25	
072 III. pots	1.00	1.20	
	<i>30'</i>	4	
2 year, pot grown	2.00	1.75	
tomentosa. 30'			
2 year	1.50	1.25	.90
· ·			
Aronia arbutifolia. Red Chokeberry. 8'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.95
4 to 5 ft	1.50	1.25	1.15
<u>- • • • • • • • • • • • • • • • • • • •</u>			
melanocarpa. Black Chokeberry. 6'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.95
melanocarpa elata. Glossy Chokebe	2.000401	<i>10</i> ′	
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.95
4 to 5 ft	1.50	1.25	.00
	2.00	1.50	
5 to 6 ft	2.00	1.50	
prunifolia. Purplefruit Chokeberry.	10 '		
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.95
4 to 5 ft	1.50	1.25	1.15
5 to 6 ft	2.00	1.50	1.35
Artemesia abrotanum. Oldman Wormwo	od.	5 '	
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50

	1-4 Each	5-24 Each	25 & up Each
Asimina triloba. Papaw. 30'			
2 to 3 ft	2.00		
Azalea calendulacea. Flame Azalea.	3'		
2 to 3 ftB&B	7.50	7.25	7.00
canescens. Piedmont Azalea. 6'			
2 to 3 ftB&B	7.50	7.25	7.00
ledifolia (see rosmarinifolia).			
lutea. 10'			
18 to 24 inB&B	6.00	5.50	5.00
2 to 3 ftB&B	7.00	6.50	6.00
3 to 4 ftB&B	10.00	8.00	7.50
4 to 5 ftB&B	15.00	13.50	12.50
mollis. Chinese Azalea. 6'			
15 to 18 inB&B	5.00	4.50	4.25
18 to 24 inB&B	7.00	6.50	6.25
24 to 30 inB&B	8.50	7.50	
mucronulata. Korean Azalea. 6'			
2 to 3 ftB&B	8.50	7.50	
3 to 4 ftB&B	12.50	10.00	
4 to 5 ftB&B	15.00		
nudiflora. Pinxterbloom. 4'			
2 to 3 ftB&B	7.50	7.25	
3 to 4 ftB&B	10.00	8.50	
obiusa amoena. Amoena Azalea. 4	,		
10 to 12 inB&B			
12 to 15 inB&B	3.00		
o. japonica hinodegiri.			
Hinodegiri Kurume Azalea. 3'			
10 to 12 inB&B	2.75		
o. kaempferi. Torch Azalea. 5'			
15 to 18 inB&B	5.00		
18 to 24 inB&B	7.50		
rosmarinifolia. Snow Azalea. 6'			
15 to 18 inB&B	6.00	5.00	
18 to 24 inB&B		6.50	
24 to 30 in	9.00	7.50	

	1-4 Each	5-24 Each	25 & up Each
Azalea			
r. sekidera. Sekidera Snow Azalea.	<i>6</i> '		
15 to 18 inB&B	6.00	5.00	4.50
18 to 24 inB&B	7.50	6.50	6.00
24 to 30 inB&B	9.00	7.50	
viscosa. Swamp Azalea. 6'			
18 to 24 inB&B	6.50	6.00	
24 to 30 inB&B	7.50	7.25	7.00
30 to 36 inB&B	9.00	8.50	8.00
yedoensis. Yodogawa Azalea. 4'			
18 to 24 inB&B	6.50	6.00	
24 to 30 inB&B	8.50		
y. poukhanensis. Korean Yodogawa	a Azal	ea. 4'	
18 to 24 inB&B	6.50	5.50	5.00
24 to 30 inB&B	8.50	7.50	7.00
Baccharis halimifolia. Eastern Bacchar			
2 to 3 ft	.90	.65	.55
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
Benzoin aestivale. (see Lindera)			
Berberis beaniana. Beans Barberry. 5'			
15 to 18 inB&B	3.00	2.75	
18 to 24 inB&B	3.50	3.25	
candidula. Paleleaf Barberry. 5'			
15 to 18 inB&B	3.00	2.75	2.50
18 to 24 inB&B	3.50	3.25	3.00
circumserrata. Cutleaf Barberry.	5 ′		
18 to 24 inB&B	3.50	3.25	
24 to 30 inB&B	4.00	3.75	
horvathi. 4'			
12 to 15 in	.75	.60	.50
15 to 18 in	.90	.75	
18 to 24 in	1.25	.85	.75
koreana. Korean Barberry. 6'			
2 to 3 ft	1.25	.85	
3 to 4 ft	1.50	1.10	
4 to 5 ft	1.75	1.50	1.25
sargentiana. Sargent Barberry. 5'	4.00	0.50	0,00
15 to 18 inB&B	4.00	3.50	3.00
18 to 24 inB&B	4.50	4.00	

	1-4	5-24	25 & up
Berberis	Each	Each	Each
thunbergi. Japanese Barberry.	<i>'</i>		
15 to 18 in		.40	.30
18 to 24 in		.50	.40
24 to 30 in	75	.65	.55
30 to 36 in	1.00	.85	.75
2 to 2½ ft. spec	2.50	2.00	
$2\frac{1}{2}$ to 3 oft. spec	3.00	2.50	
3 to $3\frac{1}{2}$ ft. spec	3.50	3.00	
thunbergi atropurpurea.	į.		
Redleaf Japanese Barberry. 5	,		
18 to 24 in	.75	.65	.55
24 to 30 in	1.00	.75	.65
30 to 36 in	1.35	1.00	.80
36 to 42 in.	1.75	1.35	1.10
thunbergi minor. Box Barberry.	2'		
12 to 15 in	.75	.65	.60
15 to 18 in	1.00	.80	.75
18 to 24 in		1.00	.95
24 to 30 in	1.50	1.35	1.25
thunbergi pluriflora. Flame Japan	nese Barl	erry.	5'
18 to 24 in	.65	.55	.45
24 to 30 in	.75	.65	.55
30 to 36 in	1.00	.85	.75
thunbergi erecta. Truehedge Colum	nnberry.	5'	
12 to 15 in.	€.70	.60	.55
15 to 18 in.	.85	.70	.65
18 to 24 in	1.10	.85	.75
24 to 30 in.	1.25	1.00	.90
triacanthophora. Threespine Barbe	erry. 5'		
15 to 18 in	3.50		
18 to 24 in. B&B	4.00	3.50	
verruculosa. Warty Barberry. 3' 10 to 12 in	0.50		
12. to 15 in	3.50	3.00	
		3.50	
Berchemia racemosa. Japanese Supple	jack. 3'		
18 to 24 in	1.25	1.00	
2 to 3 ft	1.50	1.25	
Betula alba. (see pendula)			
fontinalis. Water Birch. 40'			
5 to 6 ft	7.50		
6 to 8 ft.	10.00		
8 to 10 ft.	19.50		
	12.00		

	1-4 Each	5-24 25 & up Each Each
Betula	Baci	Pach Pach
*lanta Synaat Di	Sec. 10.	
6 to 8	rch. 40'	1 495 400
	ft. 4.50 ft. 5.50	4.25 4.00
		5.25 5.00
	in	
	in	
134 to 2	in	
	in 15.00:	12.50
2½ to 3	in 20.00	15.00
3 to 3½	in	18.00
*lutea. Yellow B	irch. 50'	
6 to 8	ft 4.50	4.25
8 to 10	ft 5.50	5.25
·	in 7.50	6.75
	in 10.00	9.00
13/4 to 2	in 12.50	10.00
	in 15.00	12.50
2½ to 3		15.00
*maximowiczian	a. Monarch Birch. 60'	. 0
6 to 8	ft 6.00	5.50
8 to 10		7.00
1½ to 1¾	in 10.00	
13/4 to 2	in 15.00	
2 to 2½	in 20.00	
*nigra River R	irch. 50'	
6 to 8	ft 5.00	4.50
	ft. 6.00	4.00
	per Birch. 40'	
	ft 5.00	4.50
	ft 6.00	
	in 7.50	
	in 10.00	
	in 12.50	
2 to 2½	in	
$2\frac{1}{2}$ to 3	in 20.00	
*papyrifera coro	lifolia. 40'	
8 to 10	•	
	European White Birch.	50°
	ft 5.00	
	ft 6.00	
174 10 172	in	0.00

	1-4 Each	5-24 Each	25 & up Each
Betula	Each	Each	Each
*p. fastigiata.			
Pyramidal European White Bir	ch. 50'	•	
6 to 8 ft	12.50		
*populifolia. Gray Birch. 40'			
6 to 8 ft	4.50	4.25	4.00
8 to 10 ft	5.50	5.25	5.00
	7.50	6.75	6.25
1½ to 1¾ in	10.00	9.00	8.50
134 to 2 in		10.00	0.00
2 to 2½ in		12.50	
2½ to 3 in		15.00	
6 to 8 ft. clumps, B&B		10.00	
8 to 10 ft. clumps, B&B		12.50	
10 to 12 ft. clumps, B&B		12.00	
10 00 12 10 0141125, 2002	••••		
Bignonia. (see Campsis)			
Digitalia. (See Campaia)			
Dischafin invanies I D'. I	101		
Bischofia javanica. Java Bishopwood.			
3 to 4 ft	6.00		
Brouggonatia nanguifara Dance Welle		·*	
Broussonetia papyrifera. Paper Mulbe 4 to 5 ft	rry. 40 6.00	5.00	
		0.00	
	0 00	• • • •	
5 to 6 ft	8.00		
Bruckenthalia spiculifolia. $Spikeheath$.	1'		
	1'		
Bruckenthalia spiculifolia. Spikeheath. 6 in., 3 inch pots	1' 2.50		
Bruckenthalia spiculifolia. Spikeheath. 6 in., 3 inch pots Buddleia alternifolia. Fountain Butter	1' 2.50 fly Bu	sh. 10'	
Bruckenthalia spiculifolia. Spikeheath. 6 in., 3 inch pots Buddleia alternifolia. Fountain Butter. 2 to 3 ft	1' 2.50 fly Bu 1.00	sh. 10' .75	
Bruckenthalia spiculifolia. Spikeheath. 6 in., 3 inch pots Buddleia alternifolia. Fountain Butter	1' 2.50 fly Bu 1.00	sh. 10' .75	
Bruckenthalia spiculifolia. Spikeheath. 6 in., 3 inch pots Buddleia alternifolia. Fountain Butter 2 to 3 ft	1' 2.50 fly Bu 1.00 1.25	sh. 10' .75	
Bruckenthalia spiculifolia. Spikeheath. 6 in., 3 inch pots Buddleia alternifolia. Fountain Butter. 2 to 3 ft	1' 2.50 fly Bu 1.00 1.25	sh. 10' .75	.50
Bruckenthalia spiculifolia. Spikeheath. 6 in., 3 inch pots Buddleia alternifolia. Fountain Butter 2 to 3 ft 3 to 4 ft Charming. Pink Butterfly Bush. 2 to 3 ft	1' 2.50 fly But 1.00 1.25	sh. 10' .75 1.00	.50
Bruckenthalia spiculifolia. Spikeheath. 6 in., 3 inch pots Buddleia alternifolia. Fountain Butter 2 to 3 ft	1' 2.50 fly Bu 1.00 1.25 5' .75	sh. 10' .75 1.00	
Bruckenthalia spiculifolia. Spikeheath. 6 in., 3 inch pots Buddleia alternifolia. Fountain Butter 2 to 3 ft. 3 to 4 ft. Charming. Pink Butterfly Bush. 2 to 3 ft. davidi. Orange-eye Butterfly Bush. 2 to 3 ft.	1' 2.50 fly But 1.00 1.25 5' .75	sh. 10° .75 1.00 .60	.50
Bruckenthalia spiculifolia. Spikeheath. 6 in., 3 inch pots Buddleia alternifolia. Fountain Butter 2 to 3 ft	1' 2.50 fly Bu 1.00 1.25 5' .75	sh. 10' .75 1.00	
Bruckenthalia spiculifolia. Spikeheath. 6 in., 3 inch pots Buddleia alternifolia. Fountain Butter 2 to 3 ft. 3 to 4 ft. Charming. Pink Butterfly Bush. 2 to 3 ft. davidi. Orange-eye Butterfly Bush. 2 to 3 ft. 3 to 4 ft.	1' 2.50 fly But 1.00 1.25 5' .75	sh. 10° .75 1.00 .60	.50
Bruckenthalia spiculifolia. Spikeheath. 6 in., 3 inch pots Buddleia alternifolia. Fountain Butter 2 to 3 ft	1' 2.50 fly But 1.00 1.25 5' .75 .75 1.00	sh. 10' .75 1.00 .60 .75	.50 .60
Bruckenthalia spiculifolia. Spikeheath. 6 in., 3 inch pots Buddleia alternifolia. Fountain Butter 2 to 3 ft. 3 to 4 ft. Charming. Pink Butterfly Bush. 2 to 3 ft. davidi. Orange-eye Butterfly Bush. 2 to 3 ft. 3 to 4 ft.	1' 2.50 fly But 1.00 1.25 5' .75	sh. 10° .75 1.00 .60	.50

•	1-4	5 0 4 0	= P
n .111 '-	Each	5-24 2 Each	Each
Buddleia			
davidi superba. 5'	m =	00	5.0
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	.85	.75
davidi veitchi. Veitch Butterfly Bu	sh. 5'		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	.85	.75
Dubonnet. 5'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
	1.00	****	.00
farquhari. 5'	B 5	00	= 0
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	.85	.75
intermedia. Wisteria Butterfly Bus	h. 5'		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
lindlavana Lindlav Buttarfly Bush	. 5'		
lindleyana. Lindley Butterfly Bush 2 to 3 ft	. ∂ .75	.60	.50
3 to 4 ft	1.00	.75	.60
5 10 4 11	1.00	.10	.00
microphylla. Littleleaf Butterfly B		6 '	
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.75
Orchid Beauty. 5'			
2 to 3 ft	1.00	.75	.65
paniculata. Panicle Butterfly Bush.		75	60
3 to 4 ft	1.00	.75	.60
Royal Purple. 5'			
2 to 3 ft	1.00	.75	
White Cloud. White Butterfly Bush	h. 5'		
2 to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	.85	.75
	. 44.27 3	4 D	
Buxus microphylla koreana. Korean I			
6 to 8 inB&B			2.25
12 to 15 in			
15 to 18 inB&B		3.50	
18 to 24 inB&B	5.00		
LARGE SPECIMEN SHRUBS QUOTED	ON RE	QUEST	

	1-4 Each		5 & up Each
Buxus			:
beinpervirens graded 4	124 7		
12 to 15 in			
15 to 18 in			3.25
18 to 24 inB&B			,
sempervirens handsworthi. $Hands$			Ø.
10 to 12 inB&B	3.00	2.50	
12 to 15 inB&B			
15 to 18 in	4.00	3.50	
18 to 24 inB&B			
24 to 30 inB&B	6.00	5.00	
sempervirens suffruticosa. $Truedw$	•		
6 to 8 inB&B			
8 to 10 inB&B	2.75	2.50	2.25
Callicarpa bodinieri giraldiana. Girald	Beaut	yberry.	6'
2 to '3 ft	1.25	1.00	
b. giraldiana subincanescens. $6'$			
2 to 3 ft	1.25	1.00	
dichotoma (purpurea). Purple Bear	utyberry	y. 6'	
18 to 24 in		.75	.60
2 to 3 ft	1.25	.90	.75
japonica. Japanese Beautyberry. 4	,		
18 to 24 in.	1.00	.75	.60
2 to 3 ft	1.25	.90	.75
Calluna vulgaris. Scotch Heather. 2'			
6 to 8 in., 4 inch pots	1.75	1.50	1.25
vulgaris alba. White Scotch Heathe	r. 2'	•	
6 to 8 in., 4 inch pots	1.75	1.50	1.25
vulgaris alporti. Alport Scotch Hea	ther. 2	,	
4 inch pots	1.75	1.50	
vulgaris aurea. Goldleaf Scotch He			
6 to 8 in., 4 inch pots	1.75	1.50	1.25
vulgaris carnea. Flesh Scotch Heat		•	
6 to 8 in., 4 inch pots	1.75	1.50	1.25
vulgaris compacta. 2'	1.00	4 50	
6 to 8 in., 4 inch pots		1.50	1.25
vulgaris rubra. 2'		1.50	1.05
6 to 8 in., 4 inch pots	1.75		1.25
vulgaris searlei. 2' 12 to 15 in., 4 inch pots			1.05
12 to 15 mi, 4 men pois	1. (5)	1.00	1.25

•	1-4	5-24 2	
Calycanthus floridus. Sweet Shrub. 5'	Each	Each	Each
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.35	1.10	
4 to 5 ft	1.75	1.35	
occidentalis. California Sweetshrub.	12 '		
2 to 3 ft	1.75	1.50	
3 to 4 ft	2.00	1.75	
		a a t	
Campsis grandiflora. Chinese Trumpeter	_		
2 year	1.00	.85	
3 year	1.25	1.00	
4 year	1.75	1.50	
radicans. Common Trumpetcreeper.	<i>30</i> ′		
2 year	.75	.60	.50
3 year	.85	.70	.60
radicans speciosa.			
Showy Common Trumpetcreeper	. 30 '		
2 year	1.00	.85	.75
3 year	1.50	1.25	
tagliabuana Mme. Galen.			
Mme. Galen Trumpetcreeper. 20) '		
2 year	1.50		
Caragana arborescens. Siberian Peashro	uh 00'		
2 to 3 ft		.60	.55
3 to 4 ft	1.00	.80	.70
4 to 5 ft	1.35	1.10	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
a. lorbergi. Lorberg Siberian Peash	rah 10) '	
2 to 3 ft	1.75	,	
3 to 4 ft	2.00		
4 to 5 ft	3.00		
boisi. Bois Peashrub. 10'			
2 to 3 ft	2.00		
3 to 4 ft	2.50		
decorticans. Afghanistan Peashrub.	1.75	1.35	1.25
2 to 3 ft			1.35
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	1.75

	1-4 Each	5-24 2 Each	5 & up Each
Caragana	13401		
frutex. Russian Peashrub. 10'			
2 to 3 ft	1.75		
3 to 4 ft	2.00		
5 10 1 10			
sophoraefolia. Sophoraleaf Peashrub	b. 10'		,
3 to 4 ft	2.50		
4 to 5 ft	3.00		
Carpinus betulus. European Hornbeam.	60 '		
3 to 4 ft	10.00	8.00	7.50
4 to 5 ftB&B	13.50	12.00	11.00
5 to 6 ftB&B	18.50	17.00	16.00
6 to 8 ftB&B	22.50	21.00	20.00
8 to 10 ft	30.00	25.00	22.50
10 to 12 ft	40.00	35.00	
Sheared plants, 4 to 10 ft. quote	d on r	_	
Sheared plants, 4 to 10 1t. quote	,01 011 -	1	
betulus compactus. 25'			
3 to 4 ftB&B	12.50		
3 (O + 10			
betulus fastigiata.			
Pyramid European Hornbeam.	40'		
5 to 6 ftB&B	22.50	20.00	
6 to 8 ftB&B	27.50	22.50	
8 to 10 ftB&B	32.50	27.50	
0 10 10 10			
caroliniana. American Hornbeam.	40'		
3 to 4 ftB&B	10.00	8.00	7.50
4 to 5 ftB&B	13.50	12.00	11.00
5 to 6 ft	18.50		16.00
6 to 8 ftB&B	22.50		•
8 to 10 ft	30.00	25.00	22.50
8 to 10 1t	00.00	20.00	
cordata. Heartleaf Hornbeam. 50'			
TO 0 TO	10.00		
2 to 3 ftB&B 5 to 6 ftB&B	20.00	18.00	
5 to 6 it	20.00	10.00	
tschonoski. Yeddo Hornbeam. 25'			
3 to 4 ftB&B	10.00	8.00	7.50
4 to 5 ftB&B	13.50	12.00	٠
4 to 5 th	18.50	17.00	
5 to 6 ftB&B	25.00	11.00	10.00
6 to 8 ftB&B	90.00		
8 to 10 ftB&B	50.00		

Carya ovata. Shagbark Hickory. 76' 3 to 4 ft. 3.00 4 to 5 ft. 4.00 5 to 6 ft. 5.50 Caryopteris incana. Bluebeard. 4' 15 to 18 in		1-4 Each		25 & up Each
## 4 to 5 ft.	Carya ovata. Shagbark Hickory. 75'	Each	134011	Each
Caryopteris incana. Bluebeard. 4' 15 to 18 in	3 to 4 ft	3.00		
Caryopteris incana. Bluebeard. 4' 15 to 18 in	4 to 5 ft	4.00		
15 to 18 in	5 to 6 ft	5.50		
18 to 24 in. 1.00 .80 .70 Castanea crenata. Japanese Chestnut. 30' 30' 30' 30' 30' 30' 30' 30' 30' 30' 30' 30' 30' 500 40' 30' 500 40' 50' 500	Caryopteris incana. Bluebeard. 4'			
Castanea crenata. Japanese Chestnut. 30' 3 to 4 ft	15 to 18 in	.75	.65	.55
3 to 4 ft. 5.00 4 to 5 ft. 6.00 mollissima. Chinese Chestnut. 60' 3 to 4 ft. 5.00 4 to 5 ft. 6.00 sativa. European Chestnut. 75' 4 to 5 ft. 5.00 5 to 6 ft. 6.00 Catalpa ovata. Chinese Catalpa. 30' 5 to 6 ft. 4.00 6 to 8 ft. 5.00 speciosa. Northern Catalpa. 100' 6 to 8 ft. 2.50 1.75 8 to 10 ft. 3.00 2.25 1½ to 1¾ in. 4.00 3.50 1¾ to 2 in. 5.00 2 to 2½ in. 7.50 6.00 Ceanothus americanus. Jerseytea Ceanothus. 3' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 1ibani. Cedar of Lebanon. 50' 2 ft. B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year 6.65 .55 .50 3 year .65 .55 .50	18 to 24 in	1.00	.80	.70
## 4 to 5 ft. 6.00 mollissima. Chinese Chestnut. 60' 3 to 4 ft. 5.00 4 to 5 ft. 6.00 5 to 5 ft. 6.00 5 to 6 ft. 5.00 5 to 6 ft. 6.00 5 to 6 ft. 6.00 5 to 6 ft. 6.00 6 to 8 ft. 5.00 5 to 6 ft. 6.00 5 to 8 ft. 6.00 5 to 8 ft. 6.00 5 to 8 ft. 7.50 6 to 8 ft. 7.50 7 to 7.50 7	Castanea crenata. Japanese Chestnut. 3	0 '		
mollissima. Chinese Chestnut. 60' 3 to 4 ft. 5.00 4 to 5 ft. 6.00 sativa. European Chestnut. 75' 4 to 5 ft. 5.00 5 to 6 ft. 5.00 Catalpa ovata. Chinese Catalpa. 30' 5 to 6 ft. 4.00 6 to 8 ft. 5.00 speciosa. Northern Catalpa. 100' 6 to 8 ft. 2.50 1.75 8 to 10 ft. 3.00 2.25 1½ to 1¾ in. 4.00 3.50 1¾ to 2 in. 5.00 2 to 2½ in. 7.50 6.00 Ceanothus americanus. Jerseytea Ceanothus. 3' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year 6.5 .55 .50 3 year .65 .55 .50	3 to 4 ft	5.00		
3 to 4 ft. 5.00 4 to 5 ft. 6.00 sativa. European Chestnut. 75' 4 to 5 ft. 5.00 5 to 6 ft. 6.00 Catalpa ovata. Chinese Catalpa. 30' 5 to 6 ft. 4.00 6 to 8 ft. 5.00 speciosa. Northern Catalpa. 100' 6 to 8 ft. 2.50 1.75 8 to 10 ft. 3.00 2.25 1½ to 1¾ in. 4.00 3.50 1¾ to 2 in. 5.00 4.50 2 to 2½ in. 7.50 6.00 Ceanothus americanus. Jerseytea Ceanothus. 3' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 1ibani. Cedar of Lebanon. 50' 2 ft. B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year 6.65 .55 .50 3 year .65 .55 .50	4 to 5 ft	6.00		
## 4 to 5 ft. 6.00 Sativalar	mollissima. Chinese Chestnut. 60'			
sativa. European Chestnut. 75' 4 to 5 ft. 5.00 5 to 6 ft. 6.00 Catalpa ovata. Chinese Catalpa. 30' 5 to 6 ft. 4.00 6 to 8 ft. 5.00 speciosa. Northern Catalpa. 100' 6 to 8 ft. 2.50 1.75 8 to 10 ft. 3.00 2.25 1½ to 1¾ in. 4.00 3.50 1¾ to 2 in. 5.00 4.50 2 to 2½ in. 7.50 6.00 Ceanothus americanus. Jerseytea Ceanothus. 3' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .65 .55 .70	3 to 4 ft	5.00		
4 to 5 ft. 5.00 5 to 6 ft. 6.00 Catalpa ovata. Chinese Catalpa. 30' 5 to 6 ft. 4.00 6 to 8 ft. 5.00 speciosa. Northern Catalpa. 100' 6 to 8 ft. 2.50 1.75 8 to 10 ft. 3.00 2.25 1½ to 1¾ in. 4.00 3.50 1¾ to 2 in. 5.00 4.50 2 to 2½ in. 7.50 6.00 Ceanothus americanus. Jerseytea Ceanothus. 3' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .65 .55 .70	4 to 5 ft	6.00		
Catalpa ovata. Chinese Catalpa. 30' 5 to 6 ft. 4.00 6 to 8 ft. 5.00 speciosa. Northern Catalpa. 100' 6 to 8 ft. 2.50 1.75 8 to 10 ft. 3.00 2.25 1½ to 1¾ in. 4.00 3.50 1¾ to 2 in. 5.00 4.50 2 to 2½ in. 7.50 6.00 Ceanothus americanus. Jerseytea Ceanothus. 3' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year 65 .55 .50 3 year .65 .55 .50	sativa. European Chestnut. 75'			
Catalpa ovata. Chinese Catalpa. 30' 5 to 6 ft	4 to 5 ft	5.00		
5 to 6 ft	5 to 6 ft	6.00		
5 to 6 ft	Catalpa ovata. Chinese Catalpa. 30'			
6 to 8 ft. 5.00 speciosa. Northern Catalpa. 100' 6 to 8 ft. 2.50 1.75 8 to 10 ft. 3.00 2.25 1½ to 1¾ in. 4.00 3.50 1¾ to 2 in. 5.00 4.50 2 to 2½ in. 7.50 6.00 Ceanothus americanus. Jerseytea Ceanothus. 3' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year 6.65 .55 .50 3 year .65 .55 .50	_	4.00		
\$\frac{6}{6} \to 8 & ft. 2.50 & 1.75 \\ 8 & \to 10 & ft. 3.00 & 2.25 \\ 1\frac{1}{2} \to 1\frac{3}{4} & \tin. 4.00 & 3.50 \\ 1\frac{3}{4} \to 2 & \tin. 5.00 & 4.50 \\ 2 & \to 2\frac{1}{2} & \tin. 7.50 & 6.00 \end{array} \$\frac{18}{2} \to 2\frac{4}{10}. 1.00 & .75 \\ 2 & \to 3 & \tin. 1.25 & 1.00 \end{array}\$ \$\frac{18}{2} \to 3 & \tin. 1.25 & 1.00 \end{array}\$ \$\frac{100}{2} \to 6 & \tin. 6.00 \\ 6 & \to 8 & \tin. 7.50 \end{array}\$ \$\frac{100}{2} \to 8 \tin. 7.50 \end{array}\$ \$\frac{100}{2} \tin. 8\tin. 7.50 \end{array}\$ \$\frac{100}{2} \tin. 8\tin. 7.50 \end{array}\$ \$\frac{100}{2} \tin. 8\tin. 8\tin. 7.50 \end{array}\$ \$\frac{100}{2} \tin. 8\tin. 8\tin. 8\tin. 7.50 \end{array}\$ \$\frac{100}{2} \tin. 8\tin. 8\tin. 8\tin. 7.50 \end{array}\$ \$\frac{100}{2} \tin. 8\tin. 8\tin. 8\tin. 8\tin. 8\tin. 8\tin. 1.50 \text{celastrus gemmata. Chinese Bittersweet. 20'} 2\tin. 1.50 \text{orbiculatus. Oriental Bittersweet. 20'} 2\tin. 8\tin. 8\tin. 8\tin. 8\tin. 8\tin. 8\tin. 8\tin.		5.00		
6 to 8 ft. 2.50 1.75 8 to 10 ft. 3.00 2.25 1½ to 1¾ in. 4.00 3.50 1¾ to 2 in. 5.00 4.50 2 to ½ in. 7.50 6.00 Ceanothus americanus. Jerseytea Ceanothus. 3' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year 6.65 .55 .50 3 year .65 .55 .50				
1½ to 1¾ in. 4.00 3.50 1¾ to 2 in. 5.00 4.50 2 to 2½ in. 7.50 6.00 Ceanothus americanus. Jerseytea Ceanothus. 3' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year 6.65 .55 .50 3 year .65 .55 .50		2.50	1.75	
13/4 to 2 in. 5.00 4.50 2 to 21/2 in. 7.50 6.00 Ceanothus americanus. Jerseytea Ceanothus. 3' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60	8 to 10 ft	3.00	2.25	
2 to 2½ in. 7.50 6.00 Ceanothus americanus. Jerseytea Ceanothus. 3' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60	1½ to 1¾ in	4.00	3.50	
Ceanothus americanus. Jerseytea Ceanothus. 3' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60	1¾ to 2 in	5.00	4.50	
18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60	2 to 2½ in	7.50	6.00	
18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00 Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60	Ceanothus americanus. Jerseytea Ceano	thus.	<i>3</i> ′	
Cedrela sinensis. Chinese Cedrela. 50' 5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 0 orbiculatus. Oriental Bittersweet. 20' 2 year .65 3 year .85 .70 .60				
5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60	2 to 3 ft	1.25	1.00	
5 to 6 ft. 6.00 6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60	Cedrela sinensis. Chinese Cedrela. 50'		•	
6 to 8 ft. 7.50 Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' B&B 7.50 2 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60		6.00		
Cedrus deodara. Deodar Cedar. 50' 2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' B&B 7.50 2 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 20 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year 65 .55 .50 3 year .85 .70 .60		7.50		
2 ft. B&B 7.50 libani. Cedar of Lebanon. 50' 2 ft. B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60				
libani. Cedar of Lebanon. 50' 2 ft. B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60		7.50		
2 ft. B&B 7.50 3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60		1.00		
3 ft. B&B 10.00 Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60		7.50		
Celastrus gemmata. Chinese Bittersweet. 20' 2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60				
2 year 2.00 1.50 orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60				
orbiculatus. Oriental Bittersweet. 20' 2 year .65 .55 .50 3 year .85 .70 .60			1.50	
2 year			1.00	
3 year			.55	.50
J car in the transfer of the same of the s	•			
4 Vear 1.20 .30 .70	4 year		.90	.75

1-4 Each	5-24 Each	25 & up Each
Celastrus scandens. American Bittersweet. 25'		
2 year	.55	.50
3 year	.70	.60
4 year 1.25		
Celtis occidentalis. Hackberry. 50'		
5 to 6 ft 3.50	3.00	2.50
6 to 8 ft 4.00	3.50	3.00
8 to 10 ft 5.50	5.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. 6.50	6.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 9.00	8.00	
13/4 to 2 in 12.50	10.00	
2 to 2½ in 15.00	12.50	
2½ to 3 in	15.00	
Cephalanthus occidentalis. Button Bush. 6'		
2 to 3 ft	.65	.55
3 to 4 ft 1.00	.80	.70
4 to 5 ft	1.25	
Cercidiphyllum japonicum. Katsura Tree. 30'		
4 to 5 ftB&B 13.50	11.00	10.00
5 to 6 ftB&B 17.50	16.00	15.00
6 to 8 ftB&B 22.50	20.00	18.00
8 to 10 ftB&B 27.50	25.00	22.50
10 to 12 ftB&B 40.00	35.00	
8 to 10 ft. spec B&B 35.00		
10 to 12 ft. spec B&B 45.00		
12 to 14 ft. spec B&B 60.00		
14 to 16 ft. spec B&B 75.00		
Cercis canadensis. Eastern Redbud. 40' 3 to 4 ft	1 65	1.05
	1.65	1.35
4 to 5 ft	2.75	2.50
5 to 6 ft	5.50	
6 to 8 ft	7.50	
8 to 10 ft	10.00	
canadensis alba. White Eastern Redbud.	40'	
3 to 4 ft B&B 7.50		
4 to 5 ftB&B 10.00		
*chinensis. Chinese Redbud. 30'		
2 to 3 ft	3.00	
3 to 4 ft	3.50	
Cerococarpus montanus. Mountain Mahogany.	6 '	
2 to 3 ftB&B 7.50		

	1- 4 Each		25 & up Each
Chaenomeles japonica (maulei).		<u> </u>	Buch
Japanese Flowering Quince. 4'			
18 to 24 in	.75	.60	.55
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	
japonica alpina.			
Salmon Japanese Flowering Qui		<i>'</i>	
18 to 24 in		1.50	1.25
2 to 3 ft	2.00	1.75	1.50
lagenaria (japonica). Common Flor	vering	Quince	. 5'
	.75	.60	.55
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	
1. alba. White Flowering Quince. 5'			
15 to 18 in	1.50		
18 to 24 in.	1.75		
1. Baltzi. Rosy Pink Flowering Quin			
2 to 3 ft	2.50	2.25	
3 to 4 ft	3.00	2.50	
l. cardinalis. Red Flowering Quince.	6 '		
3 to 4 ft	3.00	2.50	
l. cathayensis. Deep Rose Flowering	, Quin	ce. 8'	
3 to 4 ft	2.00		
l. Columbia. Salmon Flowering Quin	nce. 5'	,	
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2 .25	
l. Falconet Charlot. White Floweric	ng Qu	ince. 6	,
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.25	
4 to 5 ft	3.50		
l. Kermesina Semiplena.			
Rose Pink Flowering Quince. 5'	,		
2 to 3 ft		1.75	
l. moerloosi. Soft Pink Flowering Q	uince	5 '	
2 to 3 ft		2.25	
1. Nivalis. White Flowering Quince.			
2 to 3 ft		2.25	
2 10 9 10	2.00	<u>ال</u> الله ، الله	
LARGE SPECIMEN SHRUBS QUOTED	ON RE	QUEST	

Charamana lan	1-4 Each	5-24 25 Each I	& up Each
Chaenomeles	ina Qui	nce 3'	
1. Pygmaea. Dwarf Common Flower 18 to 24 in	<i>ing & w</i>	.75	
		1.00	
2 to 3 ft	1.20	1.00	
l. Rosea Grandiflora. Light Pink Flowering Quince. 6	*		
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
1. Roseaplena. Dbl. Rose Flowering	Quinc	e. 5'	
2 to 3 ft	2.00		1.50
3 to 4 ft	2.50	2.00	1.75
1. Rubra. Dark Red Flowering Quin	ce. 6'	1	
18 to 24 in	2.00	1.75	1.50
2 to 3 ft		2.25	2.00
3 to 4 ft		2.50	2.25
		ince 6'	
1. Semperflorens. Soft Rose Flower		2.25	2.00
2 to 3 ft		2.50	2.25
3 to 4 ft			
1. superba. Light Red Flowering Q 18 to 24 in	$uince. \ 2.00$	5 '	
l. Umbilicata. Rose Pink Flowering	, Quinc	e. 8'	
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	
4 to 5 ft. heavyB&B			
1. Vermilion. Red Flowering Quince			
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	
1. Versicolor. White, striped red Flo		Quince.	. 6'
2 to 3 ft		2.25	
3 to 4 ft	3.00	2.50	
sinensis. Chinese Flowering Quince.			
2 to 3 ft		2.25	
3 to 4 ft		2.50	
Chamaecyparis lawsoniana. Lawson F 2 ft	alsecyp 7.50	ress. 10	00'
lawsoniana alumni.			
Scarab Lawson Falsecypress. 4	60 '		
2 ftB&B			
3 ft B&B			
U 16	_ 3.30		

maecyj	nari	1-4 Each	5-24 25 & Each Each
		a Triomphe de Boskoop. 40'	
3	ft.	B&B 10.00	
nootka	aten	sis. Nootka Falsecypress. 75'	
2	ft.	B&B 6.00	5.00
3	ft.	B&B 7.50	6.00
4	ft.	B&B 10.00	
nootka	aten	sis pendula.	
		ing Nootka Falsecypress. 20'	
3	_	B&B 10.00	8.50
4	ft.	B&B 12.50	11.00
		B&B 17.50	
_	_	B&B 22.50	
			non foot
F (or 1	arger sizes to 10 ft., add \$5.00	per 100t.
obtusa	ı co	ompacta. Compact Hinoki Falsec	ypress. 10'
2	ft.	B&B 6.00	
3	ft.	B&B 7.50	
5	ft.	B&B 12.50	
obtuss	ns	ana. Dwarf Hinoki Falsecypress	. 3'
18		B&B 10.00	8.00
		B&B 10.00	10.00
		B&B 15.00	10.00
30	111.		
pisife	:a.	Sawara Falsecypress. 30'	
pisifer			5.00
2	ft.	Sawara Falsecypress. 30'	
2 3	ft. ft.	B&B 5.50	6.50
2 3 4	ft. ft. ft.	B&B 5.50 B&B 7.50 B&B 12.50	6.50 10.00
2 3 4 5	ft. ft. ft. ft.	B&B 5.50 B&B 7.50 B&B 12.50 B&B 15.00	6.50 10.00 13.50
2 3 4 5 6	ft. ft. ft. ft. ft.	B&B 5.50 B&B 7.50 B&B 12.50 B&B 15.00 B&B 20.00	6.50 10.00 13.50
2 3 4 5 6	ft. ft. ft. ft.	B&B 5.50 B&B 7.50 B&B 12.50 B&B 15.00 Spec. B&B 20.00	6.50 10.00 13.50
2 3 4 5 6 7	ft. ft. ft. ft. ft.	B&B 5.50 B&B 7.50 B&B 12.50 B&B 15.00 Spec. B&B 20.00 spec. B&B 25.00 Golden Sawara Falsecypress.	6.50 10.00 13.50
2 3 4 5 6 7 p. au	ft. ft. ft. ft. ft. ft.	B&B 5.50 B&B 7.50 B&B 12.50 B&B 15.00 Spec. B&B 20.00 spec. B&B 25.00 Golden Sawara Falsecypress. B&B 5.50	6.50 10.00 13.50
2 3 4 5 6 7 p. au 2 3	ft. ft. ft. ft. ft. ft.	B&B 5.50 B&B 7.50 B&B 12.50 B&B 15.00 Spec. B&B 20.00 Spec. B&B 25.00 Golden Sawara Falsecypress. B&B 5.50 B&B 7.50	6.50 10.00 13.50
2 3 4 5 6 7 p. au 2 3 4	ft. ft. ft. ft. ft. ft. ft.	B&B 5.50 B&B 7.50 B&B 12.50 B&B 15.00 B&B 15.00 Spec. B&B 20.00 Spec. B&B 25.00 Golden Sawara Falsecypress. B&B 5.50 B&B 7.50 B&B 12.50	6.50 10.00 13.50
2 3 4 5 6 7 p. au 2 3 4 5	ft. ft. ft. ft. ft. ft. ft. ft.	B&B 5.50 B&B 7.50 B&B 12.50 B&B 15.00 Spec. B&B 20.00 Spec. B&B 25.00 Golden Sawara Falsecypress. B&B 5.50 B&B 7.50	6.50 10.00 13.50

							1-4	5-24 2	5 & un
			•				Each	Each	Each
Chama	ecyr	aris	5					ر م	
p.	filif	era.	Three	ad Saw	ara Fe	ulsecy1	oress	10 6 50	6.00
	2	ft.				B&B	7.50	$6.50 \\ 10.00$	9.00
	3	ft				B&B	12.50		9.00
	4	ft				B&B	15.00	18.00	
	4	ft. s	spec.			B&B	20.00	20.00	
	5	ft. s	spec.			B&B	25.00	20.00	
	For	larg	er size	es to 10	ft., a	dd \$5	.00 per	foot	
n.	filif	era	aurea						
P.				Sawar	a Fal	secypr	ess. 10) '	
	18	in.	spd.			B&B	6.00		
	24	in.	spd.			B&B	8.00	7.00	
	30	in.	spd.			B&B	12.50	10.00	
	36	in.	spd.			B&B	16.50		
p.	fili	fera	aurea	-varie	gata.				
_	V	arie	gated !	Thread	Sawar	a Fal	secypre	ess. 10'	
	18	to 2	24 in.	spd		B&B	7.50		
p.	plu	mos	sa. Plu	me Sar	vara F	alsecy	press.	30'	4.50
	2			ed				5.00	4.50
	3	ft.	shear	$ed \dots$		B&B	8.00	7.00	6.25
	4	ft.	shear	e d		B&B	12.50	10.00	9.00
	5	ft.	shear	ed		B&B	15.00	13.50	12.50
	6	ft.		e d					
	7	ft.	shear	ed		B&B	25.00		
	8	ft.	shear	e d		B&B	30.00		
	9	ft.	shear	ed		B&B	37.50		
	10	ft.	shear	e d		B&B	45.00		
p.			sa aur		77 1		s. 30'		
		oldy	olume i	Sawara	Faise	cypres D&D		5.00	4.50
	2			ed				7.00	6.25
	3			ed				10.00	9.00
	4		snear	ed		B&B R&B	15.00	13.50	0.00
	5			ed				10.00	
	6				•				
p	. plu	ımo	sa arg	entea.	Globe	Form	. 5'		
	18	in.				.B&B	6.00	5.00	4.50
	24	in.				.B&B	7.50	6.50	6.25
	30	in.				.B&B	10.00	7.50	
	36	in.				.B&B	12.50	10.00	

1-4 5-24 25 & up

Chamaecyparis Eac		Each
Chamaecyparis		
p. plumosa sulphurea.		
Sulphurplume Falsecypress. 25'		
3 ftB&B 10.00		
4 ftB&B 12.50		
5 ftB&B 15.00	0 12.50	
p. squarrosa. Moss Sawara Falsecypres:	30°	
2 ft. sheared		4.50
3 ft. shearedB&B 7.50	6.50	6.25
4 ft. shearedB&B 12.50	10.00	9.00
5 ft. shearedB&B 15.00)	
6 ft. sheared)	
Chamaedaphne calyculata. Leatherleaf. 3'		
18 to 24 in		
24 to 30 inB&B 7.50	,	
Chionanthus retusus. Chinese Fringetree. 20) '	
2 to 3 ftB&B 7.50		
virginicus. White Fringetree. 30'		
2 to 3 ft	1.60	1.50
3 to 4 ft	2.50	2.25
4 to 5 ft 4.00	3.50	3.25
5 to 6 ft 5.00	4.50	4.00
6 to 8 ft 6.00	5.50	5.00
8 to 10 ft 10.00	7.50	6.50
5 to 6 ft. spec B&B 15.00		
6 to 8 ft. spec B&B 18.00		
8 to 10 ft. spec B&B 25.00		
Cladrastis lutea. American Yellowwood. 50'		
5 to 6 ft B&B 15.00		
2½ to 3 in B&B 45.00		
Clematis apiifolia. October Clematis. 25'		
2 year 1.25	1.00	.90
chrysocoma sericea. Silky Goldwool Clea	matis. 20	"
2 year 1.50		

	1-4 Each	5-24 2 Each	5 & up Each
Clematis			
coccinea. (See texensis)			
crispa. Curly Clematis. 2 year	1.50		
fargesi. Farges Clematis. 2 year	1.50		
hybrids. Large Flowering Clematis. 2 year. 3" pots	1.50	1.25	
Jackmanni, Mad. Ed Andre, Her Ramona.	nryi,		
ligusticifolia. Western Virgins-bower 2 year			
montana rubens. Pink Anemone Classinch pots		<i>15</i> ′	
montana undulata. 3½ inch pots	1.50		
montana wilsoni. Wilson Anemone 3 inch pots		tis. 15	,
paniculata. Sweet Autumn Clemati 2 year 3 year	.75		
serratifolia. Hermitgold Clematis. 2 year			
tangutica. Golden Clematis. 25' 3 inch pots	1.50	1.25	
texensis syn. coccinea. Scarlet Cle 2 year			
LARGE SPECIMEN SHRUBS QUOTED	ON REC	UEST	

Clematis	1-4 Each	5-24 Each	25 & up Each
viorna. Leatherflower.			
2 year	1.50		
virginiana. Virgins-bower. 25'			
2 year	.75	.60	.50
3 year	1.00	.75	.60
vitalba. Travelers-joy. 25'			
2 year	1.50		
viticella. Italian Clematis. 10'	4 8 6		
2 year	1.50	1.25	
Clerodendron trichotomum. Harlequin	Glorybo	wer.	6 '
3 to 4 ft	3.00	2.50	
4 to 5 ft	4.00		
Clethra alnifolia. Summersweet Clethra.	10'		
18 to 24 in	.75	.60	.55
24 to 30 in	1.00	.80	.75
2½ .to 3 ft	1.25	1.00	.95
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.00	1.75	1.50
a. paniculata. 5'	1.05	1 00	
18 to 24 in	1.25	1.00	
2 to 3 it	1.50	1.25	
barbinervis. Tree Clethra. 5'			
2 to 3 ft	1.50	1.35	1.25
3 to 4 ft	1.75	1.60	1.50
4 to 5 ft	2.50	2.00	1.75
1 2 2 2 2 2			
tomentosa. Wooly Clethra. 8'	1.95	1.00	00
18 to 24 in	1.25	1.00	.90

	1-4 Each	5-24 2 Each	5 & up Each
Colutea arborescens. Bladder Senna. 10)*		
3 to 4 ft	1.25	1.00	.95
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50		
cilicica. Cilician Bladder Senna. 10'	,		
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
	0.00	0.00	
media. Hybrid Bladder Senna. 10'	0.00	1.50	
3 to 4 ft			
4 to 5 ft	2.50	1.75	
		~1	
Comptonia peregrina asplenifolia. Swe	etfern.	5'	
18 to 24 in	1.50	1.25	
2 to 3 ft	1.75	1.50	
Cornus alba. Tatarian Dogwood. 10'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.75	1.50	1.25
alba argenteo-marginata. Creamed	ae Doo	rwood.	10'
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.35	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00		
alba sibirica. Siberian Dogwood. 10		60	5.5
2 to 3 ft	.75	.60	.55 .75
3 to 4 ft	1.00	.80	• • •
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
alba spaethi. Yellowedge Dogwood			
2 to 3 ft	1.50	•	
3 to 4 ft	2.00		
4 to 5 ft	2.50		
alternifolia. Pagoda Dogwood. 20'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.75		

Cornus	1-4 Each	5-24 Each	25 & up Each
amomum. Silky Dogwood. 10'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.65
baileri Bailer Dogwood 10'			
baileyi. Bailey Dogwood. 10' 3 to 4 ft	1.25	1.00	
4 to 5 ft			
4 10 5 11	1.50	1.25	
florida. Flowering Dogwood. 25'			
3 to 4 ft	4.50	4.00	3.75
4 to 5 ftB&B	7.50	7.00	6.50
5 to 6 ftB&B	12.00	10.00	9.00
6 to 8 ftB&B	16.00	13.50	12.50
8 to 10 ftB&B	22.50	19.00	18.00
5 to 14 ft. heavy spec.			
B&B at \$3.50 per foot.			
Das at police per 1990.			
florida plena. Dbl. White Flg. Dog		25'	
10 to 12 ft. specB&B	40.00		
florida rubra. Red Flowering Dog	boore	20 '	
3 to 4 ftB&B	7.50	6.00	
	12.00	9.50	
5 to 6 ft		12.50	
6 to 8 ftB&B		18.00	
8 to 10 ft		10.00	
5 ft., heavy spec B&B			
6 ft., heavy specB&B			
		C 4	
For large sizes to 12 ft., add \$	o.uu pe	er 100t.	
florida welchi. Varileaf Dogwood.	25'		
3 to 4 ftB&B			
4 to 5 ftB&B			
kousa. Kousa Dogwood. 20'			
3 to 4 ft		7.50	7.00
4 to 5 ftB&B			9.50
4 to 5 ft. heavy B&B			
5 to 6 ft. heavy B&B			
6 to 8 ft. heavy B&B			
8 to 10 ft. heavy B&B	30.00	27.50	

1-4 Each	5-24 25 Each	& up ' Each
Cornus		,
kousa chinensis. Chinese Kousa Dogwood. 4 ft. B&B 15.00 5 ft. B&B 20.00 6 ft. B&B 25.00	20'	
mas. Corneliancherry Dogwood. 20'		
4 to 5 ft. 3.50 5 to 6 ft. 4.50 6 to 8 ft. 6.00 8 to 10 ft. 7.50 10 to 12 ft. 15.00	4.00 5.50 6.50	5.00 6.00
officinalis. Japanesecornel Dogwood. 15'		
5 to 6 ft 7.50		
paniculata. (see racemosa)		
paucinervis. Littleleaf Dogwood. 6' 3 to 4 ft. 4.00 4 to 5 ft. 5.00 pubescens. 15' 3 to 4 ft. 1.50 4 to 5 ft. 2.00 5 to 6 ft. 2.50 racemosa. (paniculata). Gray Dogwood.	<i>15</i> '	
2 to 3 ft	.60	.55
3 to 4 ft	.80 1.10	.75 .95
4 to 5 ft	1.50	1.25
6 to 8 ft 2.00	1.75	1.50
rugosa. Roundleaf Dogwood. 10'		
3 to 4 ft		
4 to 5 ft		
5 to 6 ft		
sanguinea. Bloodtwig Dogwood. 10'		
2 to 3 ft	.60	.55
3 to 4 ft	.80	.75
4 to 5 ft	1.10	.95
5 to 6 ft	1.50	1.25
sanguinea viridissima. Greentwig Dogwood		
2 to 3 ft	.90	
4 to 5 ft		

	1-4 Each	5-24 2 Each	5 & up Each
Cornus			
stolonifera. Redosier Dogwood. 10'			•
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
s. flaviramea. Yellowtwig Redosier	Dogree	ood. 8'	
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.35	1.10	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	
Corylopsis sinensis. Chinese Winterhaze	l. 8'		
6 to 8 ftB&B			
Corylus americana. American Filbert.	10'		
2 to 3 ft	1.25	.90	.85
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	1.75	1,60	1.50
5 to 6 ft	2.00	1.85	1.75
6 to 8 ft	2.50	2.25	2.00
avellana Faranaga Eilbart 15'			
avellana. European Filbert. 15' 2 to 3 ft	1.25	.90	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.60	1.50
5 to 6 ft	2.00	1.85	1.75
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	4.00	3.50	3.00
avellana atropurpurea. $Purple$ Eu	romaan	Filbert	. 15'
2 to 3 ft	5.00	4.00	. 10
3 to 4 ft	6.00	5.00	
4 to 5 ft	7.50	6.50	
avellana aurea. Golden European	Filhert	15 '	
2 to 3 ft	5.00	4.50	
3 to 4 ft	6.00		
4 to 5 ft	7.50		
colurna. Turkish Filbert. 25'			
	6.50		
2 00 0 200			

	1-4 Each	5-24 25 Each E	
Corylus			
heterophylla setchuenensis. Szechwe	an Filb	ert. 12 '	
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	4.00	3.50	
rostrata. Beaked Filbert. 6'			
2 to 3 ft	1.25	1.00	.85
3 to 4 ft	1.75	1.35	1.10
	2.00	1.75	1.50
	3.00	2.50	1.00
5 to 6 ft	3.00	2.00	
Cotinus coggygria. Common Smoketree.	<i>15</i> '		
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.75	2.50	
6 to 8 ft	3.50	3.25	
0 10 0 10			
Cotoneaster acutifolia. Peking Cotoneas	ster. 12	,	
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.10	.95
4 to 5 ft	1.75	1.35	
*acutifolia villosula. 12'	1.00	.80	
2 to 3 ft	1.00	1.10	
3 to 4 ft	1.25		
4 to 5 ft	1.75	1.35	
5 to 6 ft	2.25	1.75	
6 to 8 ft	2.75	2.25	
acuminata. Sharpleaf Cotoneaster.	12'		
3 to 4 ft. spd B&B	6.00		
adpressa. Creeping Cotoneaster. 2'			
6 to 8 in. from pots	2.50	2.25	
ambigua. 6' 2 to 3 ftB&B	3.50	3.00	
	4.50	4.00	
0 00 1 100		1.00	
apiculata. Cranberry Cotoneaster.			
9 to 12 in. from pots	2.50	2.25	2.00
12 to 15 in. from pots		2.75	
2 to 3 ft B&B	4.00		
dammeri. Bearberry Cotoneaster. 2			
10 to 12 in. from pots			
dammeri radicans. 2'	6.00		
2 to 3 ft. spd	0.00		

Cotoneaster dielsiana. Diels Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.25 4 to 5 ft. B&B 7.50 6.50 divaricata. Spreading Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.25 5.00 4 to 5 ft. B&B 7.50 6.50 6.00 foveolata. Glossy Cotoneaster. 10' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 4.00 3 to 4 ft. B&B 6.00 5.50 4 to 5 ft. B&B 6.00 5.50 4 to 5 ft. B&B 7.50 francheti. Franchet Cotoneaster. 10' 12 to 18 in., 4 in. pots 3.00 2.50 himalaicus. Littleleaf Cotoneaster. 6' 8 to 10 in., 4 in. pots 3.00 2.50 Loo horizontalis. Rock Cotoneaster. 3' 12 to 15 in. spd. from pots 3.00 2.75 2.50 15 to 18 in. spd. from pots 3.75 3.25 3.		1-4 Each		25 & up Each
2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.25 4 to 5 ft. B&B 7.50 6.50 divaricata. Spreading Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.25 5.00 4 to 5 ft. B&B 7.50 6.50 foveolata. Glossy Cotoneaster. 10' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 4 to 5 ft. B&B 7.50 6.50 foveolata. Glossy Cotoneaster. 10' 2 to 3 ft. B&B 7.50 francheti. Franchet Cotoneaster. 10' 12 to 18 in., 4 in. pots 3.00 himalaicus. Littleleaf Cotoneaster. 6' 8 to 10 in., 4 in. pots 3.00 2.50 horizontalis. Rock Cotoneaster. 3' 12 to 15 in. spd. from pots 3.75 3.25 3.00 15 to 18 in. spd. B&B 4.00 3.50 18 to 24 in. spd. B&B 5.00 4.50 horizontalis perpusilla. Ground Cotoneaster. 3' 10 to 12 in., from pots 3.75 3.25 15 to 18 in., from pots 3.75 3.25 horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 6' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 6.00 5.50 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. B&B 6.00 5.50 *lucida. Hedge Cotoneaster. 10'				
3 to 4 ft. B&B 6.00 5.25 4 to 5 ft. B&B 7.50 6.50 divaricata. Spreading Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.25 5.00 4 to 5 ft. B&B 7.50 6.50 6.00 foveolata. Glossy Cotoneaster. 10' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 4 to 5 ft. B&B 7.50 6.50 6.00 foreolata. Glossy Cotoneaster. 10' 2 to 3 ft. B&B 7.50 francheti. Franchet Cotoneaster. 10' 12 to 18 in., 4 in. pots 3.00 himalaicus. Littleleaf Cotoneaster. 6' 8 to 10 in., 4 in. pots 3.00 2.50 horizontalis. Rock Cotoneaster. 3' 12 to 15 in. spd. from pots 3.75 3.25 3.00 15 to 18 in. spd. B&B 4.00 3.50 18 to 24 in. spd. B&B 5.00 4.50 horizontalis perpusilla. Ground Cotoneaster. 3' 10 to 12 in., from pots 3.75 3.25 15 to 18 in., from pots 3.75 3.25 15 to 18 in., from pots 3.75 3.25 15 to 18 in., from pots 5.50 15 to 18 in., from pots 5.50 15 to 18 in., from pots 5.50 15 to 18 in. ground Cotoneaster. 5' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 6' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 6.00 5.50 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. B&B 6.00 5.50 *lucida. Hedge Cotoneaster. 10'				
4 to 5 ft. B&B 7.50 6.50 divaricata. Spreading Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.25 5.00 4 to 5 ft. B&B 7.50 6.50 6.00 foveolata. Glossy Cotoneaster. 10' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 4 to 5 ft. B&B 7.50 franchefi. Franchet Cotoneaster. 12 to 18 in., 4 in. pots 3.00 himalaicus. Littleleaf Cotoneaster. 8 to 10 in., 4 in. pots 3.00 2.50 horizontalis. Rock Cotoneaster. 3 to 18 in. spd. from pots 3.00 2.75 2.50 15 to 18 in. spd. B&B 4.00 3.50 18 to 24 in. spd. B&B 4.00 3.50 18 to 24 in. spd. B&B 5.00 4.50 horizontalis perpusilla. Ground Cotoneaster. 10 to 12 in., from pots 3.00 2.75 2.50 15 to 18 in., from pots 3.75 3.25 horizontalis wilsoni. B&B 4.50 4.00 5.50 15 to 18 in., from pots 3.75 3.25 horizontalis wilsoni. Wilson Cotoneaster. 2 to 3 ft. <td></td> <td></td> <td></td> <td></td>				
divaricata. Spreading Cotoneaster. 6' 2 to 3 ft.				
2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.25 5.00 4 to 5 ft. B&B 7.50 6.50 6.00 foveolata. Glossy Cotoneaster. 10' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 4 to 5 ft. B&B 7.50 francheti. Franchet Cotoneaster. 10' 12 to 18 in., 4 in. pots 3.00 himalaicus. Littleleaf Cotoneaster. 6' 8 to 10 in., 4 in. pots 3.00 2.75 15 to 18 in. spd. from pots 3.00 2.75 15 to 18 in. spd. B&B 4.00 3.50 18 to 24 in. spd. B&B 5.00 4.50 horizontalis perpusilla. Ground Cotoneaster. 3' 10 to 12 in., from pots 2.50 2.25 2.00 12 to 15 in., from pots 3.00 2.75 2.50 15 to 18 in., from pots 5.30 2.75 2.50 16 to 18 in., from pots 5.30 2.25 17 to 18 in., from pots 5.30 2.25 18 to 24 in. spd. B&B 5.00 4.50 horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 6' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 6.00 5.50 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. B&B 6.00 5.50 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. B&B 6.00 5.50 *lucida. Hedge Cotoneaster. 10'	4 to 5 ftB&B	7.50	6.50	
3 to 4 ft	divaricata. Spreading Cotoneaster.	6 '		
4 to 5 ft. B&B 7.50 6.50 6.00 foveolata. Glossy Cotoneaster. 10' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 4 to 5 ft. B&B 7.50 francheti. Franchet Cotoneaster. 10' 12 to 18 in., 4 in. pots 3.00 himalaicus. Littleleaf Cotoneaster. 6' 8 to 10 in., 4 in. pots 3.00 2.50 horizontalis. Rock Cotoneaster. 3' 12 to 15 in. spd. from pots 3.00 2.75 2.50 15 to 18 in. spd. B&B 4.00 3.50 18 to 24 in. spd. B&B 5.00 4.50 horizontalis perpusilla. Ground Cotoneaster. 3' 10 to 12 in., from pots 3.00 2.75 2.50 12 to 15 in., from pots 3.00 2.75 2.50 15 to 18 in., from pots 3.00 2.75 2.50 15 to 18 in., from pots 3.05 3.25 horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft B&B 4.50 4.00 3 to	2 to 3 ftB&B	4.50	4.00	3.75
foveolata. Glossy Cotoneaster. 10' 2 to 3 ft	3 to 4 ftB&B	6.00	5.25	5.00
2 to 3 ft	4 to 5 ftB&B	7.50	6.50	6.00
3 to 4 ft		4 = 0	4.00	
### ### ### ### ### ### ### ### ### ##				
francheti. Franchet Cotoneaster. 10' 12 to 18 in., 4 in. pots			5.50	
12 to 18 in., 4 in. pots	4 to 5 ftB&B	7.50		
himalaicus. Littleleaf Cotoneaster. 6' 8 to 10 in., 4 in. pots 3.00 2.50 horizontalis. Rock Cotoneaster. 3' 12 to 15 in. spd. from pots 3.00 2.75 2.50 15 to 18 in. spd. from pots 3.75 3.25 3.00 15 to 18 in. spd B&B 4.00 3.50 18 to 24 in. spd B&B 5.00 4.50 horizontalis perpusilla. Ground Cotoneaster. 3' 10 to 12 in., from pots 2.50 2.25 2.00 12 to 15 in., from pots 3.00 2.75 2.50 15 to 18 in., from pots 3.75 3.25 horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft B&B 4.50 4.00 3 to 4 ft B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 6' 2 to 3 ft B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft B&B 6.00 5.50 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft B&B 6.00 5.50 5.00		O '		
8 to 10 in., 4 in. pots 3.00 2.50 horizontalis. Rock Cotoneaster. 3' 12 to 15 in. spd. from pots 3.00 2.75 2.50 15 to 18 in. spd. from pots 3.75 3.25 3.00 15 to 18 in. spd. B&B 4.00 3.50 3.50 4.50 18 to 24 in. spd. B&B 5.00 4.50 horizontalis perpusilla. Ground Cotoneaster. 3' 10 to 12 in., from pots 2.50 2.25 2.00 12 to 15 in., from pots 3.00 2.75 2.50 15 to 18 in., from pots 3.75 3.25 horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 hupeh Cotoneaster. 5' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. 1.00 .80 .75	12 to 18 in., 4 in. pots	3.00		
horizontalis. Rock Cotoneaster. 3' 12 to 15 in. spd. from pots 3.00 2.75 2.50 15 to 18 in. spd. from pots 3.75 3.25 3.00 15 to 18 in. spd B&B 4.00 3.50 18 to 24 in. spd B&B 5.00 4.50 horizontalis perpusilla. Ground Cotoneaster. 3' 10 to 12 in., from pots 2.50 2.25 2.00 12 to 15 in., from pots 3.00 2.75 2.50 15 to 18 in., from pots 3.75 3.25 horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft B&B 4.50 4.00 3 to 4 ft B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 5' 2 to 3 ft B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft B&B 4.50 4.00 3.75 3 to 4 ft B&B 6.00 5.50 5.00 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft B&B 6.00 5.50 5.00	himalaicus. Littleleaf Cotoneaster.	<i>6'</i>		
12 to 15 in. spd. from pots 3.00 2.75 2.50 15 to 18 in. spd. from pots 3.75 3.25 3.00 15 to 18 in. spd. B&B 4.00 3.50 18 to 24 in. spd. B&B 5.00 4.50 horizontalis perpusilla. Ground Cotoneaster. 3' 10 to 12 in., from pots 2.50 2.25 2.00 12 to 15 in., from pots 3.00 2.75 2.50 15 to 18 in., from pots 3.75 3.25 horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 6' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.50 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. 1.00 .80 .75	8 to 10 in., 4 in. pots	3.00	2.50	
15 to 18 in. spd. from pots 3.75 3.25 3.00 15 to 18 in. spd B&B 4.00 3.50 18 to 24 in. spd B&B 5.00 4.50 horizontalis perpusilla. Ground Cotoneaster. 3' 10 to 12 in., from pots 2.50 2.25 2.00 12 to 15 in., from pots 3.00 2.75 2.50 15 to 18 in., from pots 3.75 3.25 horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft B&B 4.50 4.00 3 to 4 ft B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 5' 2 to 3 ft B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft B&B 4.50 4.00 3.75 3 to 4 ft B&B 6.00 5.50 5.00 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft B&B 6.00 5.50 5.00	horizontalis. Rock Cotoneaster. 3'			
15 to 18 in. spd. B&B 4.00 3.50 18 to 24 in. spd. B&B 5.00 4.50 horizontalis perpusilla. Ground Cotoneaster. 3' 10 to 12 in., from pots 2.50 2.25 2.00 12 to 15 in., from pots 3.00 2.75 2.50 15 to 18 in., from pots 3.75 3.25 horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 5' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.50 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. 1.00 .80 .75	12 to 15 in. spd. from pots	3.00	2.75	2.50
18 to 24 in. spd. B&B 5.00 4.50 horizontalis perpusilla. Ground Cotoneaster. 3' 10 to 12 in., from pots 2.50 2.25 2.00 12 to 15 in., from pots 3.00 2.75 2.50 15 to 18 in., from pots 3.75 3.25 horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 5' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 6.00 5.50 5.00 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. 1.00 .80 .75	15 to 18 in. spd. from pots	3.75	3.25	3. 00
horizontalis perpusilla. Ground Cotoneaster. 3' 10 to 12 in., from pots 2.50 2.25 2.00 12 to 15 in., from pots 3.00 2.75 2.50 15 to 18 in., from pots 3.75 3.25 horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 5' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.50 5.00 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. 1.00 .80 .75	15 to 18 in. spd	4.00	3.50	
10 to 12 in., from pots 2.50 2.25 2.00 12 to 15 in., from pots 3.00 2.75 2.50 15 to 18 in., from pots 3.75 3.25 horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 5' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.50 5.00 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. 1.00 .80 .75	18 to 24 in. spd B&B	5.00	4.50	
12 to 15 in., from pots	horizontalis perpusilla. Ground Con	to neast	er. 3'	
15 to 18 in., from pots 3.75 3.25 horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 5' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.50 5.00 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. 1.00 .80 .75	10 to 12 in., from pots	2.50	2.25	2.00
horizontalis wilsoni. Wilson Cotoneaster. 5' 2 to 3 ft.	12 to 15 in., from pots	3.00	2.75	2.50
2 to 3 ft. B&B 4.50 4.00 3 to 4 ft. B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 5' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.50 5.00 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. 1.00 .80 .75	15 to 18 in., from pots	3.75	3.25	
3 to 4 ft. B&B 6.00 5.50 hupehensis. Hupeh Cotoneaster. 5' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.50 5.00 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. 1.00 .80 .75	horizontalis wilsoni. Wilson Cotone	easter.	5 '	
hupehensis. Hupeh Cotoneaster. 5' 2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.50 5.00 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. 1.00 .80 .75	2 to 3 ftB&B	4.50	4.00	
2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.50 5.00 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. 1.00 .80 .75	3 to 4 ftB&B	6.00	5.50	
2 to 3 ft. B&B 4.50 integerrima. European Cotoneaster. 6' 2 to 3 ft. B&B 4.50 4.00 3.75 3 to 4 ft. B&B 6.00 5.50 5.00 *lucida. Hedge Cotoneaster. 10' 2 to 3 ft. 1.00 .80 .75	hupehensis. Hupeh Cotoneaster. 5'			
2 to 3 ft				
3 to 4 ft	integerrima. European Cotoneaster.	6 '		
*lucida. Hedge Cotoneaster. 10' 2 to 3 ft	2 to 3 ftB&B	4.50	4.00	3.75
2 to 3 ft	3 to 4 ftB&B	6.00	5.50	5.00
2 00 0 2000	*lucida. Hedge Cotoneaster. 10'			
2 to 4 ft 1 25 1 10 05	2 to 3 ft	1.00	.80	.75
3 (U '\ 11	3 to 4 ft	1.25	1.10	.95
4 to 5 ft	4 to 5 ft	1.75	1.35	
melanocarpa. 6'	melanocarpa. 6'			
2 to 3 ftB&B 4.50 4.00	-	4.50	4.00	
3 to 4 ftB&B 6.00 5.50	3 to 4 ftB&B	6.00	5.50	
4 to 5 ftB&B 7.50	4 to 5 ftB&B	7.50		

Cotoneaster	1-4 Each	5-24 2 Each	5 & up Each
microphylla. Rockspray Cotoneaster	r. 3'	, .	
10 to 12 in., 4 in. pots	2.50	2.25	2.09
	3.25	2.75	2.00
12 to 15 in	3.75	3.25	
15 to 18 inB&B	5.15	0.20	
microphylla thymifolia.	101		
Thyme Rockspray Cotoneaster.	10'	9.75	
15 to 18 in. from pots	3.00	2.75	
moupinensis. Mupin Cotoneaster. 1		0.75	
15 to 18 in., 4 in. pots	3.00	2.75	
multiflora. 6'	4 = 0	4.00	0.75
2 to 3 ftB&B	4.50	4.00	3.75
3 to 4 ftB&B	6.00	5.25	5.00
4 to 5 ftB&B	7.50	6.50	6.00
nitens. Pinkblush Cotoneaster. 4'			
3 to 4 ftB&B	6.00		
obscura. Bloodberry Cotoneaster. 1			
2 to 3 ftB&B	4.50	4.00	3.75
3 to 4 ftB&B	6.00	5.25	5.00
racemiflora soongarica. Sungari C	lotone as	ster. 6'	
2 to 3 ftB&B	5.00	4.00	3.75
3 to 4 ftB&B	6.00	5.50	5.00
4 to 5 ftB&B	7.50	6.50	6.00
rotundifolia. Redbox Cotoneaster.	2'		
10 to 12 in. from pots	2.50	2.25	2.00
12 to 15 in. from pots	3.25	2.75	
15 to 18 in	4.00	3.50	3.25
18 to 24 inB&B	5.50	5.00	4.50
rosea. Redcurrant Cotoneaster. 10'			
2 to 3 ft	4.50	4.00	3.75
3 to 4 ft	6.00	5.25	5.00
4 to 5 ft	7.50	6.50	
5 to 6 ftB&B	8.50	7.50	7.00
salicifolia floccosa.	0.00		
Hardy Willowleaf Cotoneaster.	6 '		
15 to 18 in. from pots	3.50		
simonsi. Simons Cotoneaster. 8'	0.00		
	3.50		
12 to 18 in., 4 in. pots	5.50		
tenuipes. Slender Cotoneaster. 6'	9.75	9.50	
8 to 12 in. from pots	2.75	2.50	
12 to 15 in			
18 to 24 inB&B			
zabeli. Cherryberry Cotoneaster. 6			
15 to 18 in., from pots	3.50		
2 to 3 ftB&B	5.00		

			1- Ea		5-24 2 Each	25 & up Each
*Crataegus	ap	ric	a. Beadle Hawthorn. 20'			7
3	to	4	ft	25	4.00	3.75
4	to	5	ft 5.0	0	4.75	4.50
5	to	6	ft 8.0	0	7.75	
*arkan	san	a.	Arkansas Hawthorn. 30'			
3	to	4	ft 4.2	25	4.00	3.75
4	to	5	ft 5.0	0	4.75	4.50
5	to	6	ft 8.0	0	7.75	7.50
6	to	8	ft 12.0	00	11.00	10.00
8	to :	10	ft	0	14.00	
*arnole	dian	ıa.	Arnold Hawthorn. 20'			
3	to	4	ft 4.2	25	4.00	3.75
4	to	5	ft 5.0	00	4.75	4.50
5	to	6	ft	0(7.75	7.50
6	to	8	ft 12.0	00	11.00	10.00
8	to :	10	ft	00	14.00	
*calpo	den	dro	on. Pear Hawthorn. 15'	•		
3	to	4	ft 4.2	25	4.00	3.75
. 4	to	5	ft 5.0	00	4.75	4.50
5	to	6	ft 8.0	00	7.75	7.50
6	to	8	ft	00	11.00	10.00
coccine	ea	(se	e intricata)			
*coccii	nioi	des	. Kansas Hawthorn. 20'			
4	to	5	ft 5.0	00	4.75	4.50
5	to	6	ft 8.0	00	7.75	7.50
6	to	8	ft 12.0	00	11.00	10.00
*corda	ta (se	phaenopyrum).			
*crusg	alli.	. (Cockspur Thorn. 30'			
_	to		ft 4.2	25	4.00	3.75
4	to	5	ft 5.0	00	4.75	4.50
5	to	6	ft	00	7.75	7.50
6	to	8	ft 12.0	00	11.00	10.00
			ft		14.00	13.50
10			ec			
*cunea		_	ippon Hawthorn. 20'			
3	to		ft 4.2	25	4.00	
4	to	5	ft 5.5	50	5.00	
	to		ft 8.0	00	7.75	
*hupel						
4	to	5	ft 5.5	50	5.00	
5	to	6	ft 8.0	00	7.75	
6	to	8	ft 12.0	00	11.00	
8	to :	10	ft 15.0	00		
U						

* C t			1-4 Each	5-24 2 Each	5 & up Each
*Crataegus					
*intricata	(co	occinea). Thicket Hawth	orn.	20 '	
3 to	4	ft	4.25	4.00	3 .75
4 to	5	ft	5.00	4.75	4.50
5 to	6	ft	8.00	7.75	7.50
6 to	8	ft 1:	2.00	11.00	10.00
8 to	10	ft	5.00	14.00	13.50
*lavallei.	La	valle Hawthorn. 20'			
3 to	4	ft	4.25	4.00	3.75
4 to	5	ft	5.00	4.75	4.50
5 to	6	ft	8.00	7.75	7.50
6 to	8		2.00	11.00	
8 to	10	ft 1	5.00	14.00	
*macraca	nth	a. Spike Hawthorn. 20'	,		
3 to	4	ft	4.25		
4 to	5	ft	5.00		
*mollis.	Dou	vny Hawthorn. 20'			
3 to	4	ft	4.25	4.00	3.75
4 to	5	ft	5.00	4.75	4.50
5 to	6	ft	8.00	7.75	7.50
6 to	8	ft 1	2.00	11.00	10.00
8 to	10	$ft.\dots\dots 1$	5.00	14.00	13.50
*monogyi	na.	Singleseed Hawthorn.	20 '		
4 to	5	ft	5.00	4.75	4.50
5 to	6	ft	8.00	7.75	7.50
6 to	8	ft	2.00	11.00	
8 to	10	ft 1	5.00		
*monogy	na	stricta.			
Pyra	mid	al Singleseed Hawthorn.	20'		
3 to	4	ft	4.25		
4 to	5	ft	5.00		
5 to	6	ft	8.00		
*nitida.		ssy Hawthorn. 15'			
3 to		ft	4.25	4.00	3.75
4 to	5	ft	5.00	4.75	4.50
5 to	6	ft	8.00	7.75	7.50
6 to	8	ft 1	2.00	11.00	10.00
8 to	10	ft 1	5.00	14.00	

Crataegus

*oxyacantha.	English Hawthorn. 2	20'		
4 to 5 f	ft	5.00	4.75	4.50
5 to 6 f	it	8.00	7.75	7.50
6 to 8 f	ft	12.00	11.00	10.00
	ft.:	15.00	14.00	
8 to 10 f	t. spec B&B	30.00		
*o. plena. Do	ublewhite English Har	wthorn.	<i>15</i> ′	
4 to 5 f	ft	7.50	6.00	
5 to 6 f	ft	10.00	7.50	
6 to 8 f	ft	12.50	10.00	
8 to 10 f	ft	15.00	12.50	
*o. pauli. Pa	ul's Scarlet English I	Hawthor	rn. 15'	
4 to 5 f	ft	7.50		
5 to 6 f	ft	10.00		
6 to 8 f	ft	12.50		
*o. punicea.	Singlered English Ha	wthorn.	<i>15</i> ′	
4 to 5 f	ft	7.50		
5 to 6 1	ft	10.00		
6 to 8 f	ft	12.50		
8 to 10 f	ft	15.00		
*o. rosea plei	na. Doublepink Engli	sh Har	vthorn.	<i>15</i> ′
4 to 5 1	ft .	7.50		
5 to 6 f	ft	10.00		
6 to 8 1	ft	12.50		
8 to 10 f	ft	15.00		
*peregrina. I	Peregrina Hawthorn.	<i>15</i> ′		
3 to 4 1	ft	4.25	4.00	
4 to 5 f	ft	5.00	4.75	
5 to 6 f	ft	8.00	7.75	
6 to 8 f	ft	12.00	11.00	
*persistens. 1	!5 '			*
4 to 5 f	ft	5.00	4.75	
5 to 6 f	ft	8.00	7.75	
6 to 8 f	ft	12.00	11.00	
8 to 10 f	ft	15.00	14.00	

	1-4 Each	5-24 : Each	25 & up Each
Crataegus	124011	114011	2340-
*phaenopyrum. (cordata)			
$Washington\ Hawthorn.\ 20'$			
3 to 4 ft	4.25	4.00	3.75
4 to 5 ft	5.00	4.75	4.50
5 to 6 ft	8.00	7.75	7.50
6 to 8 ft	12.00	11.00	10.00
8 to 10 ft	15.00	14.00	13.50
*pinnatifida major. Large Chinese		thorn.	20'
3 to 4 ft	4.25		
4 to 5 ft	5.00		
5 to 6 ft	8.00		
6 to 8 ft	12.00		
*pruinosa. Frosted Hawthorn. 18'			
3 to 4 ft	4.25	4.00	
4 to 5 ft	5.00		
*prunifolia. Plumleaf Hawthorn. 2	25'		
3 to 4 ft	4.25	4.00	3.75
4 to 5 ft	5.00	4.75	4.50
5 to 6 ft	8.00	7.75	7.50
6 to 8 ft	12.00	11.00	10.00
*punctata. Dotted Hawthorn. 25'			
3 to 4 ft	4.25	4.00	3.75
4 to 5 ft	5.00	4.75	
5 to 6 ft	8.00	7.75	-
pyracantha (see Pyracantha cocci	nea).		
*succulenta. Fleshy Hawthorn. 20'			
4 to 5 ft	5.00	4.75	
5 to 6 ft		7.75	
6 to 8 ft	12.00	11.00	
*viridis. Green Hawthorn. 25'	- 00		
4 to 5 ft	5.00	4.75	
5 to 6 ft		7.75	
6 to 8 ft		11.00	
8 to 10 ft	15.00	14.00	
Cryptomeria japonica lobbi. Lobb Cr	yptome	ria. 20'	
2 ftB&B		5.00	`
3 ftB&B		6.50	*
4 ftB&B		10.00	
5 ft B&B		13.50	
6 ft		15.00	
7 ftB&B			
8 ft	30.00		

Cudrania tricuspidata. 25'	1-4 Each		5 & up Each
3 to 4 ft	4.00		
Cydonia. (see Chaenomeles)			
Cytisus elongatus. 5'			
12 to 15 in., 4 in. pots	1.75		
nigricans. Spike Broom. 4'			
12 to 15 in	1.75		
scoparius. Scotch Broom. 10'			
18 to 24 in	1.75	1.50	1.25
scoparius andreanus. Paradise Bro	om. 10	,	
18 to 24 in	1.75	1.50	1.25
supinus. Bigflower Broom. 3'			
10 to 12 in., 4 in. pot	1.75	1.50	
Daphne cneorum. Rose Daphne. 1'			
8 to 10 in. spdB&B	1.75	1.60	1.50
10 to 12 in. spd			2.25
12 to 15 in. spd	3.00	2.75	
mezereum. February Daphne. 4'			
18 • to 24 inB&B		3.50	
24 to 30 in			
2½ to 3 ftB&B	7.50	6.50	
mezereum alba. White February D	_		
18 to 24 inB&B			
24 to 30 inB&B			
2½ to 3 ftB&B	7.50	6.50	
Decumaria barbara. Southeast Decumar			
3 yr. from pots	1.00	.75	.60
Deutzia gracilis. Slender Deutzia. 3'			
15 to 18 in	.85	.70	.65
18 to 24 in	1.00	.90	.80
24 to 30 in	1.25	1.10	.95
hypoglauca. 6'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.75		.60
24 to 30 in	1.00	.80	.75
2½ to 3 ft	1.25	1.00	.90

	1-4 Each	5-24 2 Each	5 & up Each
Deutzia			
lemoine compacta. 5'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
myriantha Boule Rose. Pink Deutze	ia. 4'		
18 to 24 in	1.00		
2 to 3 ft	1.25		
ningpoense. $5'$			
3 to 4 ft	1.75		
4 to 5 ft	2.50		
parviflora. Mongolian Deutzia. 5'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
rosea. Rose-panicle Deutzia. 5'			
18 to 24 in	1.00	.80	.75
24 to 30 in	1.25	1.00	.95
2½ to 3 ft	1.50	1.25	1.15
rosea campanulata. Bellflower Rose	epanicle	Deutz	ia. 5'
18 to 24 in		.80	.75
2 to 3 ft		1.00	.95
rosea carminea. Carmine Rosepani	cle Dev	itzia. 4	
18 to 24 in		.80	.75
2 to 3 ft	4 0 5	1.00	.95
3 to 4 ft		1.35	1.25
rosea venusta. White Rosepanicle	Deutzia	. 5'	
18 to 24 in		.80	.75
2 to 3 ft	1.25	1.00	.95
	1120	2.00	,,,,
scabra. Fuzzy Deutzia. 12'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
scabra Pride of Rochester. 12'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.75	1.40	

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

Deutzia	1-4 Each		5 & up Each
canbun florenione negot D. H.	. T)	101	
scabra florepleno rosea. Doubleros			
2 to 3 ft	.75	.60	.55 .75
3 to 4 ft	1.00	.80	
4 to 5 ft	1.35		.95
5 to 6 ft	1.75	1.40	1.15
scabra watereri. Waterer's Deutzia.	12'		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
scabra wellsi. Wells Deutzia. 12'			,
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.50	1.25	1.00
4 10 5 11	1.50	1.20	1.00
schneideriana laxiflora. 6'			
3 to 4 ft	1.75	1.50	
4 °to 5 ft	2.00	1.75	
Diervilla lonicera. (trifida). Dwf. Bush	Hone	ysuckle.	4"
2 to 3 ft			.60
3 to 4 ft	1.00	.85	.75
	- 7- 1 - 6	,	
sessilifolia. Southern Bush Honeysu 2½ to 3 ft	1.00	.70	.60
3 to 4 ft		.85	.75
4 to 5 ft		.00	.10
1 10 3 11	1.50		
Diospyros virginiana. Common Persimn	non. 15	5'	
5 to 6 ft		5.00	
6 to 8 ft	7.50	6.00	
8 to 10 ft	10.00	7.50	
10 to 12 ft	12.50	10.00	
Elaeagnus angustifolia. Russian Olive.	20 '		
3 to 4 ft	1.25	.85	.75
4 to 5 ft	1.75	1.40	1.15
5 to 6 ft	2.25	1.75	1.50
6 to 8 ft	3.50	2.75	2.25
8 to 10 ft	5.00	4.50	
0 to 10 10	0.00	1,00	
commutata. Silverberry. 12'			
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	

50	- 4	F 0.4 01	- e
	1-4 Each	5-24 2! Each	
Elaeagnus			
multiflora. (longipes). Cherry Elae	agnus.	6 '	
2 to 3 ft	2.00		
umbellata. Autumn Elaeagnus. 12'			
2 to 3 ft	1.00	.70	.60
3 to 4 ft	1.25	1.10	.95
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.75	1.50
u. parvifolia. Chinese Elaeagnus. 1	5 '		
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.75	2.50	
Elsholtzia stauntoni. 4'			
	1 50	1.25	
18 to 24 in	1.50	1.25 1.50	
2 to 3 ft	1.75	1.30	
Erica carnea. Spring Heath. 1'			
6 to 8 in., 4 in. pots	1.75	1.50	1.25
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.75	1.50	1.25
Eucommia ulmoides. 60'			
6 to 8 ft	10.00	7.50	
8 to 10 ft	12.50	10.00	
Euonymus alatus. Winged Euonymus.			
		1 65	
2 to 3 ft			
3 to 4 ft			
4 to 5 ft			
5 to 6 ft			
6 to 8 ft		6.00	
6 to 8 ft., heavy B&B			
8 to 10 ft., heavyB&B			
alatus compactus. Dwarf Winged			
2 to 3 ft			
3 to 4 ft	3.50	3.00	
SEE PAGE 162 FOR COMPLETE LIST OF	HERBA	CEOUS S	тоск

	1-4		25 & up
Euonymus	Each	Each	Each
americanus. Brook Euonymus. 8'			
_	1.50	1.05	
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
airopurpureus. Eastern Wahoo. 15'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.50	1.15	1.00
5 to 6 ft	1.75	1.65	1.50
6 to 8 ft	2.50	2.25	2.00
bungeanus. Winterberry Euonymus.	<i>15</i> ′		
		60	==
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.50	1.15	1.00
5 to 6 ft	1.75	1.65	1.50
6 to 8 ft	2.50	2.25	2.00
europaeus. European Euonymus. 18	<i>;</i> ′		
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.50	1.15	1.00
5 to 6 ft	1.75	1.65	1.50
6 to 8 ft	2.50	2.25	2.00
fortunei. (acutus). Wintercreeper E	laionaim	1110 O'	
			75
12 to 15 in		.80	.75
15 to 18 in	1.25	1.00	.95
f. argenteo-marginatus.			
Silveredge Wintercreeper Euony	mus. g	2"	
12 to 15 in	1.00	.85	.75
f. carrierei. Glossy Wintercreeper E	uonym	us. 3'	
12 to 15 in			.75
15 to 18 in			.95
18 to 24 in			
f. coloratus.		-1	
Purpleleaf Wintercreeper Euony			20
12 to 15 in		.65	.60
15 to 18 in		.90	.80
18 to 24 in	1.25	1.10	1.00

	1.4	E 0.4 0	F 8= ===
	1-4 Each	5-24 25 Each	
Euonymus			
f. kewensis. Kew Wintercreeper Eu	onumu	e 1'	
8 to 12 in. from pots		1.00	.85
8 to 12 m; from pots	1.10	1.00	.00
f. minimus. Baby Wintercreeper E	uonym		
8 to 12 in. from pots	1.15	1.00	.85
12 to 15 in. from pots	1.50	1.25	1.15
f. radicans. Common Wintercreeper	Euoni	imus.	
8 to 12 in from pots	.75		.65
12 to 15 in	1.00		.75
15 to 18 in	1.25		.95
	0		
f. vegetus. Bigleaf Wintercreeper I	$uonyn \\ 1.50$	nus. 4 1.35	1.25
12 to 15 in	1.75	1.60	1.50
15 to 18 in	$\frac{1.75}{2.50}$		2.25
18 to 24 in	3.00	$\frac{2.35}{2.75}$	2.20
		2.10	
hamiltonianus. Hamilton Euonymu			
2 to 3 ft	1.00	.85	1.00
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.75	1.50	1.25
kiautschovicus (patens). Spreading	Euon	ymus. 5	,
18 to 24 inB&B	3.75	3.25	3.00
2 to 3 ftB&B	5.00	4.50	
3 to 4 ftB&B	6.00	5.50	
latifolius. Broadleaf Euonymus. 1	o '		
3 to 4 ft	1.00	.90	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
maacki. Maack Euonymus. 10'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.65	
nanus. Dwarf Euonymus. 3'			
12 to 15 in	2.00	1.75	1.50
15 to 18 in	2.25	2.00	
obovatus. Running Euonymus. 1'			
8 to 10 in. from pots	1.35	1.10	.90
oxyphyllus. 15'			
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.25	2.00	1.75
			2113
patens. (see kiautschovicus).			

	1-4 Each	5-24 : Each	25 & up Each
Euonymus	230022	134011	Zacii
radicans. (see fortunei).			
yedoensis. Yeddo Euonymus. 10'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.75	
Euptelea polyandra. Japanese Euptele	a. 20'		
4 to 5 ft	7.50	6.00	
5 to 6 ft	10.00		
Evodia danieli. Korean Evodia. 25'			
4 to 5 ft	7.50		
5 to 6 ft	10.00		
hupehensis. Hupeh Evodia. 25'			
4 to 5 ft	7.50		
Exochorda giraldi wilsoni. Wilson Rec	lbud P	earlhusl	15'
4 to 5 ft	4.00		. 10
5 to 6 ft	5.00		
6 to 8 ft	6.00		
racemosa. (grandiflora). Pearlbush 2 to 3 ft	n. 10'	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft		1.25	1.00
5 to 6 ft		1.75	1.50
6 to 8 ft		2.50	1.00
8 to 10 ft		3.50	
6 to 8 ft. spec			
8 to 10 ft. spec B&B			
		7	0.
Fagus grandiflora. (americana). Amer 10 to 12 ft		eecn. o)
10 to 12 it	<i>\$</i> 0.00		
sylvatica. European Beech. 75'			
5 to 6 ftB&B		0= =0	0.6.00
6 to 8 ftB&B		27.50	25.00
8 to 10 ftB&B		32.50	30.00
10 to 12 ftB&B			35.00
12 to 14 ftB&B		60.00	
14 to 16 ftB&B	90.00		

54 HERRIT ROTHWAY	1-4	5-24 25	
T	Each	Each E	aeh
Fagus sylvatica fastigiata. Pyramidal Be	ech. 25'		
2 to 3 ftB&B	15.00		
3 to 4 ft	20.00		
15 to 18 ftB&B	125.00		
sylvatica heterophylla. $Cutleaf\ B$	Seech. 2	5 '	
2 to 3 ftB&B	15.00		
10 to 12 ftB&B	75.00		
sylvatica pendula. Weeping Beech	a. 50'		
2 to 3 ftB&B	15.00	12.50	•
3 to 4 ftB&B	20.00		,
14 to 16 ftB&B	125.00		
Larger sizes quoted on requ	est.		
sylvatica purpurea. Purple Beech	. 75'		
8 to 10 ftB&B	35.00		
10 to 12 ft B&B			
sylvatica riversi. River's Beech.	75'		
2 to 3 ftB&B	15.00		
3 to 4 ftB&B	20.00		
12 to 14 ft., 3 in B&B	100.00		
Larger sizes quoted on requ	est.		
sylvatica tricolor. Tricolor Beech	. 25 '		
2 to 3 ftB&B	15.00		
zlatia. Golden Beech. 25'			
2 to 3 ftB&B	15.00		
Fontanesia fortunei. Fortune Fontane		1.00	.90
4 to 5 ft		1.50	1.25
5 to 6 ft		1.75	1.50
Forsythia europea. Albanian Forsyth	ia. 6'		
2 to 3 ft		.60	
3 to 4 ft		.85	
4 to 5 ft		1.25	
5 to 6 ft	1.75	1.50	
intermedia. Border Forsythia. 8'			
2 to 3 ft	75	.60	.55
3 to 4 ft		.80	.75
4 to 5 ft		1.10 1.50	.95 1.25
5 to 6 ft		1.50 1.75	1.50
6 to 8 ft	. 2.00	1.10	1.00

	1-4 Each	5-24 Each	25 & up Each
Forsythia	Each	Each	ьясп
intermedia primulina.			
Primrose Border Forsyth	ia 10'		
3 to 4 ft		1.00	.90
4 to 5 ft		1.50	1.35
5 to 6 ft		1.65	1.50
6 to 8 ft		2.00	2.00
intermedia spectabilis. Show		mouthia	. 8'
2 to 3 ft		.60	.55
3 to 4 ft		.80	.75
4 to 5 ft		1.10	.95
5 to 6 ft		1.50	1.25
6 to 8 ft		1.75	1.50
8 to 10 ft		2.00	1.75
ovata. Early Forsythia. 8'	2.00	2.00	1.10
2 to 3 ft	1.00	.75	
3 to 4 ft		.10	
suspensa. Weeping Forsythia 2 to 3 ft		.65	
		.80	.75
		1.25	1.10
4 to 5 ft		1.25 1.50	1.10 1.25
•			
suspensa atrocaulis. Purples		-	hia. b'
2 to 3 ft		.65	
3 to 4 ft		.80	
4 to 5 ft		1.25	
5 to 6 ft		1.50	
suspensa fortunei. Fortune		-	8'
2 to 3 ft		.60	.55
3 to 4 ft		.80	.75
4 to 5 ft		1.10	.95
5 to 6 ft		1.50	1.25
6 to 8 ft		1.75	1.50
suspensa sieboldi. Siebold W			
2 to 3 ft		.60	.55
3 to 4 ft		.80	.75
4 to 5 ft		1.10	.95
5 to 6 ft		1.50	1.25
6 to 8 ft	2. 00	1.75	1.50
viridissima. Greenstem Fors			
2 to 3 ft		.60	.55
3 to 4 ft		.80	.75
4 to 5 ft	1.35	1.10	.95

	1-4 Each	5-24 2 Each	5 & up Each
Fothergilla gardeni. Dwarf Fothergilla			
18 to 24 inB&B	7.50	6.00	
24 to 30 inB&B	10.00		
30 to 36 inB&B	12.50		
Franklinia alatamaha. 20'			
2 to 3 ftB&B	15.00		
3 to 4 ft B&B	18.00		
4 to 5 ftB&B	25.00		
Fraxinus americana. White Ash. 80'			
6 to 8 ft	3.00	2.50	2.25
8 to 10 ft	3.75	3.00	-2.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	4.00	3.75
1½ to 1¾ in	6.50	6.00	5.50
1 ³ / ₄ to 2 in	8.50	8.00	7.50
2 to 2½ in	12.50	11.00	10.00
2½ to 3 in	18.00	15.00	12.50
excelsior. European Ash. 100'			
6 to 8 ft	3.00	2.50	2.25
8 to 10 ft	3.75	3.00	2.75
1½ to 1½ in	4.50	4.00	3.75
1½ to 1¾ in	6.50	6.00	5.50
1 ³ / ₄ to 2 in	8.50	8.00	7.50
2 to 2½ in	12.50	11.00	10.00
2½ to 3 in	18.00	15.00	12.50
3 to 3½ in	22.50	18.00	
mandshurica. Manchurian Ash. 80'			
6 to 8 ft	3.75	3.25	3.00
8 to 10 ft		4.25	
1½ to 1½ in	6.00	5.25	5.00
1½ to 1¾ in	7.50	6.50	0.00
nigra. Black Ash. 80'	1.00	0.00	
8 to 10 ft	5.00	4.50	
1½ to 1½ in	6.00	5.50	
1½ to 1¾ in	8.50	7.50	
1¾ to 2 in	10.00	9.00	
2 to 2½ in	15.00	12.50	
pennsylvanica. Red Ash. 60'			
6 to 8 ft	3.75	3.25	3.00
8 to 10 ft	5.00	4.25	4.00
1½ to 1½ in	6.00	5.25	5.00
1½ to 1¾ in	8.50	7.50	6.50
13/4 to 2 in	12.50	10.00	0.00
2 to 2½ in	15.00	12.50	
		15.00	
$2\frac{1}{2}$ to 3 in	10.00	15.00	

Fraxinus	1-4 Each		25 & up Each
rraxinus			
p. lanceolata. Green Ash. 60'			
6 to 8 ft	3.00	2.50	2.25
8 to 10 ft	3.75	3.00	2.75
1¼ to 1½ in	4.50	4.00	3.75
1½ to 1¾ in	6.50	6.00	5.50
13/4 to 2 in	8.50	8.00	7.50
2 to 2½ in	12.50	11.00	10.00
2½ to 3 in	18.00	15.00	12.50
quadrangulata. Blue Ash. 80'			
6 to 8 ft	6.00	40"	
8 to 10 ft	7.50		
Gaylussacia baccata. Black Huckleberr	y. 3'		
24 to 30 inB&B	6.00		
Genista juncea. 2'			
15 to 18 in. from pots	1.75	1.50	
pilosa. Silky Leaf Woadwaxen. 1'			
4 to 6 in. from pots	1.50	1.25	
sagittalis. Arrowhead Broom. 9"			
4 to 6 in. from pots	1.50	1.25	
scoparia (see Cytisus)			
tinctoria. Woadwaxen. 3'			
18 to 24 in	.75	.60	
2 to 3 ft			
3 to 4 ft			
Ginkgo biloba. Maidenhair Tree. 60'	•		
6 to 8 ft	4.50	3.50	3.00
8 to 10 ft	6.00	4.50	4.25
1¼ to 1½ in	8.00	7.00	6.50
1½ to 1¾ in	10.00	9.00	8.50
13/4 to 2 in	12.50	11.00	10.00
2 to 2½ in	16.50	15.00	13.50
2½ to 3 in	22.50		
3 to 3½ in	35.00		27.50
	45.00	40.00	
4 to 4½ in	55.00		
biloba fastigiata. Sentry Ginkgo. 6	60 '		
5 to 6 ft	10.00		

	1-4	5-24	25 & up
	Each	Each	Each
Gleditsia japonica. Japanese Honeyloca	5.00	4.00	
5 to 6 ft	6.00	5.00	
	7.50	6.00	
8 to 10 ft	1.50	0.00	
triacanthos. Honeylocust. 60'			
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	2.75	2.50
8 to 10 ft	5.00	4.00	3.75
1¼ to 1½ in	6.00	5.50	
1½ to 1¾ in	8.00	7.50	
13/4_to 2 in	12.50	10.00	
2 to 2½ in	15.00	12.50	
2½ to 3 in	18.00	15.00	
triacanthos elegantissima. Bushy	Honeyle	cust	20°
4 to 5 ft		3.00	2.50
5 to 6 ft		3.50	2.00
5 to 6 1t	1.00	0.00	
triacanthos inermis. $Thornless\ Ho$	neylocus		
6 to 8 ft	4.00	3.25	3.00
8 to 10 ft	5.50	5.00	4.50
11/4 to 11/2 in	6.50	6.00	5.50
1½ to 1¾ in	9.00	8.50	8.00
13/4 to 2 in	12.50	10.00	
2 to 2½ in	15.00		
Gordonia alatamaha. (see Franklinia)			
Gordonia atalamana. (See Transmission)			
Gymnocladus dioca. Kentucky Coffeet	•		
5 to 6 ft	5.00		
6 to 8 ft	6.00		
8 to 10 ft	7.50		
10 to 12 ft	10.00		
2 to 3 in	18.00		
Halesia carolina. (tetraptera). Carolin	a Silver	rbell.	15'
4 to 5 ft		1.75	
5 to 6 ft		2.50	
6 to 8 ft		3.50	
8 to 10 ft		5.00	
10 to 12 ft		10.00	
8 to 10 ft. spec B&B			
10 to 12 ft. spec B&B			
diptera. Twowing Silverbell. 30' 2 to 3 ft	4.00		
4 to 3 lt	4.00		

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

FAINESVILLE, OHIO			อษ
	1-4 Each	5-24 2 Each	5 & up
Halesia	Euch	134011	Macn
monticola. Mountain Silverbell. 50'			
5 to 6 ft	7.50		
	10.00		
	12.50		
	17.50		
Hamamelis japonica. Japanese Witchha	zel. 20'	,	
3 to 4 ft			
japonica rubra. 20'			
3 to 4 ft	3.50		
	0.00		
mollis. Chinese Witchhazel. 20' 2 to 3 ft	4.00		
	4.00		
vernalis. Vernal Witchhazel. 8'			
2 to 3 ft	1.25	1.00	.85
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.25	2.00	1.75
6 to 8 ft	3.00	2.50	
vernalis tomentella. 6'			
2 to 3 ft	1.25	1.00	.85
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.25	2.00	1.75
	3.00	2.50	1.10
virginiana. Common Witchhazel. 18	1.25	1.00	.85
3 to 4 ft	1.60	1.35	1.25
	2.00	1.75	
4 to 5 ft			1.50
5 to 6 ft	2.25	2.00	1.75
6 to 8 ft	3.00	2.50	2.25
8 to 10 ft	3.50	3.00	2.75
Hedera helix. English Ivy. 20'			_
2 year, 2 in. pots	.50	.40	.35
2 year, 3 in. pots	.55	.45	.40
3 year, 4 in. pots	.65	.55	.50
helix Albany. Albany English Ivy.	<i>10</i> ′		
2 year, 3 in. pots	.65	.55	.45

60 HENRY KOHANKIE &	SUN		
Hedera	1-4 Each	5-24 25 Each	
helix baltica. Baltic English Ivy.	15'		
2 year, 3 in. pots	65	.55	.50
helix Emerald Gem. 15'			
2 year, 3 in. pots	75	.65	.60
helix gracilis. Miniature English	Ivu 10'		
2 year, 3 in. pots		.45	.40
3 year, 4 in. pots		.55	.50
-			
helix Hahn's	55	.45	.40
2 year, 3 in. pots		.55	.50
3 year, 4 in. pots	00	.00	.50
helix lobata.			
2 year, 3 in. pots	75	.60	.50
Helwingia japonica. 5'			
12 to 15 in., 3 in. pots	2.50	2.25	
Hibiscus syriacus. Shrub Althea. 12'			
double varieties			
2 to 3 ft	75	.55	.50
3 to 4 ft	. 1.00	.75	.65
4 to 5 ft	. 1.25	1.10	.95
5 to 6 ft		1.50	1.25
6 to 8 ft		2.00	1.75
8 to 10 ft. heavyB&	B 15.00		
Ardens — Purple.			
Banner — Blush.			
Jeanne d Arc — White.			
Lady Stanley — White, sha	ded rose	•	
Rubra Plena — Red.			
Speciosa Plena — Pink.			
single varieties			
2 to 3 ft		.55	.50
3 to 4 ft		.75	.65
4 to 5 ft		1.10	
5 to 6 ft	1.75	1.50	1.25
Coelestis — Blue.			
Rosea — White, crimson ey	ye.		
Rubis — Red.			
Totus albus — White.			

**************************************	$rac{ extsf{1-4}}{ ext{Each}}$	5-24 Each	25 & up Each
Hibiscus	47.7		
variegatus. Leopardleaf Shrub		1.00	0.0
2 to 3 ft		1.00	.90
3 to 4 ft		1.10	1.00
4 to 5 ft		1.50	
5 to 6 ft	2.50	2.00	
variegatus Meehani. Meehan	Variegated	Althea.	6'
2 to 3 ft		1.25	
3 to 4 ft	1.75	1.50	
Hippophae rhamnoides. Sea-buckth	horn. 12'		
3 to 4 ft			
4 to 5 ft			
5 to 6 ft	5.00		
		al.	
Hydrangea arborescens. $Smooth H$ 2 to 3 ft	-		55
		.60	.55
3 to 4 ft			.75
4 to 5 ft	1.50	1.10	.95
arborescens grandiflora. Snow		•	<i>"</i>
2 to 3 ft			.70
3 to 4 ft	1.25	1.00	.85
cineria sterilis. Sterile Ashy H	Iyd range a.	6 '	
2 to 3 ft	1.50		
macrophylla Nikko Blue. 3'			
2 year	1.50	1.35	1.10
macrophylla Otaksa. 3'			
2 year	1.25	1.00	.90
paniculata. Panicle Hydrangea	. 10'		
2 to 3 ft	7 5	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.35	1.10	1.00
5 to 6 ft	1.75	1.50	1.25
paniculata grandiflora. Peege	e Hydrang	ea. 10'	
2 to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.75	1.50	
3 to 4 ft., tree form			
4 to 5 ft., tree form			
paniculata praecox. $Early\ Hy$	_	!0'	
2 to 3 ft			
3 to 4 ft			
4 to 5 ft			
5 to 6 ft	1.75		

	1-4 Each	5-24 2 Each	5 & up Each
Hydrangea			
petiolaris. Climbing Hydrangea.			
3 inch pots	2.25	2.00	1.75
4 inch pots	2.50	2.25	2.00
quercifolia. Oakleaf Hydrangea. 4'			
18 to 24 in	2.00	1.50	
2 to 3 ft	2.50		
radiata. Silverleaf Hydrangea. 6'			
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.85
xanthoneura Thos. Hogg. $3'$			
2 year	1.25	1.00	.90
Hypericum arnoldianum. Arnold St. Jo	hnswor	t. 5'	
18 to 24 in	.75	.60	.55
2 to 3 ft	1.00	.75	.65
bucklei. Blueridge St. Johnswort. 3 6 inches		1.00	
		1.00	
densiflorum. Dense St. Johnswort.			
18 to 24 in	.75		.50
2 to 3 ft	1.00	.65	.60
3 to 4 ft	1.25	.85	.75
frondosum. (aureum). Golden St.	Johnsw	ort. 4'	
18 to 24 in	.75	.55	.50
2 to 3 ft	1.00	.65	.60
3 to 4 ft	1.25	.85	.75
kalmianum //			
kalmianum. 4'	.75	.55	.50
2 to 3 ft	1.00	.65	.60
3 to 4 ft	1.25	.85	.75
lobocarpum. 6'	1.20	.00	.,,
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
	1.20	1.00	
moserianum. Goldflower. 2'	05	70	CE
15 to 18 in	.85	70	.65
18 to 24 in	1.00	.80	.75
patulum. Goldencup St. Johnswort.	3'		
18 to 24 in	1.00	.80	.75
patulum henryi. Henry St. Johnsw	ort. 4'		
18 to 24 in	1.00	.80	.75
2 to 3 ft	1.25	1.00	.85

Hypericum	1-4 Each	5-24 Each	25 & up Each
prolificum. Shrubby St. Johnswort	. 5'		
18 to 24 in	.75	.55	.50
2 to 3 ft	1.00	.65	.60
3 to 4 ft	1.25	.85	.75
vanfleeti. Van Fleet St. Johnswort.	4'		
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.50	
Idesia polycarpa. 10'			
2 to 3 ft	3.50		
Ilex cornuta. Chinese Holly. 10'			
18 to 24 inB&B	5.00		
24 to 30 inB&B	7.50		,
cornuta burfordi. Burford Holly.	10'		
15 to 18 in. from pots		3.00	
18 to 24 in. from pots		3.50	
crenata. Japanese Holly. 10'	4.00	2 50	200
18 in	6.00	3.50 5.50	3 .00 5 .00
24 in	7.50	7.00	6.50
30 in		9.00	0.50
crenata bullata. Convexleaf Japane		_	4.00
15 to 18 inB&B	$\frac{5.00}{7.00}$	4.25 6.50	$4.00 \\ 6.25$
18 to 24 in		8.50	0.23
24 to 30 m	10.00	0.00	
crenata latifolia. Bigleaf Japanese	_		
18 to 24 inB&B		6.00	
24 to 30 inB&B	8.00	7.50	
crenata microphylla. Littleleaf Ja	panese	Holly.	<i>10</i> ′
15 inB&B	4.00	3.50	
18 inB&B	6.00	5.50	
24 inB&B	7.50	7.00	
crenata rotundifolia. 6'			
18 to 24 inB&B	6.00		
24 to 30 inB&B	7.50		
geniculata. Droopbead Holly. 8'			
3 to 4 ft	3.00		
4 to 5 ft	4.00		

04 IIIIIII ROIMINII w ~ 0			
	1-4	5-24 2 Each	25 & up
Ilex	Each	Lacii	Each
Tiex			
glabra. Inkberry. 8'			
77 1 10 1 D P	2.50	3.00	2.50
15 to 18 inB&B	3.50		$\frac{2.30}{3.75}$
18 to 24 in	5.00	4.00	
24 to 30 inB&B	6.00	5.50	5.00
30 to 36 in B&B	9.00	8.00	7.50
36 to 42 inB&B	12.50	11.00	10.00
laevigata. Smooth Winterberry. 6'			
0.4.0.64	1.25	1.00	.85
2 to 3 ft		1.50	1.25
3 to 4 ft	1.75		
4 to 5 ft	2.00	1.75	1.50
opaca. $American Holly$. 40'			
3 ftB&B	10.00	8.00	7.50
	12.50	11.50	1.00
		11.50	
5 ftB&B			
10 ft B&B		foot	
For larger sizes to 12 ft., add \$5.	oo per	1001.	
serrata. $Finetooth Holly$. 12'			
3 to 4 ft	2.50		
4 to 5 ft	3.00		
5 to 6 ft	4.00		
3 (0 0 10	1.00		
Winter C	101		
verticillata. Common Winterberry.	10'		
2 to 3 ft	1.25	1.00	.90
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.00	2.75	2.50
0 10 0 11	0.00	_,,,	
verticillata chrysocarpa.			
Yellow-fruit Winterberry. 10'			
0.4-9.44	2.50		
2 to 3 ft			
3 to 4 ft	3.00		
4 to 5 ft	4.00		
5 to 6 ft	5.00		

1-4 Each	5-24 Each	25 & up Each
Indigofera amblyantha. Pink Indigo. 6'		
2 to 3 ft	1.25	1.00
3 to 4 ft	1.50	1.25
kirilowi. Kirilow Indigo. 4'		
18 to 24 in	1.50	1.25
2 to 3 ft	1.75	1.50
potanini. Potanin Indigo. 5'		
2 to 3 ft	1.75	
3 to 4 ft	2.00	
Itea virginica. Virginia Sweetspire. 8'		
2 to 3 ft	.85	.75
3 to 4 ft	1.25	1.00
4 to 5 ft		
Jasminum nudiflorum. Winter Jasmine. 3'		
15 to 18 in	.65	.60
18 to 24 in 1.00	.75	.70
12 to 15 in., 2½ in. pots 1.25	1.00	.85
stephanense. Stephan Jasmine. 3'		
2 ft., 4 in. pots	1.50	
Juglans cinerea. Butternut. 75'		
6 to 8 ft		
8 to 10 ft 8.50		•
nigra. Black Walnut. 80'		
6 to 8 ft	6.50	
8 to 10 ft 8.50	8.00	
1½ to 1¾ in	10.00	
13/4 to 2 in	12.50	
2 to 2½ in	15.00	
regia. Persian Walnut. 50'		
3 to 4 ft 4.00		
4 to 5 * ft 5.00		
sieboldiana. Siebold Walnut. 50'		
6 to 8 ft 5.00	4.00	
1½ to 1¾ in	6.00	
13/4 to 2 in	8.00	
2 to 2½ in 15.00	12.50	
2½ to 3 in 18.00	15.00	
LARGE SPECIMEN SHRUBS QUOTED ON RE	QUEST	

00	111311	101 11011111111111111111111111111111111		= 0.4	05 6
			1-4 Each	Each	25 & up Each
Juniperus	chinensis.	Pyramid Chinese		. 20'	
2		B&B		5.00	
		B&B		6.50	
4		B&B		9.00	
5		B&B		12.50	
6		B&B		15.00	
7		B&B		20.00	
8		B&B		25.00	
•		es to 12 ft., add \$5			
1.01	larger size	CD 10 12 10, aug 40			
chiner	nsis albova	ariegata.			
И	Thiteleaf P	yramid Chinese Jun	niper. 2	0'	
3	ft	B&B	10.00	7.50	
4		B&B		10.00	
	nsis colum				
		yramid Chinese Ju			
4		B&B		10.00	
5		B&B			
6		B&B			
7		B&B			
8		B&B		25.00	
For	· larger siz	es to 14 ft., add \$	5.00 per	foot.	
ahina	nsis globos	r n			
	_	nid Chinese Junipe	· 5'		
				5.00	
		B&B			
24	in	B&B	7.50	6.00	
chine	nsis iapon	ica. Japanese Jun	iper. 8'		
		B&B		4.00	
		B&E		5.00	
		B&B			
e e	10		1.00	0.00	
c. jap	onica aur	eovariegata.			
Y	ellow Varie	egated Japanese Ju	niper.	8' .	
18	ł in	B&E	3 5.00		
		B&E			
chine	nsis mas.	10 '			
3	3 ft:	B&E	3 10.00		
			7		101
chine	nsis neab	oriensis. Conical C	ninese J	uniper	. 10
3	3 ft	B&I	8.00	7.00)
4	ł ft	B&I	3 12.00	9.00)
		,B&I			

1-4 5-24 25 & up Each Each Each

Juniperus

chinensis oblonga. Oblong Chinese Juniper. 20'	
3 ftB&B 10.00	
chinongia ofitroviano Diitam Innium Ci	
chinensis pfitzeriana. Pfitzer Juniper. 6'	
18 to 24 in. spd. B&B 6.00 5.00	
2 to 2½ ft. spd. B&B 7.50 6.00	
2½ to 3 ft. spdB&B 8.50 7.50	
3 to 3½ ft. spdB&B 12.50 11.00	
3½ to 4 ft. spdB&B 15.00 13.50	
4 to 4½ ft. spd B&B 20.00 18.00	16.00
4½ to 5 ft. spdB&B 30.00 25.00	
5 to 6 ft. spdB&B 35.00 30.00	
6 to 7 ft. spd B&B 40.00 35.00	
(Upright form can be furnished in sizes 18" to	o 6')
chinensis pfitzeriana compacta. 6'	
	4 77 5
18 to 24 in. spdB&B 6.50 5.25	
24 to 30 in. spd	
30 to 36 in. spd	7.50
36 to 42 in. spdB&B 13.50 12.00	
chinensis plumosa. Plume Chinese Juniper. 3'	
24 to 30 in. spd	
30 to 36 in. spdB&B 7.50	
chinensis sargenti. Sargent Chinese Juniper. 3'	
18 in	
24 in	6.00
30 inB&B 10.00 9.00	
chinensis smithi. Smith Chinese Juniper. 8'	
-	
3 ft	
communis. Common Juniper. 25'	
3 ft	4.00
4 ft	2.00
communis depressa. Oldfield Common Juniper.	g'
18 to 24 in. spdB&B 5.00	,
communis aureo-spica Golden Prostrate Junipe	r. 3'
18 to 24 in. spdB&B 4.50 4.00	, <i>U</i>
24 to 30 in. spd	
30 to 36 in. spd	
36 to 42 in. spdB&B 10.00 8.00	

T	1-4 Each	5-24 29 Each	5 & up Each
Juniperus communis depressa plumosa.			
(see horizontalis plumosa)			
communis hibernica. Irish Juniper		0.05	0.00
2 ftB&B		3.25	3.00
	5.00 6.50	$4.50 \\ 5.50$	4.00
4 ftB&B	0.50	5.50	
communis suecica. Swedish Junipe			
2 ftB&B		3.25	3.00
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.50	5.50	
communis suecica nana. $Dwarf$ $Swarf$	vedish	Juniper.	6'
2 ftB&B	4.50	4.00	3.50
3 ftB&B	5.50	5.00	
communis vase-shaped. 10'			
2½ to 3 ftB&B	6.00	5.50	
3 to 3½ ftB&B	7.50	6.50	
4 to 4½ ftB&B		8.50	
conferta. Shore Juniper. 5' 2 ft	5.50	5.00	
	7.00	6.00	
3 ft	8.50	7.50	
3½ ft B&B		9.00	
	20.00	0.00	
excelsa. Greek Juniper. 50'	5 00	4.50	
3 ftB&B	5.00	4.50	
excelsa stricta. Spiny Greek Junipe	er. 8'		
18 inB&B		4.00	3.50
2 ftB&B		5.00	4.50
2½ ftB&B		6.00	5.50
3 ftB&B		7.50	
3½ ftB&B		9.00	
4 ftB&B	12.50		
horizontalis. Creeping Juniper. 1'			
18 to 24 in. spd B&B		4.00	3.75
24 to 30 in. spd B&B		5.25	5.00
2½ to 3 ft. spdB&B		6.50	6.00
3 to 3½ ft. spdB&B	10.00	8.00	7.50
horizontalis alpina. Alpine Creeping	g Juni	per. 1'	
18 to 24 in. spdB&B		4.00	
24 to 30 in. spdB&B	6.00		

,			00
Juniperus	1-4 Each	5-24 Each	25 & up Each
horizontalis Bar Harbor. 1'			
15 to 18 in. spdB&B	4.00	3.50	2.00
18 to 24 in. spd			3.00
24 to 30 in. spd		4.00	
24 to 30 m. spa	0.00		
horizontalis glauca. Blue Creeping			
18 to 24 in. spd B&B		4.00	
24 to 30 in. spd B&B	6.00	5.50	
$2\frac{1}{2}$ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B	10.00	8.00	
horizontalis plumosa. Andorra Cre	eping	Juniper	r. 3'
18 to 24 inB&B		4.00	3.75
24 to 30 inB&B	6.00	5.50	5.00
2½ to 3 ftB&B			6.00
3 to 3½ ftB&B	10.00	8.00	7.50
3½ to 4 ftB&B	12.50	10.00	
horizontalis repens. 3'			
30 to 36 in. spdB&B	7.50	6.50	
36 to 42 in. spd		7.50	
30. to 42 m. spa	0.00	1.00	
procumbens. Japgarden Juniper. 2			
18 to 24 in. spdB&B			
24 to 30 in. spd B&B	7.50	7.00	
rigida. Needle Juniper. 30'			
5 ft	12.50		
6 ft	15.00		
7 ft	18.00		
cohine Comin Louis of			
sabina. Savin Juniper. 6' 18 to 24 in. spdB&B	5.00	4.25	4.00
2 to 2½ ft. spdB&B			
2½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B			
0 to 0 72 It. Spa Dead	10.00	0.00	1.00
sabina tamariscifolia. Tamarix Sar			
18 to 24 in. spd B&B			
24 to 30 in. spdB&B		6.50	
2½ to 3 ft. spdB&B	10.00		•
sabina Von Ehron. 10'			
24 to 30 in. spdB&B	6.00	5.50	
30 to 36 in. spdB&B			
36 to 42 in. spdB&B			
42 to 48 in. spd B&B			
-			

1-4 5-24 25 & up Each Each Each

Juniperus

scopulorum. Rocky Mountain Juniper. 30 3 ft	,	
sphaerica. Fortunes Juniper. 10'		
3 ft. B&B 6.00 4 ft. B&B 7.50 5 ft. B&B 10.00		
squamata. Singleseed Juniper. 3'		
2 to 2½ ft. spd B&B 6.00 2½ to 3 ft. spd B&B 7.50		
squamata meyeri. Meyer Singleseed Jun	iper. 4'	
3 to 3½ ftB&B 10.00	8.00	
3½ to 4 ftB&B 12.50	10.00	
virginiana. Eastern Redcedar. 75'		
2 ftB&B 5.00	4.25	4.00
3 ft	5.50	5.00
4 ft B&B 8.00	7.00	6.25
5 ft	10.00	9.00
6 ft	12.50	
7 ft		
For larger sizes to 12 ft., add \$5.00 p	er foot	•
virginiana canaerti. Canaert Redcedar.	50'	
3 ft	6.75	6.25
4 ft	10.00	9.00
5 ft	13.50	12.50
6 ft	15.00	
7 ft	20.00	
8 ft		
9 ft		
10 ft		
For larger sizes to 12 ft., add \$5.00 g	er foot	•
virginiana elegantissima. Goldtip Redce	dar. 25'	•
2 ftB&B 6.00	5.50	5.00
3 ft B&B 7.50	6.75	6.25
4 ft B&B 11.00	10.00	
5 ft B&B 15.00		
6 ft B&B 18.00		
7 ft	20.00	

Juniperus	1-4 Each	5-24 Éach	25 & up Each
virginiana glauca. Silver Redcedar	r. 25'		
2 ftB&B	6.00	5.50	5.00
3 ftB&B		6.75	6.25
4 ftB&B	11.00	10.00	9.00
5 ftB&B	15.00	13.50	12.50
6 ft	18.00	15.00	
7 ft	22.50	20.00	
8 ftB&B	27.50		
For larger sizes to 12 ft., add	\$5.00	per foo	t.
virginiana globosa. Globe Redceda	-		
24 to 30 inB&B		8.00	7.50
	12.50	10.00	9.00
36 to 42 inB&B	15.00	12.50	
virginiana keteleeri. Keteleer Red	cedar.	<i>15</i> ′	
3 ftB&B	8.00	7.00	
4 ftB&B	11.00	10.00	
5 ft	15.00	13.50	
6 ft			
7 ft			
8 ft	30.00		
virginiana kosteri. Koster Redcedo	ar. 4'		
18 to 24 in. spdB&B	6.50	5.25	4.75
2 to 2½ ft. spd B&B		6.50	6.00
	9.00	8.00	7.50
3 to 3½ ft. spdB&B		12.00	
3½ to 4 ft. spdB&B	15.00		
virginiana pendula. Weeping Redc	edar.	<i>15</i> '	
6 ftB&B	20.00		
7 ft			
8 ftB&B	30.00		
virginiana plumosa. Plume Redced	lar. 1	5 '	
4 ftB&B	12.50		
5 ft			
6 ft		•	
7 ft	25.00		
virginiana reevesiana. Reeves Rede		<i>25</i> ′	
4 ftB&B			
5 ft			
6 ftB&B	17.50		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

1-4 Each	5-24 25 & v Each Each	
Juniperus virginiana schotti. Schott Redcedar. 25'	ζ.	
	0.05	
3 ft	6.75 6.2	
4 ft	10.00 9.0 $13.50 12.5$	
5 ft		U
6 ft	20.00	
7 ft		
ror larger sizes to 13 ft., and \$5.00 f	oci ioot.	
virginiana tripartita. Fountain Redcedar.	5 ' .	
2 ft	6.00	
2½ ftB&B 8.00	7.00	
3 ftB&B 10.00	8.00	
3½ ftB&B 12.50	•	
4 ft B&B 15.00		
virginiana venusta. Green Pyramid Redco	edar. 25'	
2 ft	5.50 5.0	າດ
3 ft	6.75 6.2	
4 ft	10.00 9.0	
5 ft	13.50	
6 ft		
7 ft		
Kalmia latifolia. Mountain Laurel. 6'	`	
10 4- 94 in DP-D 6 00	550 5	00
18 to 24 in	5.50 5. 8.00 7.	50
2 to 3 ft		00 00
3 (0 4 11	9.50 9.	UU
Kalopanax pictus. Castor Aralia. 25'		
6 to 8 ft	7.50	
8 to 10 ft		
pictus maximowiczi. 25'		
6 to 8 ft 12.50		
8 to 10 ft		
8 to 10 1t		
Kerria japonica. Japanese Kerria. 4'		
18 to 24 in 1.00	.80	.75
2 to 3 ft 1.25	1.10 1	.00
japonica pleniflora. Double Japanese K	erria. 4'	
18 to 24 in 1.25		
2 to 3 ft	1.25	

1-4 5-24 25 & up
Koelreuteria paniculata. Panicled Goldenrain Tree. 25'
4 to 5 ft
5 to 6 ft
6 to 8 ft
8 to 10 ft
Volkswitzin amahilis Bassas B. 1 0
Kolkwitzia amabilis. Beauty Bush. 8' 2 to 3 ft
2 to 3 ft
4 to 5 ft 2.50 2.00
Laburnum alpinum. Scotch Laburnum. 30'
4 to 5 ftB&B 10.00
5 to 6 ftB&B 12.50
anagyroides. (vulgare). Goldenchain Laburnum. 20'
4 to 5 ftB&B 10.00
5 to 6 ftB&B 12.50
6 to 8 ft. heavyB&B 25.00
watereri. Waterer Laburnum, 20'
5 to 6 ftB&B 12.50
Larix decidua. (europea). European Larch. 60'
3 to 4 ft
4 to 5 ft
5 to 6 ft
6 to 8 ft
8 to 10 ft
gmelini. Dahurian Larch. 60'
3 to 4 ft
4 to 5 ft
laricina. Eastern Larch. 50' 8 to 10 ft
•
leptolepis. Japanese Larch. 50'
10 to 12 ftB&B 35.00
Leptodermis oblonga. Chinese Leptodermis. 4'
12 to 15 in 3.50
Lespedeza bicolor. Shrub Lespedeza. 6'
2 to 3 ft
3 to 4 ft
japonica. Japanese Lespedeza. 5'
2 year
thunbergi (penduliflorum). Thunberg Lespedeza. 4' 2 year
3 year 1.00
o year

Leucothoe catesbaei. Drooping Leucothoe. 4 15 to 18 in	74 HENRY KOHANKIE & S	ON		
Leucothoe catesbaei. Drooping Leucothoe. 4' 15 to 18 in				
18 to 24 in. B&B 6.00 5.50 24 to 30 in. B&B 7.50 Ligustrum acuminatum. Sharpleaf Privet. 10' 2 to 3 ft. .60 .50 .40 3 to 4 ft. .75 .60 .50 acuminatum macrocarpum. Bigberry Privet. 10' 2 2 to 3 ft. .60 .50 .40 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .50 .35 .30 3 to 4 ft. .60 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. heavy 1.50 1.25 1.00 6 to 8 ft. heavy 1.50 1.25 1.00 6 to 8 ft. heavy 2.00 1.75 1.50 ibolium. Ibolium Privet. 8' 18 to 24 in. .35 .25 .18 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .30 obtusifolium (ibota). Border Privet. 10' 2 to 3 ft. .60 .55 .40 .55 4 to 5 ft. .10	Leucothoe catesbaei. Drooping Leucoth		Each	Расп
24 to 30 in B&B 7.50 Ligustrum acuminatum. Sharpleaf Privet. 10' 2 to 3 ft .60 .50 .40 3 to 4 ft. .75 .60 .50 acuminatum macrocarpum. Bigberry Privet. 10' 2 to 3 ft .60 .50 .40 3 to 4 ft .75 .60 .50 4 to 5 ft .100 amurense. Amur Privet. 15' 2 to 3 ft .50 .35 .30 3 to 4 ft .60 .40 .35 4 to 5 ft .75 .60 .50 5 to 6 ft. heavy 1.50 1.25 1.00 6 to 8 ft. heavy 2.00 1.75 1.50 ibolium. Ibolium Privet. 8' 18 to 24 in 18 to 24 in .35 .25 .18 2 to 3 ft .40 .30 .25 3 to 4 ft .50 .40 .30 obtusifolium (ibota). Border Privet. 10' 2 to 3 ft .60 .50 .45 3 to 4 ft .75 .60 .55 4 to 5 ft .100 .85 0. nanum. Pygmy Border Privet. 6' 18 to 24 in .60 .45 .40 2 to 3 ft .75 .55 .50 3 to 4 ft .100 .75 .65 4 to 5 ft .1.25 1.00 .	15 to 18 inB&B	4.50	4.00	
Ligustrum acuminatum. Sharpleaf Privet. 10' 2 to 3 ft	18 to 24 inB&B	6.00	5.50	
2 to 3 ft	24 to 30 inB&B	7.50		
3 to 4 ft	Ligustrum acuminatum. Sharpleaf Prin	vet. 10	,	
acuminatum macrocarpum. Bigberry Privet. 10' 2 to 3 ft	2 to 3 ft	.60	.50	.40
2 to 3 ft	3 to 4 ft	.75	.60	.50
3 to 4 ft	acuminatum macrocarpum. Bigber	ry Priv	vet. 10) '
4 to 5 ft. 1.00 amurense. Amur Privet. 15' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. heavy 1.50 1.25 1.00 6 to 8 ft. heavy 2.00 1.75 1.50 ibolium. Ibolium Privet. 8' 18 to 24 in. .35 .25 .18 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .30 obtusifolium (ibota). Border Privet. 10' 0 .45 2 to 3 ft. .60 .50 .45 3 to 4 ft. .75 .60 .55 4 to 5 ft. 1.00 .85 .75 0. nanum. Pygmy Border Privet. 6' 18 1.25 1.00 .85 3 to 4 ft. .100 .75 .65 .55 4 to 5 ft. .125 1.00 .85 0. regelianum. Regel Border Privet. 6' 18 to 24 in. spd. .75 .60 .50 24 to 30 in. spd.	2 to 3 ft	.60	.50	.40
amurense. Amur Privet. 15' 2 to 3 ft	3 to 4 ft	.75	.60	.50
2 to 3 ft	4 to 5 ft	1.00		
3 to 4 ft	amurense. Amur Privet. 15'			
4 to 5 ft	2 to 3 ft	.50	.35	.30
5 to 6 ft. heavy	3 to 4 ft	.60	.40	.35
ibolium. Ibolium Privet. 8' 18 to 24 in	4 to 5 ft	.75	.60	.50
ibolium. Ibolium Privet. 8' 18 to 24 in				
18 to 24 in. .35 .25 .18 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .30 obtusifolium (ibota). Border Privet. .10' .60 .50 .45 3 to 4 ft. .75 .60 .55 .55 .40 .55 4 to 5 ft. 1.00 .85 .75 0. nanum. Pygmy Border Privet. 6' .60 .45 .40 2 to 3 ft. .75 .55 .50 3 to 4 ft. .1.00 .75 .65 4 to 5 ft. 1.25 1.00 .85 0. regelianum. Regel Border Privet. 6' 18 to 24 in. spd. .75 .60 .50 24 to 30 in. spd. 1.00 .75 .70 2½ to 3 ft. spd. 1.25 1.00 .90 3 to 4 ft. spd. 2.50 2.00 ovalifolium. California Privet. 10' .40 .25 .18	6 to 8 ft. heavy	2.00	1.75	1.50
2 to 3 ft	ibolium. Ibolium Privet. 8'			
3 to 4 ft. .50 .40 .30 obtusifolium (ibota). Border Privet. 10' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .75 .60 .55 4 to 5 ft. 1.00 .85 .75 c. nanum. Pygmy Border Privet. 6' .60 .45 .40 2 to 3 ft. .75 .55 .50 3 to 4 ft. .1.00 .75 .65 4 to 5 ft. 1.25 1.00 .85 c. regelianum. Regel Border Privet. 6' 18 to 24 in. spd. .75 .60 .50 24 to 30 in. spd. 1.00 .75 .70 2½ to 3 ft. spd. 1.25 1.00 .90 3 to 4 ft. spd. 2.50 2.00 ovalifolium. California Privet. 10' 18 to 24 in. .40 .25 .18	18 to 24 in	.35	.25	.18
obtusifolium (ibota). Border Privet. 10' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .75 .60 .55 4 to 5 ft. 1.00 .85 .75 c. nanum. Pygmy Border Privet. 6' 18 to 24 in. .60 .45 .40 2 to 3 ft. .75 .55 .50 3 to 4 ft. 1.00 .75 .65 4 to 5 ft. 1.25 1.00 .85 c. regelianum. Regel Border Privet. 6' 18 to 24 in. spd. .75 .60 .50 24 to 30 in. spd. 1.00 .75 .70 2½ to 3 ft. spd. 1.25 1.00 .90 3 to 4 ft. spd. 2.50 2.00 ovalifolium. California Privet. 10' 18 to 24 in. .40 .25 .18	2 to 3 ft	.40	·.30	.25
2 to 3 ft	3 to 4 ft	.50	.40	.30
3 to 4 ft	obtusifolium (ibota). Border Prive	t. 10'		
4 to 5 ft. 1.00 .85 .75 c. nanum. Pygmy Border Privet. 6' 18 to 24 in. .60 .45 .40 2 to 3 ft. .75 .55 .50 3 to 4 ft. .1.00 .75 .65 4 to 5 ft. 1.25 1.00 .85 c. regelianum. Regel Border Privet. 6' 18 to 24 in. spd. .75 .60 .50 24 to 30 in. spd. 1.00 .75 .70 2½ to 3 ft. spd. 1.25 1.00 .90 3 to 4 ft. spd. 2.50 2.00 ovalifolium. California Privet. 10' 18 to 24 in. .40 .25 .18	2 to 3 ft	.60	.50	.45
o. nanum. Pygmy Border Privet. 6' 18 to 24 in. .60 .45 .40 2 to 3 ft. .75 .55 .50 3 to 4 ft. .1.00 .75 .65 4 to 5 ft. 1.25 1.00 .85 c. regelianum. Regel Border Privet. 6' 18 to 24 in. spd. .75 .60 .50 24 to 30 in. spd. 1.00 .75 .70 2½ to 3 ft. spd. 1.25 1.00 .90 3 to 4 ft. spd. 2.50 2.00 ovalifolium. California Privet. 10' 18 to 24 in. .40 .25 .18	3 to 4 ft	.75	.60	.55
18 to 24 in. .60 .45 .40 2 to 3 ft. .75 .55 .50 3 to 4 ft. 1.00 .75 .65 4 to 5 ft. 1.25 1.00 .85 c. regelianum. Regel Border Privet. 6' 18 to 24 in. spd. .75 .60 .50 24 to 30 in. spd. 1.00 .75 .70 2½ to 3 ft. spd. 1.25 1.00 .90 3 to 4 ft. spd. 2.50 2.00 ovalifolium. California Privet. 10' 18 to 24 in. .40 .25 .18	4 to 5 ft	1.00	.85	.75
2 to 3 ft	o. nanum. Pygmy Border Privet. e	3'		
3 to 4 ft. 1.00 .75 .65 4 to 5 ft. 1.25 1.00 .85 o. regelianum. Regel Border Privet. 6' 18 to 24 in. spd75 .60 .50 24 to 30 in. spd. 1.00 .75 .70 2½ to 3 ft. spd. 1.25 1.00 .90 3 to 4 ft. spd. 2.50 2.00 ovalifolium. California Privet. 10' 18 to 24 in40 .25 .18	18 to 24 in	.60	.45	.40
4 to 5 ft. 1.25 1.00 .85 o. regelianum. Regel Border Privet. 6' 18 to 24 in. spd75 .60 .50 24 to 30 in. spd. 1.00 .75 .70 2½ to 3 ft. spd. 1.25 1.00 .90 3 to 4 ft. spd. 2.50 2.00 ovalifolium. California Privet. 10' 18 to 24 in40 .25 .18	2 to 3 ft	.75	.55	.50
18 to 24 in. spd. .75 .60 .50 24 to 30 in. spd. 1.00 .75 .70 2½ to 3 ft. spd. 1.25 1.00 .90 3 to 4 ft. spd. 2.50 2.00 ovalifolium. California Privet. 10' 18 to 24 in. .40 .25 .18	3 to 4 ft	.1.00	.75	.65
18 to 24 in. spd. .75 .60 .50 24 to 30 in. spd. 1.00 .75 .70 2½ to 3 ft. spd. 1.25 1.00 .90 3 to 4 ft. spd. 2.50 2.00 ovalifolium. California Privet. 10' 18 to 24 in. .40 .25 .18	4 to 5 ft	1.25	1.00	.85
24 to 30 in. spd. 1.00 .75 .70 2½ to 3 ft. spd. 1.25 1.00 .90 3 to 4 ft. spd. 2.50 2.00 ovalifolium. California Privet. 10' 18 to 24 in. .40 .25 .18	o. regelianum. Regel Border Privet	. 6'		
24 to 30 in. spd. 1.00 .75 .70 2½ to 3 ft. spd. 1.25 1.00 .90 3 to 4 ft. spd. 2.50 2.00 ovalifolium. California Privet. 10' 18 to 24 in. .40 .25 .18			.60	.50
2½ to 3 ft. spd. 1.25 1.00 .90 3 to 4 ft. spd. 2.50 2.00 ovalifolium. California Privet. 10' 18 to 24 in. .40 .25 .18	•			
ovalifolium. California Privet. 10' 18 to 24 in	——————————————————————————————————————	1.25		
18 to 24 in	3 to 4 ft. spd	2.50	2.00	
18 to 24 in	ovalifolium. California Privet. 10'			
	18 to 24 in	.40	.25	18

	1-4	5-24 25	
Ligustrum	Each	Each	Lach
ovalifolium variegatum. Golden California Privet. 10'			
18 to 24 in	1.00 1.25	.85 1.00	.75 .90
vulgare. European Privet. 12'			
2 to 3 ft	.60 .85 1.25 1.75	.50 .70 1.00 1.50	.45 .65 .90 1.25
vulgare buxifolium. Boxleaf Privet.	6 '		
2 to 3 ft	$2.00 \\ 2.50$	$1.50 \\ 2.00$	1.25 1.50
vulgare foliosum. 10'			
2 to 3 ft	.75 1.00	.65 .80	.60 .75
vulgare leucocarpum. Whiteberry H	Privet.	12'	
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.75 1.00 1.25 1.50	.60 .75 1.00 1.25	.55 .65 .90
vulgare nanum. (Lodense). Europe	an Pri	vet. 3'	
12 to 15 in. 15 to 18 in. 18 to 24 in. 24 to 30 in.	.65 .75 1.00 1.25	.55 .65 .85 1.00	.50 .60 .75
vulgare pyramidale. Pyramidal Eur	opean	Privet.	12"
2 to 3 ft		$1.25 \\ 1.50$	1.00 1.25
Lindera benzoin. Common Spicebush. 12	2'		
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	1.00 1.25 1.65 2.00 2.50 3.50	.70 1.00 1.35 1.65 2.25 3.00	.60 .85 1.15 1.35 2.00 2.75
8 to 10 ft. clumps B&B			

1-4 5-24 25 & up

*Liquidambar	form	osana.	Formosa &	Each Sweetgum	Each	Each
13/4 to	2	in		. 15.00		
2 to	2½	in		. 20.00		
2½ to	3	in		25.00		
*styraciflu	ia. A	merican	Sweetgum	. 60'		
8 to	10	ft		. 6.00		
2½ to	3	in		25.00	20.00	
3 to	3½	i n		35.00	30.00	
$3\frac{1}{2}$ to	4	in		45.00	40.00	
4 to	5	in		. 55.00	50.00	
5 to	6	in	* * * * * * * * *	65.00		
			lden Sweet			
	13/4	in		. 12.50		
	2					
		in		. 20.00		
2½ to						
3 to	3½	in		. 35.00		
*Liriodendron	ch	inense.	Chinese To	uliptree.	70'	
2 to	2½	in		. 20.00		
*tulipifera	• Tul	iptree. 8	80'			
6 to	8	ft		4.50	4.00	3.75
8 to	10	ft		6.00	5.50	5.00
11/4 to	. –			7.50	7.00	6.50
1½ to	13/4	in.		9.00	8.00	7.50
13/4 to	2	in		12.50	10.00	9.50
				15.00	13.50	12.50
01/ 4.					10.00	
$2\frac{1}{2}$ to				22.50	18.00	
3 to	31/2	in.		22.50		
	3½ 4	in in		22.50 30.00 40.00		
3 to	3½ 4	in in		22.50 30.00 40.00		
3 to 3½ to	3½ 4 4½ fasti	in in in giatum.	Pyramid	22.50 30.00 40.00 50.00 Tuliptre	18.00	
3 to 3½ to 4 to *tulipifera 6 to	3½ 4 4½ fasti	in in giatum.	Pyramid	22.50 30.00 40.00 50.00 Tuliptre 10.00	18.00	
3 to 3½ to 4 to *tulipifera 6 to 8 to	31/ ₂ 4 41/ ₂ fasti 8 10	in in giatum. ft	Pyramid	22.50 30.00 40.00 50.00 Tuliptre 10.00 12.50	18.00	
3 to 3½ to 4 to *tulipifera 6 to 8 to 1¼ to	31/2 4 41/2 fasti 8 10 11/2	in in giatum. ft ft	Pyramid	22.50 30.00 40.00 50.00 Tuliptre 10.00 12.50 15.00	18.00	
3 to 3½ to 4 to *tulipifera 6 to 8 to 1¼ to 1½ to	3½ 4 4½ fasti 8 10 1½ 1¾	in in giatum. ft in in	Pyramid	22.50 30.00 40.00 50.00 Tuliptre 10.00 12.50 15.00 18.00	18.00	
3 to 3½ to 4 to *tulipifera 6 to 8 to 1¼ to 1½ to 2 to	3½ 4 4½ fasti 8 10 1½ 1¾ 2½	in in giatum. ft in in in in in	Pyramid	22.50 30.00 40.00 50.00 Tuliptre 10.00 12.50 15.00 18.00 22.50	18.00	
3 to 3½ to 4 to 4 to 4 to 5 to 6 to 6 to 1½ to 2 to 2½ to	3½ 4 4½ fasti 8 10 1½ 1¾ 2½ 3	in in giatum. ft in in in in	Pyramid	22.50 30.00 40.00 50.00 Tuliptre 10.00 12.50 15.00 18.00 22.50 30.00	18.00	

z z z z z z z z z z z z z z z z z z z			• •
Lonicera alseuosmoides	1-4 Each	5-24 2 Each	5 & up Each
2 year	1.00	.75	.60
amoena. Gotha Honeysuckle. 10'			
	1.50	1.25	
4 to 5 ft			
4 10 5 11	2.00	1.50	
amoena arnoldiana. Arnold Honeys	uckle.	6 '	
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
bella albida. White Belle Honeysuc.	kle. 10) '	
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	1.15
6 to 8 ft	2.00	1.65	1.35
			1.00
bella atrorosea. Pink Belle Honeysu		10'	
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	1.15
billardi. 8'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	1.15
browni plantierensis. Coral Browns			
2 year	1.00	.80	.75
3 year	1.25	1.00	.90
		1.00	
caprifolium. Sweet Honeysuckle. 10	1.00	.80	
2 year		,00	
chrysantha. Coralline Honeysuckle.	10'	5 0	0.0
2 to 3 ft	.90	.70	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.50		
conjugialis. Purpleflower Honeysuc	kle. 8	,	
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95

	1-4 Each	5-24 2 Each	5 & up Each
Lonicera		•	
dioica. Limber Honeysuckle. 10'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.50		
fragrantissima. Winter Honeysuckle			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.50	1.25	
fuchsioides. Fuchsia Honeysuckle.	4'		
2 year		.85	.75
gradilines (land). Hammeld of	,		
gracilipes. Spangle Honeysuckle. 6 2 to 3 ft		.80	.75
3 to 4 ft		1.00	.95
0 to 1 tt	1.20	1.00	.50
heckrotti. Everblooming Honeysucki	le. 15'		
2 year	1.00	.80	.75
henryi. Henry Honeysuckle. 15'			
2 year	1.00	.80	.75
hirsuta. Hairy Honeysuckle. 15'	1.00		
2 year	1.00	.80	
involucrata. Bearberry Honeysuckle.	3'		
2 to 3 ft	2.00		
3 to 4 ft	2.50		
japonica. Japanese Honeysuckle. 18	5 '		
2 year	.50	.40	.35
3 year	.60	.45	.40
japonica chinensis. Purple Japanes		-	. 15'
2 year	1.00	.75	
japonica halleana. Hall Japanese H	Ioneusu	ckle. 21) '
2 year		.40	.35
3 year		.45	.40
immenia			
japonica aureo-reticulata.	- ~!		
Yellownet Japanese Honeysuckle		05	75
2 year	1.00	.85	.75
koehneana. Koehne Honeysuckle. 1	2'		
2 to 3 ft	.80	.70	.60
3 to 4 ft	1.00	.85	
4 to 5 ft	1.50		

	1-4	5-24 2	
Lonicera	Each	Each	Each
korolkowi floribunda.			
Broad Blueleaf Honeysuckle. 10	,		
2 to 3 ft		.85	.75
3 to 4 ft	1.50	1.25	1.00
korolkowi zabeli. 10'			
2 to 3 ft	1.25		
3 to 4 ft	1.50		
ledebouri. Ledebour Honeysuckle. 1	o '		
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
maacki. Amur Honeysuckle. 10'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	
maacki podocarpa. 10'			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
morrowi. Morrow Honeysuckle. 8'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	1.15
morrowi xanihocarpa.			
Yellowfruit Morrow Honeysuckl	e. 8'		
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	1.15
muendeniensis. Muenden Honeysuck	le. 8'		
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	1.15
6 to 8 ft	2.00	1.65	1.35
nitida. Box Honeysuckle. 4'			
6 to 12 in	1.00	.85	.75
orientalis longifolia. (kesselringi).	10'		
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

Periclymenum belgica. Dutch Woodbine. 15' 2 year	Taninana	1-4 Each	5-24 Each	25 & up Each
2 year 1.00 .80 .75 3 year 1.25 1.00 .90 pileata. Privet Honeysuckle. Z' 6 to 12 in. 1.00 .85 .75 prolifera. Grape Honeysuckle. 5' 3 year 1.25 1.00 pyrenaica. Pyrenees Honeysuckle. 5' 3 to 4 ft. 1.50 quinquelocularis. Mistletoe Honeysuckle. 10' 4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.00 1.75 1.50 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft	Lonicera			
3 year 1.25 1.00 .90 pileata. Privet Honeysuckle. Z' 6 to 12 in. 1.00 .85 .75 prolifera. Grape Honeysuckle. 5' 3 year 1.25 1.00 pyrenaica. Pyrenees Honeysuckle. 5' 3 to 4 ft. 1.50 quinquelocularis. Mistletoe Honeysuckle. 10' 4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.00 1.75 1.50 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft	periclymenum belgica. Dutch Woo	odbine.	<i>15</i> ′	
pileata. Privet Honeysuckle. 2' 6 to 12 in		1.00	.80	.75
6 to 12 in. 1.00 .85 .75 prolifera. Grape Honeysuckle. 5' 3 year 1.25 1.00 pyrenaica. Pyrenees Honeysuckle. 5' 3 to 4 ft. 1.50 quinquelocularis. Mistletoe Honeysuckle. 10' 4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.00 1.75 1.50 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft. .75 .60 .55 3 to 4 ft. 1.00 .80 .75 saccata. 5' 2 to 3 ft. 1.00 .75 .65 3 to 4 ft. 1.25 .85 .75 sempervirens. Trumpet Honeysuckle. 15' 2 year .65 .55 .50 3 year .75 .65 .60 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in. .75 .65 .50 3 to 18 in. 1.00 .85 .75 4 to 5 ft. .85 .70 .60 3 to 4 ft. .80 .75	3 year	1.25	1.00	.90
prolifera. Grape Honeysuckle. 5' 3 year 1.25 1.00 pyrenaica. Pyrenees Honeysuckle. 5' 3 to 4 ft. 1.50 quinquelocularis. Mistletoe Honeysuckle. 10' 4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.00 1.75 1.50 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft	pileata. Privet Honeysuckle. 2'			
3 year 1.25 1.00 pyrenaica. Pyrenees Honeysuckle. 5' 3 to 4 ft. 1.50 quinquelocularis. Mistletoe Honeysuckle. 10' 4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.00 1.75 1.50 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft	6 to 12 in	1.00	.85	.75
pyrenaica. Pyrenees Honeysuckle. 5' 3 to 4 ft	prolifera. Grape Honeysuckle. 5'			
3 to 4 ft. 1.50 quinquelocularis. Mistletoe Honeysuckle. 10' 4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.00 1.75 1.50 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft. .75 .60 .55 3 to 4 ft. 1.00 .80 .75 saccata. 5' 2 to 3 ft. 1.00 .75 .65 3 to 4 ft. 1.25 .85 .75 sempervirens. Trumpet Honeysuckle. 15' 2 year .65 .55 .50 3 year .75 .65 .60 spinosa alberti. Albert Thorn Honeysuckle. 12 to 15 in. .75 15 to 18 in. 1.00 standishi. Standish Honeysuckle. 2 to 3 ft. .85 .70 .60 3 to 4 ft. 1.00 .85 .75 4 to 5 ft. 1.50 1.25 18 to 24 in., field grown 1.50 1.25 18 to 24 in., field grown 2.00 1.50 syringantha. wolspan="2">syringantha Wolf Lilac Honeysuckle. 6'	3 year	1.25	1.00	
quinquelocularis. Mistletoe Honeysuckle. 10' 4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.00 1.75 1.50 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft. 1.00 .80 .75 saccata. 5' 2 to 3 ft. 1.00 .75 .65 3 to 4 ft. 1.25 .85 .75 sempervirens. Trumpet Honeysuckle. 15' 2 year .65 .55 .50 3 year .75 .65 .60 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in. .75 .65 .60 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in. .00 .85 .70 .60 3 to 18 in. 1.00 .85 .75 4 to 5 ft. 1.50 1.25 18 to 24 in., field grown 1.50 1.25 18 to 24 in., field grown 2.00 1.50 syr	pyrenaica. Pyrenees Honeysuckle.	5 '		
4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.00 1.75 1.50 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft	3 to 4 ft	1.50		
4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.00 1.75 1.50 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft	quinquelocularis. Mistletae Honeus	uckle.	10'	
5 to 6 ft. 2.00 1.75 1.50 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft. .75 .60 .55 3 to 4 ft. 1.00 .80 .75 saccata. 5' 2 to 3 ft. 1.00 .75 .65 3 to 4 ft. 1.25 .85 .75 sempervirens. Trumpet Honeysuckle. 15' 2 year .65 .55 .50 3 year .75 .65 .60 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in. .75 .55 .50 3 year .75 .65 .60 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in. .75 .50 .60 standishi. Standish Honeysuckle. 8' .85 .70 .60 3 to 4 ft. 1.00 .85 .75 4 to 5 ft. 1.50 1.25 syringantha. Lilac Honeysuckle. 4' 15 to 18 in., 4 in. pots. 1.50 1.25 18 to 24 in., field grown 1.50 1.50 <				
ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft			2.00	1.50
2 to 3 ft				2.00
3 to 4 ft. 1.00 .80 .75 saccata. 5' 2 to 3 ft. 1.00 .75 .65 3 to 4 ft. 1.25 .85 .75 sempervirens. Trumpet Honeysuckle. 15' 2 year .65 .55 .50 3 year .75 .65 .60 spinosa alberti. Albert Thorn Honeysuckle. 3' 2 2 .65 .60 spinosa alberti. Albert Thorn Honeysuckle. 8' 2 2 1.00 .85 .75 .60 standishi. Standish Honeysuckle. 8' 2 2 3 ft. .85 .70 .60 3 to 4 ft. 1.00 .85 .75 .75 .4 to 5 ft. 1.50 1.25 syringantha. Lilac Honeysuckle. 4' 15 to 18 in., 4 in. pots 1.50 1.25 1.00 2 to 3 ft., field grown 1.50 1.25 1.00 2 to 3 ft., field grown 2.00 1.50 1.50 1.50 1.50	-			
saccata. 5' 2 to 3 ft. 1.00 .75 .65 3 to 4 ft. 1.25 .85 .75 sempervirens. Trumpet Honeysuckle. 15' 2 year .65 .55 .50 3 year .75 .65 .60 spinosa alberti. Albert Thorn Honeysuckle. 8' 2 12 to 15 in. .75 .75 15 to 18 in. 1.00 .85 .70 .60 3 to 4 ft. 1.00 .85 .75 4 to 5 ft. 1.50 1.25 syringantha. Lilac Honeysuckle. 4' 1.50 1.25 18 to 24 in., field grown 1.50 1.25 18 to 3 ft., field grown 2.00 1.50 syringantha wolfi. Wolf Lilac Honeysuckle. 6'				
2 to 3 ft. 1.00 .75 .65 3 to 4 ft. 1.25 .85 .75 sempervirens. Trumpet Honeysuckle. 15' 2 year .65 .55 .50 3 year .75 .65 .60 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in75 15 to 18 in. 1.00 standishi. Standish Honeysuckle. 8' 2 to 3 ft85 .70 .60 3 to 4 ft. 1.00 .85 .75 4 to 5 ft. 1.50 1.25 syringantha. Lilac Honeysuckle. 4' 15 to 18 in., 4 in. pots 1.50 1.25 18 to 24 in., field grown 1.50 1.25 18 to 24 in., field grown 2.00 1.50 syringantha wolfi. Wolf Lilac Honeysuckle. 6'	3 to 4 ft	1.00	.80	.75
3 to 4 ft. 1.25 .85 .75 sempervirens. Trumpet Honeysuckle. 15' 2 year .65 .55 .50 3 year .75 .65 .60 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in75 15 to 18 in. 1.00 standishi. Standish Honeysuckle. 8' 2 to 3 ft85 .70 .60 3 to 4 ft. 1.00 .85 .75 4 to 5 ft. 1.50 1.25 syringantha. Lilac Honeysuckle. 4' 15 to 18 in., 4 in. pots 1.50 1.25 18 to 24 in., field grown 1.50 1.25 18 to 24 in., field grown 2.00 1.50 syringantha wolfi. Wolf Lilac Honeysuckle. 6'	saccata. 5'			
sempervirens. Trumpet Honeysuckle. 15' 2 year .65 .55 .50 3 year .75 .65 .60 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in. .75 .75 15 to 18 in. 1.00 .85 .70 .60 3 to 4 ft. 1.00 .85 .75 4 to 5 ft. 1.50 1.25 syringantha. Lilac Honeysuckle. 4' 15 to 18 in., 4 in. pots. 1.50 1.25 18 to 24 in., field grown 1.50 1.25 1 to 3 ft., field grown 2.00 1.50	2 to 3 ft	1.00	.75	.65
2 year	3 to 4 ft	1.25	.85	.75
3 year	sempervirens. Trumpet Honeysuckl	e. 15'		
spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in. .75 15 to 18 in. 1.00 standishi. Standish Honeysuckle. 8' 2 to 3 ft. .85 .70 .60 3 to 4 ft. 1.00 .85 .75 4 to 5 ft. 1.50 1.25 syringantha. Lilac Honeysuckle. 4' 15 to 18 in., 4 in. pots 1.50 1.25 18 to 24 in., field grown 1.50 1.25 1.00 2 to 3 ft., field grown 2.00 1.50 syringantha wolfi. Wolf Lilac Honeysuckle. 6'	2 year	.65	.55	.50
12 to 15 in. .75 15 to 18 in. 1.00 standishi. Standish Honeysuckle. 8' 8' 2 to 3 ft. .85 .70 .60 3 to 4 ft. 1.00 .85 .75 4 to 5 ft. 1.50 1.25 syringantha. Lilac Honeysuckle. 4' 15 to 18 in., 4 in. pots 1.50 1.25 18 to 24 in., field grown 1.50 1.25 1.00 2 to 3 ft., field grown 2.00 1.50 syringantha wolfi. Wolf Lilac Honeysuckle. 6'	3 year	.75	.65	.60
15 to 18 in. 1.00 standishi. Standish Honeysuckle. 8' 2 to 3 ft. .85 .70 .60 3 to 4 ft. 1.00 .85 .75 4 to 5 ft. 1.50 1.25 syringantha. Lilac Honeysuckle. 4' 15 to 18 in., 4 in. pots 1.50 1.25 18 to 24 in., field grown 1.50 1.25 1.00 2 to 3 ft., field grown 2.00 1.50 syringantha wolfi. Wolf Lilac Honeysuckle. 6'	spinosa alberti. Albert Thorn Hone	ysuckle	e. 3'	
standishi. Standish Honeysuckle. 8' 2 to 3 ft. .85 .70 .60 3 to 4 ft. 1.00 .85 .75 4 to 5 ft. 1.50 1.25 syringantha. Lilac Honeysuckle. 4' 15 to 18 in., 4 in. pots 1.50 1.25 18 to 24 in., field grown 1.50 1.25 1.00 2 to 3 ft., field grown 2.00 1.50 syringantha wolfi. Wolf Lilac Honeysuckle. 6'	12 to 15 in	.75		
2 to 3 ft	15 to 18 in	1.00		
2 to 3 ft	standishi. Standish Honeysuckle 8'			
3 to 4 ft. 1.00 .85 .75 4 to 5 ft. 1.50 1.25 syringantha. Lilac Honeysuckle. 4' 15 to 18 in., 4 in. pots 1.50 1.25 18 to 24 in., field grown 1.50 1.25 1.00 2 to 3 ft., field grown 2.00 1.50 syringantha wolfi. Wolf Lilac Honeysuckle. 6'			.70	60
4 to 5 ft. 1.50 1.25 syringantha. Lilac Honeysuckle. 4' 15 to 18 in., 4 in. pots 1.50 1.25 18 to 24 in., field grown 1.50 1.25 1.00 2 to 3 ft., field grown 2.00 1.50 syringantha wolfi. Wolf Lilac Honeysuckle. 6'				
15 to 18 in., 4 in. pots				
15 to 18 in., 4 in. pots	suringenthe Lilas Honoroughlo "			
18 to 24 in., field grown 1.50 1.25 1.00 2 to 3 ft., field grown 2.00 1.50 syringantha wolfi. Wolf Lilac Honeysuckle. 6'	· · · · · · · · · · · · · · · · · · ·	1.50	1.95	
2 to 3 ft., field grown 2.00 1.50 syringantha wolfi. Wolf Lilac Honeysuckle. 6'	·			1.00
syringantha wolfi. Wolf Lilac Honeysuckle. 6'				1.00
15 to 18 in., 4 in. pots 1.50 1.25				
	15 to 18 in., 4 in. pots	1.50	1.25	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

r andrana		1-4 Each	5-24 2 Each	25 & up Each
Lonicera	11	401		
•	Tatarian Honeysuekle.		CO	
	3 ft		.60	.55
3 to	ft		.80	.75
4 to	5 ft		1.10	.95
5 to	6 ft		1.35	1.15
6 to	3 ft	2.00	1.65	
tatarica a	lba. White Tatarian	Honey suck let	e. 10'	
2 to	3 ft		.60	.55
3 to	1 ft	1.00	.80	.75
4 to	5 ft	1 .3 5	1.10	.95
5 to	6 ft	1.65	1.35	1.15
6 to	8 ft		1.65	1.50
tatarica l	itea. Yellow Tatarian	Honouenal	10 10	,
	3 ft		.85	
	4 ft		1.10	
0 10	L LU:	1.20	1.10	
	osea. Rosy Tatarian I			
	3 ft		.60	.55
3 to	4 ft		.80	.75
4 to	5 ft	1.35	1.10	.95
5 to	6 ft	1.65	1.35	1.15
tatarica s	birica. Red Tatarian	Honey suck	le. 10'	
2 to	3 ft	. 75	.60	.55
3 to	4 ft	1.00	.80	.75
4 to	5 ft	1.35	1.10	.95
5 to	6 ft	1.65	1.35	1.15
tatarica	irginalis. Maiden Ho	neysuckle.	10 '	
	3 ft	_	.60	.55
3 to	4 ft	1.00	.80	.75
4 to	5 ft	1.35	1.10	.95
5 to	6 ft	1.65	1.35	1.15
6 to	8 ft	2.00	1.65	1.50
tellmann	ana. Tellmann Honey	euchlo 10'		
	ar			
thibetica	Tibetan Honeysuckle.	/i'		
	ar			
v	• European Fly Hone		•	
	3 ft		.60	.55
	4 ft		.80	.75
	5 ft		1.10	.15
			1.35	1.15
5 to	6 ft	f'ûŋ	1.99	T. T. 9

	1-4 5-24	25 & up
Lycium chinense. Chinese Wolfberry. 5'	lach Each	Each
2 to 3 ft	.60 .50	.45
0 1 1 2	.80 .70	.60
halimifolium. Matrimony Vine. 6'		
	.60 .50	.45
5 4 4 01	.80 .70	• • • •
Lyonia ligustrina. He-Huckleberry. 12'		
	.00 5.00	
mariana. Staggerbush Lyonia. 6'		
30 to 36 inB&B 5.	50 5.00	
36 to 42 inB&B 6.	50 6.00	
Maackia amurensis. Amur Maackia. 40'		
0.4-0.61	00	
0 1 1 1	00	
	00	
5 to 6 ft	50	
Maclura pomifera. Osage-orange. 30'		
0 4 4 4	50 1.25	1.00
4 4 7 04	00 1.65	1.35
	50 2.00	1.75
6 to 8 ft	00 2.75	2.50
Magnolia acuminata. Cucumber Tree. 70'		
5 to 6 ftB&B 12.	50	
6 to 8 ft B&B 15.		
8 to 10 ft B&B 18.	00	
10 to 12 ftB&B 25.	00	
denudata. Yulan Magnolia. 50'		
2 to 3 ftB&B 15.		
3 to 4 ftB&B 20.0	00	
fraseri. Fraser Magnolia. 50'		
4 to 5 ftB&B 20.0	00	
glauca (see virginiana).		
hypoleuca. (see obovata).		
kobus. Kobus Magnolia. 25'		
4 to 5 ftB&B 12.6	00 9.00	
5 to 6 ftB&B 15.0		

	1-4 Each	
Magnolia		
kobus borealis.		
4 to 5 ft. B&B 5 to 6 ft. B&B 6 to 8 ft. B&B 8 to 10 ft. B&B to 10 ft. B&B Larger sizes quoted on req	15.00 17.50 25.00 35.00	12.50 11.00 16.00 15.00
kobus nana compacta. 8'		
3 to 4 ftB&B	17.50	
liliflora. Lily Magnolia. 10'		
2 to 3 ftB&B		
3 to 4 ftB&B	20.00	
macrophylla. Bigleaf Magnolia. 50) '	
8 to 10 ftB&B		
chowata Whiteleast Language Magn	olia 50	n.P.
obovata. Whiteleaf Japanese Magn 8 to 10 ftB&B		,
10 to 12 ftB&B		
	00.00	
salicifolia. Anise Magnolia. 30'	1= 00	
2 to 3 ftB&B	15.00	
sieboldi. Oyama Magnolia. 30'		
2 to 3 ftB&B	15.00	
3 to 4 ftB&B	20.00	
soulangeana. Saucer Magnolia. 20'		
2 to 3 ftB&B		
3 to 4 ftB&B		
4 to 5 ftB&B		
5 to 6 ftB&B		
s. lennei. Lenne Saucer Magnolia. 3 to 4 ft		
4 to 5 ftB&B		
5 to 6 ftB&B		
6 to 8 ftB&B		
8 to 10 ftB&B		
stellata. Star Magnolia. 8'		
2 to 3 ftB&B	12.50	11.00
3 to 4 ftB&B		13.50
4 to 5 ftB&B		18.00
5 to 6 ftB&B	25.00	

	1-4 Each	5-24 Each	25 & up Each
Magnolia	пасп	Mach	ыасп
stellata rosea. Pinkstar Magnolia.	<i>15</i> ′		
2 to 3 ftB&B			
3 to 4 ftB&B	15.00		
4 to 5 ftB&B	20.00		
5 to 6 ftB&B	25.00		
6 to 8 ftB&B	30.00		
8 to 10 ftB&B	35.00		
tripetala. $Umbrella$ $Magnolia$. 30'			
5 to 6 ftB&B	10.00	8.00	
	13.50	11.00	
8 to 10 ftB&B		16.00	
10 to 12 ftB&B		22.50	
virginiana. (glauca). Sweetbay Ma_{s}	gnolia.	25'	
2 to 3 ftB&B	4.50	4.00	3.75
3 to 4 ftB&B	6.00	5.50	5.00
4 to 5 ftB&B	10.00	8.00	7.00
	15.00	12.00	11.00
6 to 8 ftB&B		16.00	15.00
8 to 10 ftB&B		20.00	18.00
10 to 12 ftB&B	35.00	30.00	
Mahonia aquifolium. Oregongrape. 4'			
15 to 18 inB&B	3.50	2.75	2.50
18 to 24 inB&B	4.50	4.00	3.75
24 to 30 inB&B	5.50	5.00	
30 to 36 inB&B	7.50		
repens. Creeping Mahonia. 1'			
12 to 15 in. spread B&B	4.00	3.25	3.00
15 to 18 in. spreadB&B	4.50	4.00	3.50
18 to 24 in. spread B&B	5.50	5.00	
Malus adstringens. 12'			
4 to 5 ft	2.50	2.00°	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
angustifolia. Southern Crabapple. 2			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
	2.50	2.25	
	4.00	3.50	
	6.00	5.00	
The state of the s	1.50	1.05	4.0
3 to 4 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
0 to 0 It	4.00	3.50	

PAINESVILLE, OHIO			85
	1-4 Each	5-24 2 Each	5 & up Each
Malus	201		
atrosanguinea. Carmine Crabapple.		1.05	1.00
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
8 to 10 ft. specB&B	30.00		
baccata. Siberian Crabapple. 30'	1.50	1.05	1.00
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	4.00		
8 to 10 ft	6.00		
baccata mandshurica. Manchurian	-	-	,
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
brevipes. 12'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
coronaria. Wild Sweet Crabapple. 3	0'		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
coronaria Charlotte. 15'			
3 to 4 ft	1.75		
4 to 5 ft	2.50		
5 to 6 ft	3.00		
6 to 8 ft	4.00		
8 to 10 ft	6.00		
dolga. 15'			
4 to 5 ft	2.00		
5 to 6 ft	2.50		
6 to 8 ft	4.00		
8 to 10 ft	6.00		
Elisa Rathke. Weeping Flg. Apple	. 8'		
3 to 4 ft. spread	3.00		
4 to 5 ft. spread	4.00	•	
5 to 6 ft. spread	7.50		
•			

Malus	1-4 Each	5-24 Each	25 & up Each
florentina. Florentine Crabapple.	20'		
4 to 5 ft	2.25		
5 to 6 ft	3.00		
6 to 8 ft	4.00		
4.			
floribunda. $Japanese$ $Flowering$ C 3 to 4 ft	$rabapp_0$ 1.50	le. 20' 1.25	
4 to 5 ft	2.00	1.25 1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	0.00	
fusca. Oregon Crabapple. 20'			
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00		
glaucescens. Dunbar Crabapple. 12	2'		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
halliana. Hall's Crabapple. 15'			
4 to 5 ft	5.00		
5 to 6 ft	6.00		
6 to 8 ft	7.50		
8 to 10 ft	10.00		
halliana parkmani. Hall's Parkma	n Crab	annle.	<i>15</i> '
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
	4.00	3.50	
6 to 8 ft			
hopa. Red Flowering Crabapple. 1	2'		
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
hupehensis (theifera). 20'	6		
4 to 5 ft	3.00	2.50	
	4.00	3.50	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00		

Malus	1-4 Each	5-24 2 Each	5 & up Each
h. rosea (theifera rosea). 20'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
ioensis. Prairie Crabapple. 25'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.25	1.75	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
	<i>15</i> ′		
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.00	1.10
5 to 6 ft	4.00		
6 to 8 ft	6.00		
micromalus. Midget Crabapple. 10	2,		
4 to 5 ft	2.00		
5 to 6 ft	2.50		
6 to 8 ft	4.00		
8 to 10 ft	6.00		
niedzwetzkyana. Redvein Crabapp	le. 20'		
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
Oekonemurat Echtermeyer. 15'			
3 to 4 ft	2.00		
4 to 5 ft	3.00		
5 to 6 ft	4.00		
purpurea. Purple Crabapple. 15'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
purpurea aldenhamensis.			
Aldenham Purple Crabapple. 1		0.5=	
4 to 5 ft		2.25	
5 to 6 ft	3.00		
6 to 8 ft	4.00		

Malus	1-4 Each	5-24 Each	25 & up Each
purpurea eleyi. Eley Purple Cre	abannle.	<i>15</i> ′	
3 to 4 ft		1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
purpurea lemoinei. Lemoine Pur			<i>15</i> '
3 to 4 ft	2.00	orpre.	10
4 to 5 ft	2.50		
5 to 6 ft	3.00		
prunifolia rinkı. Chinese Pearleaf		ole. 15	,
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.00	2.75	
6 to 8 ft	4.00		
robusta. Cherry Crabapple. 15'		0.00	
3 to 4 ft	1.75		
4 to 5 ft	2.00		
5 to 6 ft	3.00		
6 to 8 ft	4.00		
robusta erecta. Column Cherry Cr		15'	
4 to 5 ft	2.50	10	
5 to 6 ft	3.00		
6 to 8 ft	4.00		
8 to 10 ft	6.00		
robusta leucocarpa.			
Yellow-fruited Cherry Crabapp	le. 15'		
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	7.50		
robusta persicifolia. Peachleaf Ch		hannle	. 15'
4 to 5 ft	3.00	2.50	. 10
5 to 6 ft	4.00	3.50	
6 to 8 ft	5.00	0.00	
sargenti. Sargent Crabapple. 8'			
3 to 4 ft	3.00	2.50	
4 to 5 ft	4.00		
5 to 6 ft	5.00		
6 to 8 ft	7.50		
scheideckeri. Scheidecker Crabapp			
3 to 4 ft		1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00		2.25
6 to 8 ft		3.50	2.20
	2.04	4.04	

Malus	1-4 Each	5-24 Each	25 & up Each
sieboldi. Toringo Crabapple. 15'	шасп	Each	Each
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	
spectabilis. Chinese Crabapple. 15'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	
spectabilis albiplena.			
Double White Chinese Crabappl			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.25	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
sublobata. Yellow Autumn Crabapp			
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
theifera. (see hupehensis)			
toringoides. Cutleaf Crabapple. 15'	0.50	0.00	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
tschonoski. 20' 3 to 4 ft	2.00		
4 to 5 ft	2.50		
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
yunnanensis veitchi. Veitch Yunnan			<i>05</i> ′
3 to 4 ft	2.00	ppie.	20
4 to 5 ft	2.50		
5 to 6 ft	3.00		
6 to 8 ft	4.00		
8 to 10 ft	6.00	*	
zumi. Zumi Crabapple. 15'	0.00		
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
	1.00	0.00	

Malus	1-4 Each	5-24	25 & up
zumi calocarpa. 15'	Lacn	Each	Each
5 to 6 ft	9.00	0.50	
6 to 8 ft		2.50	
8 to 10 ft.	4.00 6.00	3.50	
		5.00	
Morus alba tatarica. Russian Mulberry	. 60'		
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	3.00	2.75	2.50
1½ to 1¾ in	4.00	3.50	3.00
134 to 2 in	6.00	5.50	5.00
2 to 2½ in	10.00	7.50	
alba pendula. Weeping Mulberry.			
2 year heads	6.00		
Myrica carolinensis. (see pennsylvanio	a)		
cerifera. Southern Waxmyrtle. 5'	, u ,		
18 to 24 inB&B	4.00	3.50	3.25
2 to 3 ftB&B	5.00	4.50	0.20
3 to 4 ft. heavyB&B	8.50	7.50	
4 to 5 ft. heavy B&B		9.00	
gale. Sweetgale. 4'		0.00	
18 to 24 inB&B	3.50	3.00	
2 to 3 ftB&B	5.00	4.00	3.50
3 to 4 ftB&B	6.00	5.00	0.00
pennsylvanica. Northern Bayberry.	<i>5</i> ′		
18 to 24 inB&B	4.00	3.50	3.25
24 to 30 inB&B	5.00	4.50	
Nandina domestica. Nandina. 8'			
12 to 15 in. from pots	1.50		
	1.00		
Neillia longiracemosa. 10'			
2 to 3 ft	1.25	1.00	.90
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.25	2.00	1.75
sinensis. Chinese Neillia. 6'			
2 to 3 ft		1.00	.90
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.25	2.00	1.75
Nemopanthus mucronata. Mountain Hol	Ta 10!		
3 to 4 ft	$\frac{4.00}{4.00}$		
Neviusia alabamensis. Snow-wreath. 6'			
2 to 3 ft	2.25	1.75	
3 to 4 ft	2.75	2.25	

1-4 Eac		25 & up Each
Nyssa aquatica. Water Tupelo. 40'		
6 to 8 ftB&B 15.00)	
sylvatica. Black Tupelo. 40'		
5 to 6 ftB&B 10.00)	
6 to 8 ftB&B 12.50)	
8 to 10 ft)	
1¼ to 1½ inB&B 17.50)	
1½ to 1¾ inB&B 20.0	17.50	
1¾ to 2 inB&B 22.5		
2 to 2½ inB&B 25.00		
2½ to 3 inB&B 35.00		
3 to 3½ inB&B 52.50	47.50	
sylvatica pendula. Weeping Black Tup	elo. 25'	
8 to 10 ftB&B 25.00)	
Ostrya virginiana. American Hophornbeam.		
6 to 8 ft		
8 to 10 ft		
10 to 12 ft)	
*Oxydendrum arboreum. Sourwood. 40'		
2 to 3 ft	4.00	3.50
3 to 4 ftB&B 6.00		
4 to 5 ftB&B 7.50		
5 to 6 ftB&B 12.50		
6 to 8 ftB&B 15.0		
8 to 10 ftB&B 18.0		
10 to 12 ftB&B 25.0	20.00	
Pachistima canbyi. Canby Pachistima. 1'		
3 inch pots 1.2	5 1.00	.85
Paeonia suffruticosa. Tree Peony. 6'		
8 to 10 in., 3 year 6.50	1	
0 to 10 mi., 5 year	,	
Parrotia persica. Persian Parrotia. 15'		
3 to 4 ft	0	
4 to 5 ft	0	
	4	-
Parthenocissus henryi. Silvervein Creeper.		
2 year 1.0	J	
quinquefolia. Virginia Creeper. 35'	0 40	•
	0 .40	
5 5 5 5 5 5 5 5 5 5	5 .45	
4 year	5 .60	.50

Each Each Each Each Each q. engelmanni. Engelmann Virginia Creeper. 35' 2 year .50 .40 .30 3 year .65 .45 .33 4 year .75 .60 .50
2 year
2 year
4 year
q. saintpauli. St. Paul Virginia Creeper. 35'
2 year
3 year
tricuspidata veitchi. Veitch Japanese Creeper. 35'
2 year
3 year
tricuspidata lowi. Lows Japanese Creeper. 8'
2 year from pots 1.25 1.00 .90
3 year from pots, heavy 1.50 1.35 1.10
Paulownia tomentosa. Royal Paulownia. 30'
5 to 6 ft
6 to 8 ft
8 to 10 ft
Periploca graeca. Grecian Silkvine. 30'
2 year 1.00 .80 .75
3 year 1.25 1.00 .95
sepium. Chinese Silkvine. 30'
2 year 1.50
Dependence of 1 to 1
Perovskia atriplicifolia. 4'
2 to 3 ft
Phellodendon amurense. Amur Corktree. 50'
6 to 8 ft 4.00 3.50 3.00
8 to 10 ft 4.50 4.00 3.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 5.50 4.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 6.50 5.50
1 ³ / ₄ to 2 in
2 to 2½ in
japonicum. Japanese Corktree. 30'
8 to 10 ft
13/4 to 2 in 12.50
lavallei. Lavalle Corktree. 30'
8 to 10 ft 6.00 5.00
1½ to 1¾ in 10.00 7.50
1 ³ / ₄ to 2 in
2 to 2½ in 15.00

	, – – – , – – – , – – – , – – – , – – – , – – – , – – – , – – – , – , – – ,			00
		1-4 Each	Each	25 & up Each
Philadelphus	coronarius. Sweet Mockoro	ange.	10'	
2 to	3 ft	.75	.60	.55
3 to	4 ft	1.00	.80	.75
4 to	5 ft	1.35		.95
5 to	6 ft	1.65	1.35	1.15
6 to	8 ft	2.00	1.65	1.40
				1.10
	s aureus. $Golden\ Mockora$	-	-	
	24 in	1.50	1.25	
24 10	30 in	1.75	1.50	
	s nanus. Dwarf Sweet Mo	ckora	nge. 4'	•
12 to	15 in	1.00	.80	.75
15 to	18 in	1.25	1.00	.90
18 to	24 in	1.50	1.25	
coronariu	s plenus. Double Sweet M	locko	range.	<i>6'</i>
	24 in		.85	.75
	3 ft	1.35	1.10	.95
	Banniere. 8'	1.00	1.10	.00
_	3 ft	.85	.70	.65
	4 ft	1.25	.85	.80
		1.20	.00	.00
c. Norma	· -			
	3 ft	.75	.60	.55
	4 ft	1.00	.80	.75
4 to	5 ft	1.35	1.10	.95
c. Voie L	actee. 6'			
2 to	3 ft	.85	.70	.65
3 to	4 ft	1.25	.85	.80
	5 ft	1.50	1.25	
falconeri.	Falconers Mockorange. 8'			
	4 ft	1.00	.80	.75
	5 ft	1.35	1.10	.95
	6 ft	1.65	1.35	1.15
	nus. Gordon Mockorange.		1.00	1.10
_	3 ft	.75	.60	.55
	4 ft	1.00	.80	.75
	5 ft	1.35	1.10	.95
			1.35	1.15
	6 ft			
	8 ft	2.00	1.65	1.40
	rus. Big Scentless Mockord			
	3 ft	.75	.60	.55
3 to	4 ft	1.00	.80	.75
4 to	5 ft	1.35	1.10	.95
5 to	6 ft	1.65	1.35	1.15
6 to	8 ft	2.00	1.65	1.40

	1-4 Each		25 & up
Philadelphus	Lacu	Each	Each
incanus. Gray Mockorange. 10'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
inodorus. Scentless Mockorange. 10		1.20	
4 to 5 ft			
5 to 6 ft	1.50		
	2.00		
lemoinei. Avalanche. 5'			
2 to 3 ft	1.00	.75	
lemoinei Dame Blanche. 6'			
2 to 3 ft	1.00	.75	
lemoinei erectus. Erect Lemoine I	Mockord	inge. 5	,
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	.85	.80
lemoinei Pyramidale. 5'			
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.35	1.25	
lewisi. Lewis Mockorange. 10'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	1.15
magdalenae. Magdalena Mockorange		2.00	1.10
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	.90	.85
nepalensis. Nepal Mockorange. 10'			.00
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft		1.10	.95
5 to 6 ft	1.65	1.35	1.15
6 to 8 ft	2.00	1.65	1.40
nivalis. Snowbank Mockorange. 10'	2.00	1.00	1.40
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.13
5 to 6 ft	1.65	1.35	
6 to 8 ft	2.00	1.65	1.15
polyanthus Favorite. 10'	2.00	1.00	1.40
2 to 3 ft	.85	70	
3 to 4 ft		.70	.65
4 to 5 ft	1.25	.90	.85
p. Gerbe de Neige. 6'	1.50	1.25	
2 to 3 ft	1.00	00	
	1.00	.80	.75
3 to 4 ft	1.25	1.00	

'			
	1- 4 Each	5-24 Each	25 & up Each
Philadelphus			
p. Pavillon Blanc. δ'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	1.15
6 to 8 ft	2.00	1.65	1.40
purpureo-maculatus Etoile Rose.	6 '		
2 to 3 ft	1.50		
purpureo-maculatus Ophelia. 6'			
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	.90	.85
4 to 5 ft	1.50	1.25	
p. Sybille. 5'			
2 to 3 ft	1.25	1.00	
sericanthus. Silk Mockorange. 12'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
splendens. Splendens Mockorange.	10'		
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	1.75	
virginalis Albatre. $6'$			
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	.90	.85
v. Argentine. 5'			
2 to 3 ft	1.25	1.00	
v. Bouquet Blanc. 5'		_,,,,	
2 to 3 ft	1.00	.75	.70
3 to 4 ft	1.25	1.00	.90
v. Glacier. 6'	1.20	1.00	.00
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	.90	.85
4 to 5 ft	1.50	1.25	
v. virginal. 8'	1.00	1,20	•
2 to 3 ft	.90	.75	.65
3 to 4 ft	1.25	1.10	.95
4 to 5 ft	1.50	1.25	1.15
5 to 6 ft	2.00	1.65	1.35
zeyheri. Zeyher Mockorange. 10'			
3 to 4 ft	1.00		
U U I IVI	00		

	1-4	5-24	25 & up
Photinia villosa. Oriental Photinia. 15	, Each	Each	Each
3 to 4 ft		.85	.75
4 to 5 ft	1.50	1.35	. 1.10
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	5.00	4.00	3.50
villosa laevis. Smooth Oriental Ph	otinia.	<i>15</i> ′	
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
Physocarpus intermedius parvifolius.			•
Dwarf Illinois Ninebark. 4'			
2 to 3 ft	1.25	1.00	.85
3 to 4 ft	1.50	1.25	1.10
opulifolius. Common Ninebark. 10'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	1.15
6 to 8 ft	2.00	1.65	1.35
opulifolius luteus. Goldleaf Nineba			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
opulifolius nanus. Dwarf Common	1.00	1.35	
2 to 3 ft	.85	.70	0.5
3 to 4 ft			.65
4 to 5 ft	1.50	0.90 1.25	.85
•		1.40	
Picea abies (excelsa). Norway Spruce. 2 ft		4.00	
3 ft B&B	4.50	4.00	3.50
4 ft	7.50	6.50	6.00
5 ft	15.00	9.50	9.00
6 ft		13.50 16.00	12.50
7 ft	20.00	18.00	15.00
8 ft	25.00	10.00	
For larger sizes to 25 ft., add \$	35.00 n	er foot	
abies aurea. Golden Norway Spruce		1001.	
3 ft	10.00		
4 ft	12.50		
5 ft			
6 ft	18.00		
For larger sizes to 12 ft., add \$	5.00 pe	er foot.	
·	-		

Picea Each Each 1-4 Each 5-24 25 & up
abies clanbrasiliana. Barry Norway Spruce. 7' 2 ft
abies ellwangeriana. Ellwanger Norway Spruce. 10' 2 ft
abies maxwelli. Maxwell Norway Spruce. 6'
18 to 24 in
24 to 30 in
30 to 36 in
3 6 to 42 in
abies nana. Dwarf Norway Spruce. 4'
18 to 24 inB&B 8.50 7.50
24 to 30 in
3 0 to 3 6 in
36 to 42 inB&B 18.00
abies parviformis.
Dwarf Pyramid Norway Spruce. 4'
3 ft
4 ft
abies pendula. Weeping Norway Spruce. 20'
3 ft
4 ft
5 ft
6 ft
For larger sizes to 12 ft., add \$5.00 per foot.
abies procumbens. Prostrate Norway Spruce. 3'
2½ ft. spd
3 ft. spd
abies pygmea. Pygmy Norway Spruce. 20' 18 to 24 in
abies remonti. Remont Norway Spruce. 6'
24 to 30 in
30 to 36 in
36 to 42 in
42 to 48 in
alba. (see glauca)
asperata. Dragon Spruce. 60'
2 ftB&B 10.00
3 ftB&B 12.50
bicolor. (alcockiana). Alcock Spruce. 75'
3 ft
4 ft

	1-4 Each	5-24 Each	25 & up Each
Picea	Each	Each	Lach
engelmanni. Engelmann Spruce. 78	5'		
3 ft			
4 ft	15.00		
5 ft	18.00		
6 ft	22.50		
o migrophylla Dwarf Frank	G	~*	
e. microphylla. Dwarf Engelmann 3 ft	_	, <i>D</i>	
	15.00		
glauca. (alba). White Spruce. 50'			
2 ftB&B	5.00	4.25	4.00
3 ftB&B	8.00	6.75	6.25
4 ftB&B		9.50	9.00
5 ftB&B	15.00	12.50	
6 ftB&B	17.50		
7 ftB&B	20.00		
g. aurea. Golden White Spruce. 30	•		
2 ft			
5 ft			
g. conica. Dwarf Alberta Spruce.			
3 ft			
g. densata. (canadensis). $Black$ H			
2 ftB&B	0.00		
3 ft	8.00	4.50 6.75	
4 ft		$6.75 \\ 10.00$	
5 ft		12.50	
6 ft		12.50	
7 ftB&B			
8 ft			
	20.00		
g. nana. Pygmy White Spruce. 6' 18 in	10.00		
2 ftB&B			
	12.50		
koyamai. Koyama Spruce. 30'	40		
3 ftB&B			
4 ftB&B			
mariana doumeti. Doumet Black S		25 '	
5 ftB&B	15.00		
omorika. Serbian Spruce. 50'			
3 ftB&B		10.00	
4 ftB&B	15.00	12.50	
5 ft			
6 ft	25.00		

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

1-4 5-24 25 & up Each Each Each

Picea

orientalis. Oriental Spruce. 75'		
2 ftB&B 8.50	7.50	
3 ftB&B 12.50	10.00	
4 ft		
5 ftB&B 18.00		
6 ft		
pungens. Colorado Spruce. 60'		
2 ftB&B 5.00	4.25	4.00
3 ftB&B 8.00	6.75	6.25
4 ftB&B 11.00	9.50	9.00
5 ftB&B 15.00	12.50	
pungens glauca. Blue Colorado Spruce.	60 '	
2 ftB&B 10.00	9.00	
3 ft B&B 15.00	12.00	
4 ftB&B 20.00	17.50	
5 ftB&B 25.00	22.50	
pungens kosteriana. Koster Blue Spruce	. 50 '	
2 ftB&B 10.00	9.00	
2½ ft B&B 15.00	12.50	
3 ftB&B 20.00	18.00	
3½ ftB&B 25.00	22.50	
4 ft	25.00	
4½ ft B&B 35.00	30.00	
5 ft B&B 40.00	3 5.00	
5½ ft B&B 45.00	40.00	
6 ft B&B 50.00	45.00	
7 ft	50.00	
8 ftB&B 60.00	55.00	

For larger sizes to 25 ft., add \$7.50 per foot.

	-		
Picea	1-4 Each		5 & up Each
pungens moerheimi. Moerheim Blu	e Spr	uce. 40'	
2½ ftB&B		,	
3 ft			
3½ ft B&B			
4 ftB&B			
5 ftB&B			
sitchensis. Sitka Spruce. 40'			
3 ftB&B	10.00	8.00	
4 ftB&B			
wilsoni. Wilson Spruce. 50'			
2 ft	7.50		
3 ftB&B	10.00		
Dioris floribundo 16			
Pieris floribunda. Mountain Pieris. 4'			
18 to 24 inB&B	7.50		
japonica. Japanese Pieris. 10'			
15 to 18 inB&B	5.50		
18 to 24 inB&B	6.50		
Pinus banksiana. Jack Pine. 60'			
2 ft B&B	_	5.00	4.50
	8.00	7.00	6.50
4 ftB&B		10.00	9.00
5 ft B&B		12.50	
6 ft		15.00	
7 ft B&B : 8 ft B&B :			
For larger sizes to 18 ft., add 5		per foot.	
bungeana. Lacebark Pine. 60'			
	10.00		
3 ft B&B	10.00		

Picea

cembra. Swiss Stone Pine. 70'

3 ft. B&B 15.00

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

1-4 5-24 25 & up Each Each Each

Pinus

densiflora. Japanese Red Pine. 60'	
3 ft B&B 8.50	
4 ft	
5 ft B&B 15.00	
6 ft	
7 ft B&B 25.00	
8 ft	
densiflora umbraculifera. Tanyosho Pine.	
2 ft B&B 15.00	
2 It	
flexilis. Limber Pine. 30'	
2 ft B&B 10.00	7.50
3 ftB&B 12.50 10	0.00
4 ft B&B 15.00	
jeffreyi. Jeffrey Pine. 50'	
2 ftB&B 12.50	
koraiensis. Korean Pine. 35'	
3 ftB&B 15.00	
4 ftB&B 18.00	
mugo. (montana). Swiss Mountain Pine. 10	
18 in	
2 ft	
2½ ftB&B 11.00 1	
	2.50
3½ ftB&B 15.00	
4 ft	
mugo mughus. Mugho Swiss Mountain Pine	•
•	5.00 4.50
18 to 24 in. spdB&B 7.50 2 to 2½ ft. spdB&B 10.00	7.00 6.50 8.00 7.50
2½ to 3 ft. spd B&B 14.00 1	
•	5.00
3½ to 4 ft. spd B&B 25.00	
4 to 5 ft. spd B&B 35.00	

Pinus	1-4 Each		25 & up Each
nigra. Austrian Pine. 50'	0.50	7.50	7.00
2 ft B&B		7.50	7.00
3 ft B&B		11.00	10.00
4 ft B&B			
5 ft		20.00	
6 ft			
For larger sizes to 15 ft., add		per foo	t.
parviflora. Japanese White Pine.			
2 ftB&B	12.50		
peuce. Balkan Pine. 20'			
3 ftB&B	15.00		
4 ft	18.00		
5 ft	20.00		
6 ft	25.00		
ponderosa. Ponderosa Pine. 60'			
3 ftB&B	9.50	7.50	
4 ft		9.00	
5 ft			
6 ft		12.50	
ponderosa scopulorum. $Rocky$ Mt .		rosa Pin	ne. 50'
2 ftB&B	12.50	10.00	
resinosa. Red Pine. 50'			
2 ftB&B	8.50	7.50	7.00
3 ftB&B	12.50	11.00	10.00
4 ftB&B	18.00	15.00	
5 ftB&B	22.50	20.00	
6 ft	27.50		
For larger sizes to 12 ft., add	\$5.00 p	er foot	•
rigida. Pitch Pine. 25'			
5 ft	18.00		
6 ft	22.50		
strobus. Eastern White Pine. 75'			
2 ftB&B	8.00	7.00	6.50
3 ft		10.00	0.00
4 ft		15.00	
sylvestris. Scotch Pine. 50'			
2 ftB&B	6.50	5.50	5.00
3 ft		8.00	7.50
4 ft		12.50	
5 ft			
302		*0.00	

1-4 Each	5-24 Each	25 & up Each
Pinus sylvestris	22.22	
6 ft		
7 ft		
8 ft		
For larger sizes to 10 ft., add \$5.00	per foot	t.
thunbergi. Japanese Black Pine. 60'		
2 ft B&B 10.00		
3 ft		
4 ftB&B 15.00		
5 ft		
For larger sizes to 12 ft., add \$5.00	per foot	t.
Platanus occidentalis. American Planetree. 7	5 '	
6 to 8 ft	2.75	2.50
8 to 10 ft 5.00	4.50	4.25
1½ to 1½ in. 6.50	6.00	5.75
1½ to 1¾ in	8.00	7.50
13/4 to 2 in	10.00	9.00
2 to 2½ in	12.50	
acerifolia. Oriental Planetree. 80'		
6 to 8 ft	2.75	2.50
	4.50	$\frac{2.50}{4.25}$
1½ to ½ in 6.50	6.00	5.75
1½ to 1¾ in	8.00	7.50
134 to 2 in	10.00	
2 to 2½ in	12.50	
2½ to 3 in 20.00	17.50	
Polygonum auberti. Silvervine Fleeceflower.	25 '	
2 year		.60
_ 	***	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Populus alba. White Poplar. 60'		
6 to 8 ft	3.00	
10 to 12 ft 5.50	4.50	
13/4 to 2 in 6.50	5.50	
2 to 2½ in		
alba bolleana. Bolleana Poplar. 50'		
6 to 8 ft	2.00	1.90
8 to 10 ft	2.50	2.25
1½ to 1½ in 4.00	3.50	3.00
1½ to 1¾ in 5.00	4.50	

	7011	~ ~ .	2
Populus alba bolleana	1-4 Each	5-24 Each	25 & up Each
134 to 2 in	8.50	7.50	
2 to $2\frac{1}{2}$ in	10.00	9.00	
alba nivea. Silver Poplar. 90'			
6 to 8 ft	3.75	3.00	
8 to 10 ft	4.50	3.75	
10 to 12 ft	5.50	4.50	
2 to 2½ in	9.00		
berolinensis. Berlin Poplar. 40'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
1¼ to 1½ in	4.00	3.50	
1½ to 1¾ in	4.50	4.00	
134 to 2 in	6.00	5.50	
2 to 2½ in	9.00	7.50	
candicans. Balm of Gilead. 90'	0.77	0.50	
6 to 8 ft	2.75	2.50	
8 to 10 ft	3.00	2.75	
1¼ to 1½ in	3.75	3.25	
1½ to 1¾ in	4.50	3.75	
maximowiczi. Japanese Poplar. 40 8 to 10 ft.			
	4.00		
	5.00		
1½ to 1¾ in	6.50		
nigra betulifolia. Birchleaf Black I	9.00	001	
6 to 8 ft	3.50		
8 to 10 ft		$\frac{3.00}{3.75}$	
1¾ to 2 in		6.00	
	10.00	9.00	
	15.00	12.50	
nigra italica. Lombardy Poplar. 60		12.00	
6 to 8 ft	1.25	.85	.75
	1.50	1.25	1.10
	2.00	1.75	1.60
1½ to 1¾ in	3.00	2.50	2.25
1 ³ / ₄ to 2 in	4.50	3.75	3.25
	6.50	5.50	5.00
	12.00	10.00	8.50
	15.00	12.50	0.00
simoni. Simon Poplar. 35'		12.00	
	2.50	2.00	
8 to 10 ft	3.00	2.50	
1¼ to 1½ in	3.50	3.00	
1½ to 1¾ in	4.50		
13/4 to 2 in	6.00		

1-4 Each	5-24 Each	25 & up Each
Populus		
suaveolens. Mongolian Poplar. 40'		
1½ to 1¾ in 5.50	5.00	
13/4 to 2 in 7.50	6.00	
2½ to 3 in 10.00	9.00	
tremuloides. Quaking Aspen. 50'		
6 to 8 ft		
8 to 10 ft 4.00		
trichocarpa. California Poplar. 40'		
6 to 8 ft	2.50	
8 to 10 ft 3.25	2.75	
10 to 12 ft 3.75	3.25	
1½ to 1¾ in 4.50	3.75	
1¾ to 2 in 6.00		
2 to 2½ in 7.50		
2½ to 3 in 12.50		
Detentille frutiseen Buch Cinemateil "		
Potentilla fruticosa. Bush Cinquefoil. 4'	.70	.60
2 to 3 ft	.90	.00
	.90	
Gold Drop. 2½' 12 to 15 in		
12 (0 15 11 1.50		
Prinsepia sinensis. Cherry Prinsepia. 6'		
12 to 15 in., from pots 2.00	1.75	
2 to 3 ftB&B 5.00	4.00	
Prunus americana. American Plum. 20'		
4 to 5 ft	1.00	.85
5 to 6 ft	1.50	1.25
6 to 8 ft	2.00	1.75
8 to 10 ft	2.75	2.50
americana Newport.		
Purpleleaf American Plum. 20'		
3 to 4 ft	1.50	1.25
4 to 5 ft	1.75	1.50
5 to 6 ft	2.00	
*avium plena.		
Double White Flowering Cherry. 30'		
6 to 8 ft 6.00		
8 to 10 ft 7.50	·	
Large specimens quoted on request.		
besseyi. Bessey Cherry. 8'	•	
2 to 3 ft	.65	.60
3 to 4 ft	.85	.75
4 to 5 ft	1.25	1.00

	1-4 Each	5-24 Each	25 & up Each
Prunus			
cerasifera pissardi. Purpleleaf Plu	m. 12	,	
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.00	
cistena. Purpleleaf Sand Cherry. 20	o '		
3 to 4 ft		1.75	1.50
4 to 5 ft	2.50	2.00	1.00
5 to 6 ft	3.00	2.50	
davidiana. David Peach. 25'			
4 to 5 ft	3.50		
5 to 6 ft	4.00		
6 to 8 ft	5.00		
davidiana alba. $White\ David\ Peac$	h 25'		
3 to 4 ft	3.00		
4 to 5 ft	3.50		
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	7.50		
	1.00		
dunbari. Dunbar Plum. 6'			
3 to 4 ft	1.50	1.25	
glandulosa. Almond Cherry. 10'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.00	.90
glandulosa albiplena.			
Doublewhite Almond Cherry. 6'			
2 to 3 ft	1.25	1.00	
	1.50	1.25	
2 to 3 ft. own roots	2.00		
glandulosa sinensis. Doublepink Al	mond	Cherry.	6 '
2 to 3 ft	1.00	.85	
3 to 4 ft	1.50	1.25	
2 to 3 ft. own roots		1.75	1.50
3 to 4 ft. own roots		2.25	2.00
horiulana. Hortulan Plum. 30'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00		

	1.4		25 & up
Prunus	Each	Each	Each
incisa. Fuji Cherry. 15'			
4 to 5 ft	4.00 5.00	3.00 4.00	
japonica. Chinese Bush Cherry. 12'			
2 to 3 ft	1.50	1.35	1.25
3 to 4 ft	1.75	1.65	1.50
laurocerasus schipkaensis.			
Schipka Laurel Cherry. 10'			
12 to 15 in., 4 in. pots	2.50		
maacki. Amur Chokecherry. 30'			
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3 .50	3.00	2.50
6 to 8 ft	4.50	4.00	3.50
maritima. Beach Plum. 12'			
2 to 3 ft	1.25	1.00	.95
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00	1.65	1.50
moseri fl. pl. 12'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00		
mume. Japanese Apricot. 15'			
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	6.50		
mume fl. pl. Dbl. Flg. Japanese Apr		15 '	
3 to 4 ft	4.00		
4 to 5 ft	5.00		
munsoniana. Wildgoose Plum. 25'			
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
padus. European Bird Cherry. 30'			
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.50	2.25
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	5.00	4.50	4.00
pennsylvanica. Pin Cherry. 25'			
5 to 6 ft	2.75	2.50	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	

	1-4 Each		25 & uj Each
Prunus			
persica. Double Flowering Peach.	10'		
3 to 4 ft	1.75	1.25	
4 to 5 ft	2.25	1.50	
5 to 6 ft	3.00		
6 to 8 ft	4.00		
Alboplena — Double Whi	ite		
Clara Meyer — Double P	ink		
Rosea Plena — Double P	ink		
Rubroplena — Double Re	d		
persica pendula. Weeping Flowers 3 ft. standards	ing Pec 7.50	ach. 10'	
pumila. Sand Cherry. 5'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.00	.90
	_,	2.00	
*sargenti. Sargent Cherry. 50'	5 .00		
5 to 6 ft	5.00	•	
8 to 10 ft	6.00 7.50		
	1.50		
serotina. Wild Black Cherry. 60'			
5 to 6 ft	2.75	2.50	2.25
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	4.50	4.00	3.50
*serrulata. Oriental Cherry. 40'			
5 to 6 ft	5.00		
6 to 8 ft	6.00	·	
8 to 10 ft	7.50		
*serrulata Amayadori. 30'			
5 to 6 ft	5.00		
6 to 8 ft	6.00		
8 to 10 ft	7.50		
*serrulata Higantakura. Dbl. Whit	e Fla	Chaman	an'
5 to 6 ft	5.00	Cherry.	<i>50</i>
6 to 8 ft	6.00		
*serrulata Hisakura. $Dbl.\ Pink\ Flg$		y. 30'	
4 to 5 ft	4.00	$g, \partial U$	
5 to 6 ft	5.00		
6 to 8 ft	6.00		

	1-4	5-24 25	
Prunus	Each	Each	Each
*serrulata James H. Veitch, syn. 5 to 6 ft	Fugenz 5.00 6.00 7.50	o. 30'	
*s. James H. Veitch pendula.			
Dbl. Pink Weeping Cherry. 2 yr. hds., 3 to 5 ft. stem	10.00		
*serrulata Jonioi. Jonioi Oriental (25 '	
5 to 6 ft	5.00	29	
6 to 8 ft	6.00		
8 to 10 ft	7.50		
*serrulata lannesiana. Hitoye Che	erry. 30	,	
5 to 6 ft	5.00	4.00	3.75
6 to 8 ft	6.00	5.00	4.75
	7.50	7.00	6.50
10 to 12 ft			
*serrulata sirotae. Shirotae Orien		ry. 25'	
4 to 5 ft	4.00		
siberica. Siberian Apricot. 12'			
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	7.50		
*sieboldi, syn. Naden. Siebold Che			
6 to 8 ft	6.00		
8 to 10 ft	7.50		
Large specimens quoted on re	equesi.		
spinosa. Blackthorn. 12'	1 75	1 50	1 05
3 to 4 ft	$1.75 \\ 2.25$	$\frac{1.50}{2.00}$	1.25 1.75
4 to 5 ft	$\frac{2.25}{3.00}$	2.00 2.75	$\frac{1.75}{2.50}$
6 to 8 ft	3.75	3.50	3.00
8 to 10 ft	5.50	5.00	4.50
spinosa purpurea. Purpleleaf Blac		12'	2.00
4 to 5 ft	4.00	1.2	
5 to 6 ft	5.00		
*subhirtella. Higan Cherry. 30'			
4 to 5 ft	4.00		
5 to 6 ft	5.00		
6 to 8 ft	6.00		
8 to 10 ft	7.50		
Large specimens quoted on r	equest.		

Prunus	1-4 Each	5-24 Each	25 & up Each
*subhirtella ascendens. Shiro-higan.			
6 to 8 ft	0.00		
ullet subhirtella autumnalis. $Autumn$ Hi	gan	Cherry.	<i>30</i> ′
5 to 6 ft			
6 to 8 ft 10	0.00		
8 to 10 ft			
Large specimens quoted on req			
*subhirtella pendula. Weeping Higan	n Ch	erry. 1	!5 '
2 yr. hds., 4 to 6 ft. stem 10).00		
tenella. Russian Almond. 6'			
2 to 3 ft 2	2.50		
0 1 1 1	3.00		
tomentosa. Manchu Cherry. 10'			
0 1 0 01	.00		
3 to 4 ft 2	.50		
triloba. Flowering Plum. 10'			
0 4 4 04	00	1 85	1.50
A 1 m a.	.00	1.75	1.50
F / 0 0/	.50	2.25	2.00
3 10 0 11	.50	3.25	
triloba plena. Double Flowering Plum	. 10'	,	
D 1 4 01	.75	1.35	1.25
4 to 5 ft	.25	1.75	1.50
5 to 6 ft	.00		_,,
			•
virginiana. Chokecherry 30'			
	.00	1.75	1.50
	.75	2.50	2.25
	.50	3.00	2.75
8 to 10 ft 5.	.00	4.50	4.00
v. demissa. Western Chokecherry. 30'	,		
4 4 = 01	50		
F 4 0 04	50		
	00		
*yedoensis. Yoshino Cherry. 35'			
0 4- 10 01	50		

5-24 25 & up Each Each

Each

Prunus

*yedoensis Taizan-fukun. 30'

4	to	5	ft			,						4.00
5	to	6	ft									5.00
6	to	8	ft									6.00
8	to	10	ft									7.50

Large specimens quoted on request.

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$4.00, \$5.00 and \$7.50 each, respectively.

Amanogawa — semi-double pale pink

Gioiko — semi-double pale yellow

Hata-zakura — semi-double white

Horaisan — double pink

Hosokawanioi --- semi-double flesh

Kuramayami — double pink

Kwanzan — syn. Sekiyama — double deep pink

Miyako — double pink

Shirofugen — double light pink

Shogetsu — double soft pink

Sumizome — double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsuga taxifolia. (douglasi). Douglas Fir. 70'

2	ft.	 B&B	6.00	5.50	5.00
3	ft.	 B&B	9.00	8.50	8.00
4	ft.	 B&B	15.00	12.50	
5	ft.	 B&B	18.00		
6	ft.	 B&B	20.00		
7	ft.	 B&B	25.00		
0	£Ł	D 8-D	20.00		

Ptelea trifoliata. Hoptree. 20'	1-4 Each	0 - 1	25 & up Each
	1.50	1.05	4.00
	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
		2.25	2.00
8 to 10 ft	4.00	3.50	
Pterostyrax corymbosa. Little Epaulet	te-tree	. 20'	
5 to 6 ft		6.00	
6 to 8 ft		7.50	
8 to 10 ft	12.50		
Pueraria thunbergiana. Thunberg Kudz	zu-bean	. 10'	
2 year	.50	.40	
Duragantha gegines a 14 74			
Pyracantha coccinea. Scarlet Firethorn.	10'	1.05	
15 to 18 in., 4 inch pots		1.85	
18 to 24 in			
2 to 3 ftB&B		8.00	
coccinea lalandi. Laland Firethorn.			
12 to 18 in., 4 in. pots		1.85	1.75
18 to 24 in B&B		5.50	5.00
2 to 3 ft		8.00	7.50
3 to 4 ft. specimens B&B	18.00	15.00	
crenato-serrata. 10'			
12 to 18 in., 4 in. pots	2.00	1.85	
Pyrus betulaefolia. Birch Leaf Pear. 20) '		
5 to 6 ft	4.00		
6 to 8 ft			
calleryana. Callery Pear. 20'	0.00		
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	6.00		
salicifolia. Willowleaf Pear. 30'	0.00		
4 to 5 ft	4.00		
serrulaia. 20'	1.00		
6 to 8 ft	5.00		
Quercus alba. White Oak. 75'			
6 4- 0 0	5.00	4.50	4.00
11/ 4- 41/ •	7.50	6.75	6.25
114 4- 197 :	2.00	11.00	10.00
13/4 to 2 in 1		13.50	12.50
2 to 2½ in	8.00	16.00	15.00
2½ to 3 in 2		20.00	10.00
3 to 3½ in, 3		30.00	
•		A0.00	

		1-4 Each	5-24 Each	25 & up Each
Quercus				
bicolor. Swamp				
6 to 8	ft	5.00	4.50	4.00
	in	7.50	6.75	6.25
	in	12.00	11.00	10.00
	in	15.00	13.50	12.50
	in	18.00	16.00	15.00
	in	25.00	20.00	
3 to $3\frac{1}{2}$	in	35.00	30.00	
$3\frac{1}{2}$ to 4	in	45.00		
borealis. (rubra	a). Northern Red O	ak. 75'		
6 to 8	ft	5.50	4.50	
11/4 to 11/2	in	7.50	6.50	
1½ to 1¾	in	12.00	11.00	10.00
13/4 to 2	in	15.00	13.50	12.50
	in	20.00	17.50	
	in	27.50	22.50	
3 to 3½	in	35.00	30.00	
	in	45.00	40.00	
	in	60.00		
	Turkey Oak. 75'			
	in	10.00		
	in	12.50		
	in	15.00		
	in	20.00		
coccinea. Scarle		20.00		
	in	12.00	11.00	
	in	15.00	13.50	
	in		17.50	
	in			
	in		30.00	
	in		40.00	
	in		10.00	
imbricaria. Shi		00.00		
	in	35.00	30.00	
lyrata. Overcup		00100	00.00	
	in	12.50		
	in			
	in			
	in.			
$\mathbf{macrocarpa.}$ Bu				
	ft	6.00		
	in	7.50		
	in			
174 10 174	****	12.00		

Oversus	1-4 Each	5-24 Each	25 & up Each
Quercus palustris. Pin Oak. 75'			
1½ to 1½ in	7.50	6 50	
1½ to 1¾ in	7.50 12.00	6.50 11.00	10.00
1 ³ / ₄ to 2 in	15.00	13.50	10.00 12.50
2 to 2½ in	20.00	18.50	17.50
2½ to 3 in	27.50	25.00	22.50
3 to 3½ in	35.00	30.00	27.50
3½ to 4 in	45.00	40.00	21.50
4 to 5 in	60.00	10.00	
5 to 6 in			
phellos. Willow Oak. 40'			
11/4 to 11/2 in	7.50		
1½ to 1¾ in	12.50		
13/4 to 2 in	15.00		
2 to 2½ in	20.00	18.50	
$2\frac{1}{2}$ to 3 in	27.50	25.00	
3 to 3½ in	35.00	30.00	
$3\frac{1}{2}$ to 4 in	45.00	40.00	
4 to $4\frac{1}{2}$ in	60.00		
prinus. Chestnut Oak. 50'			
1½ to 1¾ in	12.50		
13/4 to 2 in	15.00		
2 to $2\frac{1}{2}$ in	20.00		
$2\frac{1}{2}$ to 3 in	27.50		
3 to $3\frac{1}{2}$ in	35.00		
$3\frac{1}{2}$ to 4 in	45.00		
robur. English Oak. 80'			
1½ to 1¾ in		11.00	
$1\frac{3}{4}$ to 2 in		13.50	
2 to 2½ in		18.50	
2½ to 3 in		25.00	
3 to 3½ in			
3½ to 4 in			
4 to 4½ in	60.00		
robur fastigiata. Pyramidal Englis		<i>60</i> ′	
5 to 6 ftB&B		10.00	
6 to 8 ftB&B		12.50	
1½ to 1¾ inB&B			
2½ to 3 inB&B			
3 to 3½ inB&B	65.00		
rubra (see borealis)			

					$rac{1-4}{\mathrm{Each}}$	5-24 Each	25 & up Each
Quercus							210012
stellata.	Post O	ak. 7	75 '				
$2\frac{1}{2}$	to 3	in			27.50	25.00	
3	to 3½	in			35.00	30.00	
texana.	Texas	Oak.	75 '				
11/2	to 13/4	in.			12.50	11.00	
13/4	to 2	in			15.00	13.50	
2	to 2½	in			20.00	18.50	
$2\frac{1}{2}$	to 3	in			27.50		
3	to 3½	in			35.00		
variabil	is. Orio	ental	Oak. 75'				
6	to 8	ft			8.50	7.50	
$1\frac{1}{4}$	to 1½	in.			10.00	9.00	
11/2	to 13/4	in			12.50	11.00	
13⁄4	to 2	in.			15.00	13.50	
2	to 2½	in			20.00	18.50	
velutina	. Black	k Oak	c. 70'				
11/2	to 13/4	in.			12.50		
13/4	to 2	in.			15.00		
2	to 2½	in.			20.00	18.50	
$2\frac{1}{2}$	to 3	in.			27.50	25.00	
3	to 3½	in.			35.00	30.00	
$3\frac{1}{2}$	to 4	in.			45.00	40.00	
4	to 4½	in.			60.00		
Retinospora	(see C	hama	aecunaris)				
<u>-</u>							
Rhamnus al							
3 to	o 4 ft				3.00		
			a Bucktho		7		
5 to	o 6 ft				3.50		
catharti	ca. Buc	ckthor	rn. 12'				
3 to					1.00	.80	.75
4 to	o 5 ft				1.35	1.10	1.00
5 to	o 6 ft.				1.75	1.50	
6 to	o 8 ft.				2.00	1.75	
crenata.	. Oriente	al Bu	ckthorn.	10 '			
8 to	o 10 ft	•			6.00		
davuric	a. Dahu	irian	Buckthorn	a. 12'			
2 t	o 3 ft.				.75	.65	.55
3 to	o 4 ft.				1.00	.80	.75
4 to	o 5 ft.				1.35	1.10	.95
5 to	o 6 ft.				1.75	1.50	1.25
6 to	o 8 ft.				2.00	1.75	1.50

	1-4 Each	5-24 Each	25 & up Each
Rhamnus	Buch	Bach	Pach
frangula. Glossy Buckthorn. 12'			
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
frangula asplenifolia. $Feathery$ R	hamnus	. 12'	
3 to 4 ft	3.00		
4 to 5 ft	4.00		
5 to 6 ft	5.00		
koraiensis. Korean Buckthorn. 12'			
3 to 4 ft	1.25	1.00	.85
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.00	1.65	1.35
6 to 8 ft	2.50		00
purshiana. Cascara Buckthorn. 12'			
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.00
spathulaefolia. 6'			
3 to 4 ft	2.50		
4 to 5 ft	3.00		
5 to 6 ft	3.50		
wilsoni. 10'	0.00		
3 to 4 ft	1.75	1.50	1.05
4 to 5 ft		1.75	1.25 1.50
5 to 6 ft	2.50	2.25	2.00
	2.00	2.20	2.00
Rhododendron carolinianum. Carolina I	Rhodod	endron	<i>6'</i>
	8.50	7.50	7.00
catawbiense. Catawba Rhododendron.			1.00
2 to 3 ftB&B	7 00	6.00	5.50
3 to 4 ftB&B	8.00	7.50	7.00
maximum. Rosebay Rhododendron.		1.00	7.00
2 to 3 ftB&B	10 6.00	E	5.00
3 to 4 ftB&B	7.50	5.50	5.00
4 to 5 ftB&B 1	0.00	7.00	6.50
Table 1	0.00		
Rhodora canadensis. Rhodora. 3'			
18 to 24 inB&B	7.50		
24 to 30 in	0.00		
1	0.00		

		1-4		25 & up		
Each Each Each Rhodotypos scandens. (kerrioides). Jetbead. 6'						
	ft	1.00	.80	.75		
3 to 4	ft	1.35	1.10	.95		
Rhus aromatica.	(canadensis). Fragran	t Suma	ic. 6'			
2 to 3	ft	1.00	.80	.75		
	ft	1.35	1.10	.95		
	ft	1.50	1.25	.00		
	ft	1.75	1.50			
5 10 0	LU	1.70	1.00			
chinensis.	Chinese Sumac. 20'					
4 to 5	ft	4.00				
6 to 8	ft	5.00				
8 to 10	ft	6.00				
copallina. F	lameleaf Sumac. 20'					
	ft	1.00	.80	.75		
	ft	1.35	1.10	.15		
	ft	1.65	1.35	1.15		
	ft	2.00	1.65	1.40		
	ft	2.25	2.00	1.75		
8 to 10	ft	2.75	2.50	2.25		
cotinus. (se	e Cotinus coggygria).					
glabra, Sm	ooth Sumac. 12'					
2 to 3		.75	.60	.55		
	200					
3 tO 4	ft	.85	.70	.65		
trilobata. $\it L$	emonade Sumac. 3'					
18 to 24	in	1.00	.90			
2 to 3	ft	1.25	1.00			
typhina. S	taghorn Sumac. 25'					
	ft	.75	.60	.55		
	ft	.85	.70	.65		
	ft	1.25	1.00	.95		
5 to 6	ft	1.50	1.25	1.15		
typhina lac	iniata. Cutleaf Staghorn	Sumae	. 25'			
	ft	1.00	.75			
	ft	1.25	1.00			
	ft	1.50	1.25			

	1-4	5-24	25 & up
Ribes alpinum. Alpine Currant. 4'	Each	Each	
18 to 24 in	1.00	.90	
2 to 3 ft		1.10	
aureum. Golden Currant. 10'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.75	1.35	1.15
fasciculatum. Winterberry Currant	t. 4'		
18 to 24 in	1.25	1.00	.90
2 to 3 ft	1.50	1.25	1.15
gordonianum. Gordon Currant. 8'			
3 to 4 ft	2.00		
4 to 5 ft	2.50		
sanguineum. $Winter\ Currant.\ 8'$			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
Robinia Elliotti. Elliott Locust. 10'			
3 to 4 ft	3.00		
4 to 5 ft	4.00		
fertilis. 25'			
6 to 8 ft	5.00		
8 to 10 ft	6.00		
hispida. Roseacacia Locust. 2 yr. standard, 3 to 4 ft	4.00		
2 yr. standard, 4 to 5 ft	$4.00 \\ 5.00$		
Bush form, 2 to 3 ft		1.25	
holdti. Holdt Locust. 25'	1.50	1.20	
4 to 5 ft	4.00		
5 to 6 ft	5.00		
kelseyi. Kelsey Locust. 12'			
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.50	4.00	3.75
6 to 8 ft	5.50	5.00	4.50
8 to 10 ft	7.50		
Margaretta. Margaret Locust. 20'			
6 to 8 ft	5.00		
8 to 10 ft	7.50		
nana. Little Locust. 3'			
2 to 3 ft	2.50		
neomexicana. New Mexico Locust. 3 to 4 ft.	10'		
	3.00		
4 to 5 ft	3.50		

	1-4 Each	5-24 Each	25 & up Each
Robinia	Hach	Each	Pach
pseudoacacia. Black Locust. 60'			
5 to 6 ft	1.75	1.35	1.25
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	3.00	2.75	2.50
10 to 12 ft	4.50	4.00	
1½ to 2 in	7.50	6.00	
pseudoacacia bessoniana. $Besson\ L$	ocust.	40 '	
4 to 5 ft	5.00		
pseudoacacia decaisneana. Decaisn	e Locu	st. 40'	
5 to 6 ft	5.00		
6 to 8 ft	6.00		
viscosa. Clammy Locust. 10'			
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	1.10	.95
4 to 5 ft	1.50	1.25	1.15
5 to 6 ft	1.75	1.50	1.25
Para primilaria D'11 D			
Rosa acicularis. Prickly Rose. 5'	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
acicularis bourgeauiana. Bourgeau			.50
2 to 3 ft	1.50	1.25	
	1.00	1.20	
alpina. (see pendulina) blanda. Meadow Rose. 5'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft		1.00	.90
canina. Dog Rose. 8'	1.20	1.00	.00
2 to 3 ft	1.00	.80	
3 to 4 ft	1.25	1.00	
carolina (humilis). Carolina Rose.		2.00	
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
davurica. Dahurian Rose. 6'			
2 to 3 ft	1.00	.80	.75
ecae. Eca Rose. 6'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
eglanteria. Sweetbriar Rose. 6'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.95
4 to 5 ft	1.50	1.35	1.15

	1-4 Each		25 & up Each
Rosa		Zaon	Buch
eglanteria hybrids			
2 to 3 ft 3 to 4 ft Flora McIvor Lady P	2.00 enzanc		
Green Mantle Lord Po		e	
Jeannie Deans Lucy A			
foetida bicolor. Austrian Copper.			
2 to 3 ft			
foetida persiana. Persian Yellow			
2 to 3 ft			
3 to 4 ft	2.50		
helenae. $Helen\ Rose.\ 6'$			
2 to 3 ft		.85	
3 to 4 ft		1.15	
helenae fl. pl. Dbl Helen Rose. 6'			
3 to 4 ft	1.50		
hugonis. Father Hugo Rose. 6'			
2 to 3 ft		1.10	.95
3 to 4 ft	1.50	1.25	
humilis. (see carolina)			
luciae fujisanensis. Mt. Fuji Rose.	8'		
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	
lucida. (see virginiana)			
marreti. Marret Rose. 6'			
	1.50		
3 to 4 ft	2.00		
maximowicziana jacki. Jack Rose.	6'		
2 to 3 ft	1.50	1.25	
moyesi. Moyes Rose. 10'	1.00	1.20	
2 to 3 ft	3.00		
multiflora. Japanese Rose. 8'	3.00		
0 1 0 01	65	4 =	4.0
9 4 4 64	.65 .75	.45	.40
4 to 5 ft	1.00	.55 .75	.50
multiflora cathayensis. Cathay Jap	ancec I	.10 2000 (.65
· · · · · · · · · · · · · · · · · · ·	1.00	.85)
nitida. Shining Rose. 4'	00	.00	
10 4 - 04 +	.75	.65	.60
0 4- 0 64	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
			.00

Rosa	1-4 Each		25 & up Each
omeiensis. Omei Rose, 12'			
18 to 24 in	2.50		
omeiensis pteracantha. Wingthorn 2 to 3 ft	Omei 2.50	Rose.	10'
palustris. Swamp Rose. 8'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00		.75
3 to 4 ft			.90
pendulina. (alpina). Drophip Rose	. 3'		
2 to 3 ft	1.00	.85	
rouletti.			
12 to 15 in., 4 in. pots	1.75		
rubiginosa. (see eglanteria).			
rubrifolia. Redleaf Rose. 6'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
rugosa. Rugosa Rose. 6'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.35	1.10	1.00
rugosa alba. White Rugosa Rose.	6'		
18 to 24 in	1.25	1.10	1.00
2 to 3 ft	1.50	1.35	1.25
rugosa hybrids. 5'			
2 to 3 ft	1.50	1.25	
3 to 4 ft			
Varieties:	a	73 337	43
Blanche de Coubert, C. F. Mey			
Agnes Carmen, New Century	•		•
Mad. Geo. Bruant, Mrs. And Belle Poitevine, Sir Thomas	_		•
Agnes, F. J. Grootendorst.	Lipto.	n, man	oa,
,			
rugosa hyb. — climbing Max Graf	2.50	2.00	
rugosa repens. Creeping Rugosa I	2086	1'	
2 year	2.00		
3 year			
•			

	1-4	5-24	25 & up
Dese	Each	Each	Each
Rosa			
setigera. Prairie Rose. 6'		0.7	
2 to 3 ft	.75		.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
spinosissima altaica. Altai Scotch		•	
18 to 24 in	1.25	1.10	1.00
2 to 3 ft	1.50	1.35	1.25
3 to 4 ft	1.75	1.50	
spinosissima hispida. Bristly Scot	ch Rose	. 6'	
2 to 3 ft	1.50	1.35	1.25
3 to 4 ft	1.75	1.50	
spinosissima hybrids. 5'			
18 to 24 in	2.00		
2 to 3 ft	2.50		
Sgl. Blush, Dbl. White, Dbl.	Pink,	Fulger	ıs,
Sgl. Red, Sgl. Pink, Sgl. Wh	ite.		
suffulta. 3'			
2 to 3 ft	2.00	1.50	
virginiana (lucida). Virginia Rose.	6'		
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
watsoniana. Watson Rose. 6'			
3 to 4 ft	1.50	1.35	1.25
wichuraiana. Wichurai Rose. 2'			
2 year	.85	.70	.65
3 year	1.00	.85	.75
wichuraiana hybrids. \mathscr{Z}'			
2 year			
Jersey Beauty, Sweetheart, Un			
ite, Manda's Triumph, South	Oran	ge Pe	r-
fection, Evergreen Gem.			
willmottiae. Willmott Rose. 10'			
2 to 3 ft		1.25	
3 to 4 ft	2.00	1.50	

ROSES

Hybria Perpeiuais, 2 year	No. 1 1.35
Frau Karl Druschki	J. B. Clark
Gen. Jacqueminot	Mme. Albert Barbier
Geo. Arends	Mrs. John Laing
Paul Nevron	Ulrich Brunner

1-4 5-24 25 & up Each Each Each

ROSES

Hybrid Tea. 2 year No. 1.	1.35
Briarcliff	Mme. Joseph Perraud
Chas. K. Douglas	Mme. Jules Bouche
Condesa de Sastago	Mrs. Pierre S. DuPont
Etoile de Holland	Pink Dawn
Grenoble	Pres. Hoover
Joanna Hill	Pres. Macia
K. A. Victoria	Radiance
Lady Ashtown	
Miss Rowena Thom	Sister Therese
Climbing Roses. 2 year No.	1 1.35 1.10
American Beauty	Mad. Gregoire Staechelin
American Pillar	Mary Wallace
Aviateur Bleriot	Paul's Scarlet Climber
Dr. W. Van Fleet	Primrose
Dorothy Perkins	Scorcher
Excelsa	Silver Moon
Gardenia	Star of Persia
Hiawatha	White Dorothy Perkins
Polyantha hybrids. 2 year	No. 1 1.35
Else Poulsen	Ideal
Gloria Mundi	Katherine Zeimet
Golden Salmon	Lafayette
Rosa	
woodsi. Wood's Rose. 5'	•
2 to 3 ft	1.00 .85 .75
3 to 4 ft	1.25 1.10 1.00
xanthina Allard. 10'	
2 to 3 ft	2.50 2.00
3 to 4 ft	
Rubus nemarosus. Caucasia	n Dewberry. 2'
2 year	
3 year	
odoratus. Fragrant Thim	
2 to 3 ft	
3 to 4 ft	1.00 .80 .70
phoenicolasius. $Wine$ Re	
3 to 4 ft	1.50

	1-4 Each	5-24 Each	25 & up Each
Salix alba chermesina. Redstem White	Willow	30'	
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.50	2.00
	4.00	3.50	
	6.00	5.00	
134 to 2 in	0.00	5.00	
a. vitellina. Yellowstem White Will			
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.50	3.00	2.50
1½ to 1½ in	4.00	3.50	3.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00	4.00	3.50
1¾ to 2 in	6.00	5.00	4.00
2 to 2½ in	7.50		
a. vitellina pendula.			
Weepinggold White Willow, 40'		0.50	
6 to 8 ft	2.75	2.50	
8 to 10 ft	3.50	3.00	
1½ to 1¾ in	4.00	3.50	
$1\frac{3}{4}$ to 2 in	6.00	5.00	
amygdaloides. Peachleaf Willow.	30 '		
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
babylonica crispa. Ringleaf Weepi	na Will	Toru :	20 '
4 to 5 ft	3.00	ow.	50
babylonica solomoni. (see sepulcr	alis)		
blanda. Wisconsin Weeping Willow	. 40'		
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.50	3.00	
1¼ to 1½ in	4.00	3.50	
caprea. Goat Willow. 20'			
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.75	
	2.00	1.75	1.50
discolor. Pussy Willow. 20'			
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
doniana. Dons Willow. 9'			
4 to 5 ft	1.50	1.25	
5 to 6 ft		1.50	
x v x w x v v v v v v v v v v v v v v v	**10	1.00	

	1-4 Each	5-24 2 Each	5 & up Each
Salix		_	
eleagnos. (incana). Rosemary Wille			
3 to 4 ft. shrub form	1.00	.85	.75
4 to 5 ft. shrub form	1.50	1.10	.95
5 to 6 ft. shrub form	1.75	1.50	1.25
elegantissima. Thurlow Weeping Wi	llow.	50 '	
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.00	2.75	2.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	4.00	
1½ to 1¾ in	6.00	5.00	
1¾ to 2 in	7.50	6.00	
fragilis. Brittle Willow. 50'			
4 to 5 ft	2.50		
5 to 6 ft	3.00		
6 to 8 ft	3.50		
fragilis repandens. 10'			
5 to 6 ft	2.50	2.00	
glaucophylloides. Blueleaf Willow	15'		
5 to 6 ft	3.50		
incana. (see eleagnos)			
irrorata. Bluestem Willow, 12'			
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
	2.00	1.70	1.50
jessoensis. Yeddo Willow. 6'	0.00	1.50	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.25	1.75	
5 to 6 ft	2.50	2.00	
lucida. Shining Willow. 18'			
5 to 6 ft	2.50	2.00	
8 to 10 ft	3.50	3.00	
mandshurica. 30'			
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
matsudana. Hankow Willow. 35'			
6 to 8 ft	2.75	2.50	
8 to 10 ft	3.50	3.00	
1½ to 1¾ in	5.00	4.00	
1¾ to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.50	

	1-4 Each	5-24 2 Each	5 & up Each
Salix	230002	23000	
matsudana tortuosa.			
Contorted Hankow Willow. 20'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
1¼ to 1½ in	4.00	3.50	
1½ to 1¾ in	5.00	4.50	
2 to 2½ in	7.50		
mutabilis. 6'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
myricoides rigida. 9'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
nigricans cotinifolia. 12'	2.00	10	
5 to 6 ft	2.00	1.75	
	2.50	2.00	
	3.00	2.50	
niobe. Niobe Weeping Willow. 30'			
6 to 8 ft	2.75	2.50	
8 to 10 ft	3.00	2.75	
1½ to 1¾ in	5.00	4.50	
$1\frac{3}{4}$ to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.50	
patula. 20'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
pentandra. Laurel Willow. 30'			
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
1¼ to 1½ in	3.50	3.25	3.00
1½ to 1¾ in	4.50	4.00	
13/4 to 2 in	6.00	5.00	
purpurea. Purpleosier Willow. 12'			
•	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
purpurea gracilis. Slender Purpleosi) ·
5 to 6 ft	2.25	2.00	
6 to 8 ft		2.50	
purpurea nana. Dwarf Purpleosier			
2 to 3 ft		1.00	.75
3 to 4 ft	1.50	1.25	1.00

	1-4 Each	5-24 Each	25 & up
Salix	масц	Lacn	Each
regalis. Royal Willow. 30'			
5 to 6 ft	2.25	2.00	
6 to 8 ft	2.75	2.50	
8 to 10 ft	3.50	3.00	
sepulcralis. Solomon Weeping Will	ow. 50'		
8 to 10 ft	3.00	2.75	2.50
1½ to 1½ in	4.00	3.75	3.50
1½ to 1¾ in.	5.50	5.00	
13/4 to 2 in	6.50	6.00	
2 to 2½ in	7.50		
	12.50		
sieboldiana. Siebold Willow. 30'	0.50		
	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
smithiana. Smith Willow. 20'	0.50	0.00	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
4 to 5 ft	2.50		
5 to 6 ft	3.00		
vitellina. (see alba vitellina)	3.00		
wentworthi. 50'			
8 to 10 ft	3.00	2.75	2.50
1½ to 1¾ in	5.00	4.00	3.50
13/4 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.50	
_ /	4 - 4		
Sambucus canadensis. American Elder.		00	
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80 1.10	.75
4 to 5 ft	1.35 1.65	1.10	.95
canadensis acutiloba. Cutleaf Elder		1.55	
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	.00
	10'	2.00	
3 to 4 ft	2.50		
coerulea. Blueberry Elder. 15'			
4 to 5 ft	2.50		
nigra. European Elder. 15'			
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	

	1-4		25 & up
Sambucus	Each	Each	Each
nigra aurea. Golden European Ele			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	
nigra albo-variegata.			
Whiteblotch European Elder. 1st	0'		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00		
pubens. Scarlet Elder. 8'			
3 to 4 ft	1.00		
4 to 5 ft	1.50		
racemosa. European Red Elder. 8'			
3 to 4 ft	1.00		
4 to 5 ft	1.50		
5 to 6 ft	1.75		
5 10 0 11	1.10		
Sassafras albidum. Common Sussafras.	<i>50</i> ′		
5 to 6 ft	5.00		
6 to 8 ft	6.00		
8 to 10 ft	7.50		
	10.00		
10 10 12 10	20.00		
Schizophragma hydrangeoides.			
Japanese Hydrangea-vine. 20'			
from pots	2.25	2.00	
	•		
Shepherdia argentea. Silver Buffalober	C.		
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.00		
canadensis. Russet Buffaloberry. 8	3 '		
5 to 6 ft	3.50		
Smilax rotundifolia. Common Greenbrie	20		
18 to 24 in	1.00	.85	.75
2 to 3 ft			
2 to 3 It	1.25	1.00	.90
Solanum dulcamara. Bitter Nightshade.	6'		
2 year	.75	.65	.60
2 year	. 10	.00	.00

	1-4 Each	5-24 : Each	25 & up Each
Sophora japonica. Chinese Pagodatree.			
2 to 3 ftB&B	7.50	6.50	
	10.00	8.50	
4 to 5 ftB&B	12.50		
5 to 6 ftB&B	15.00		
viciifolia. Vetchleaf Sophora. 8'			
2 to 3 ftB&B	10.00	7.50	6.00
3 to 4 ftB&B	12.50	10.00	7.50
4 to 5 ftB&B	15.00	12.50	
Sorbaria aitchisoni. Kashmir False Spir	aea. 8'	•	
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	1.15
arborea glabrata. Smooth Tree Fa	lse Sni	iraea. 1	<i>5</i> ′
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
sorbifolia. Ural False Spiraea. 6'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	1.15
tomentosa. Lindley False Spiraea.			
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
Sorbus americana. American Mountain		25'	
5 to 6 ft	4.50	4.00	
6 to 8 ft	5.00	4.50	
8 to 10 ft	5.50	5.00	
1½ to 1½ in		0.00	
aucuparia. European Mountain Asi			
6 to 8 ft			
8 to 10 ft	5.00		
1½ to 1½ in	6.50		
1½ to 1¾ in.	8.50	8.00	
	12.50	10.00	
2 to 2½ in	15.00	12.50	
	20.00	18.00	
	27.50	22.50	
3½ to 4 in		30.00	
aucuparia columnaris. Columnar M		. 40'	
2 to 2½ in		. 40	

	1-4		25 & ur
Sorbus	Each	Each	Each
aucuparia fastigiata. Pyramidal Mi	t. Ash.	40'	
8 to 10 ft		·	
1¼ to 1½ in	10.00		
1½ to 1¾ in	12.50	:	
aucuparia pendula. Weeping Mt.	Ash. 1	0':::	;
2 yr., 5 to 6 ft. stem			
commixta. Korean Mountain Ash.	25'		
8 to 10 ft	6.00	5.00	
10 to 12 ft	7.50	6.50	
13/4 to 2 in	12.50	10.00	
2 to $2\frac{1}{2}$ in	15.00	12.50	
latifolia. 40'			
6 to 8 ft	5.00		
8 to 10 ft	7.50		
2 to 2½ in	15.00		
quercifolia. (see thuringiaca)			
spuria. 15'			
8 to 10 ft			
1½ to 1½ in			
134 to 2 in			
2 to 2½ in		•	
thuringiaca. (quercifolia). Oakleaf		(sh. 35)	
		10:00	
2 to $2\frac{1}{2}$ in		12.50	
3 to 3½ in		18.00	
torminalis. Checkertree Mt. Ash. 50'			
8 to 10 ft	6.00	5.00	
	12.50	10.00	
	15.00	12.50	
2½ to 3 in 2		18.00	
Spirea arguta. Garland Spirea. 6'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.65	1.35	1.15
billiardi. Billiard Spiraea. 6'			
	.75	.60	.55
	1.00	.80	.75
4 to 5 ft.	1.35	1.10	.95
bumalda. Bumalda Spiraea. 3'			
18 to 24 in	.75	-65	

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
bumalda Anthony Waterer.			
Anthony Waterer Spiraea. 3'			
15 to 18 in	.65	.55	.50
18 to 24 in	.85	.70	.65
		•••	•00
bumalda walluffi. 3'			
18 to 24 in	.75	.60	.55
24 to 30 in	.85	.70	.65
cantonensis. Reeves Spiraea. 8'			
2 to 3 ft	.75		.55
3 to 4 ft		.80	.75
-4 to 5 ft	1.35	1.10	.95
cantonensis lanceata. Double Reeves	Snirae	a , β'	
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
chamaedryfolia. ulmifolia. $Elmleaf$	_	. 6'	
2 to 3 ft	1.25		
3 to 4 ft	1.50		
douglasi. Douglas Spiraea. 8'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.13
5 to 6 ft	1.65	1.35	.90
5 10 6 11	1.00	1.00	
froebeli. Froebel Spiraea. 4'			
2 to 3 ft	1.00	.70	.65
3 to 4 ft	1.25	1.00	.85
· · · · · · · · · · · · · · · · · · ·			
japonica. Japanese Spiraea. 6'	75	C E	5.5
18 to 24 in	.75	.65	.55
24 to 30 in	.85	.70	.65
japonica fortunei. Fortune Spiraea.	4'		
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
japonica ovalifolia. Ovalleaf Japane			
18 to 24 in		75	.65
24 to 30 in	1.00	.85	
japonica ruberrima. Red Japanese	Snirae	ı. 5'	
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.00	.80	.75
o to Tit	1.00	.00	.10

	1-4 Each	5-24 Each	25 & up Each
Spiraea	Liuon	22000	230012
latifolia. (bethlehemensis).			
Broadleaf Meadowsweet Spiraed	a. 6'		
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
1 00 0 10000000000000000000000000000000			
margaritae. Margarita Spiraea. 5'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
nipponica rotundifolia. $Big\ Nippo$	n Spira	iea. 10	,
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	
prunifolia. Bridal Wreath Spiraea.	8'		
2 to 3 ft	.85	.70	.60
3 to 4 ft	1.00	.85	.00
4 to 5 ft	1.50	.00	
5 to 6 ft	1.75		
0 00 0 10	1.10		
pubescens. 6'			
3 to 4 ft	1.50		
salicifolia. Willowleaf Spiraea. 5'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	
superba. Striped Spiraea. 4'	75	e E	CO
2 to 3 ft	.75 1.00	.65 .80	.60
2 10 3 11	1.00	.00	.75
syringiflora. Lilac Spiraea. 3'			
18 to 24 in	1.50	1.25	
thunbergi. Thunberg Spiraea. 5'			
18 to 24 in	.65	.50	.45
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.00	.85	.80
4 to 5 ft	1.35	1.10	
tomonton II II I			
tomentosa. Hardhack. 4'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75

	1-4 Each	5-24 2 Each	5 & up Each
Spiraea			
trichocarpa. Korean Spiraea. 4'			
2 to 3 ft	.75	.65	
3 to 4 ft	1.00	.80	
4 to 5 ft	1.50		
van houttei. Vanhoutte Spiraea. 10	,		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.00	.90
veitchi. Veitch Spiraea. 12'			
3 to 4 ft	1.50		
wilsoni. Wilson Spiraea. 6'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75		
Staphylea bumalda. Bumalda Bladdern	ut. 8'		
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	•••
colchica. Colchis Bladdernut. 12'			
3 to 4 ft	1.75		
4 to 5 ft	2.00		
5 to 6 ft	2.50		
pinnata. European Bladdernut. 12'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
trifolia. American Bladdernut. 12'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
Stephanandra incisa (flexuosa).			
Cutleaf Stephanandra. 6'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

	1-4 Each		25 & ur Each
Stewartia ovata. (pentagyna). Mount	ain Ster	wartia.	15
3 to 4 ftB&B			10
4 to 5 ftB&B	12.50		
5 to 6 ftB&B	15.00		
ovata grandiflora. Showy Mounte	ain Ster	vartia.	<i>15</i> ′
3 to 4 ftB&B	10.00		
4 to 5 ftB&B	12.50		
6 to 8 ftB&B	20.00		
serraia. 30'		,	
3 to 4 ftB&B	10.00	(AL	
4 to 5 ftB&B			
			. •
Stranvaesia davidiana. Chinese Stranv	aesia. E	, ·	
12 to 15 in., from pots			
		,	
Styrax japonica. Japanese Snowbell. 20	e.	1.0	
3 to 4 ft			
4 to 5 ft		9.00	
obassia. Fragrant Snowbell. 20'			
3 to 4 ft			
4 to 5 ftB&B	12.50		
Cyrmphonia and a little of			
Symphoricarpus albus. (racemosus). S 2 to 3 ft			= 0
3 to 4 ft	.65 .85		.50 .60
A +- F 04	1.25		.80
			.00
chenaulti. Chenault Coralberry. 5' 2 to 3 ft	e s		= 0
3 to 4 ft	.65 .85	.55 .65	.50 .60
		.00	.00
mollis. Spreading Snowberry. 6' 2 to 3 ft	0.5		
3 to 4 ft	.65 .85		.50
	.00	.65	.60
occidentalis. Western Snowberry. 5'		*9	
	.75	.60	.55
3 to 4 ft	1.00	.70	,65

- A	1-4 Each		5 & up Each
Symphoricarpos	Расп	Each	Lach
o. heyeri. Thinleaf Western Snowb	erry. 5'	•	
2 to 3 ft			
orbiculatus (vulgaris). Indiancurra	nt Cora	lberry	5 '
2 to 3 ft		.50	.45
3 to 4 ft	.75	.60	.55
orbiculatus leucocarpus. White In	ıdiancur	rant. 5	1
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.00	.90
racemosus. (see albus)			
*Symplocos paniculata. Sapphireberry	Sweetle	af. 20'	
2 to 3 ft	2.00	1.50	
3 to 4 ft	2.25	1.75	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	4.00	
Syringa amurensis japonica.			
Japanese Tree Lilac. 20'	4 = 5		
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	1.75	1.60	1.50
5 to 6 ft		2.50	2.25
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	5.00	4.50	4.00
	15.00		
	18.00	,	.,
chinensis. syn. rothomagensis. Ch			
2 to 3 ft	1.00	$.75 \\ 1.00$.60 .75
3 to 4 ft	$1.25 \\ 1.50$	1.00 1.25	1.00
5 to 6 ft	1.75	1.25 1.50	1.00 1.25
6 to 8 ft	2.00	1.75	1.20 1.50
chinensis alba. White Chinese Lila		1.70	1.00
2 to 3 ft	4 00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.25 1.50	1.00 1.25	1.00
5 to 6 ft	1.75	1.50	1.00 1.25
	1.70	1.00	1.20
chinensis metensis. 10' 2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
U (U U IU,	1110	1.00	1.20

	1-4 Each	5-24 Each	25 & up Each
Syringa	Each	Each	Each
chinensis saugeana. Purple Chinese	Lilac.	10 '	
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
emodi. Himalayan Lilac. 8'			
3 to 4 ft	2.00		
4 to 5 ft	2.50		
5 to 6 ft	3.00		
henryi eximea. $8'$			
3 to 4 ft	2.50		
4 to 5 ft	3.00		
5 to 6 ft	3.50		
henryi lutece. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
japonica. (see amurensis japonica)			
josiflexa Guinevere. 20'			
3 to 4 ft	4.00		
	1.00		
ingilance II Til del			
josikaea. Hungarian Lilac. 10'	0.5	70	0.5
2 to 3 ft	.85	.70	.65
2 to 3 ft	1.25	.90	.80
2 to 3 ft	1.25 1.50	.90 1.25	.80 1.00
2 to 3 ft	1.25 1.50 1.75	.90 1.25 1.50	.80 1.00 1.25
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	1.25 1.50	.90 1.25	.80 1.00
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10'	1.25 1.50 1.75 2.00	.90 1.25 1.50	.80 1.00 1.25
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft.	1.25 1.50 1.75	.90 1.25 1.50	.80 1.00 1.25
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10'	1.25 1.50 1.75 2.00	.90 1.25 1.50 1.75	.80 1.00 1.25 1.50
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft.	1.25 1.50 1.75 2.00 4.00	.90 1.25 1.50 1.75	.80 1.00 1.25 1.50
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft.	1.25 1.50 1.75 2.00 4.00 1.50 2.00	.90 1.25 1.50 1.75 1.25 1.50	.80 1.00 1.25 1.50 1.00 1.25
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	1.25 1.50 1.75 2.00 4.00 1.50 2.00 2.50	.90 1.25 1.50 1.75 1.25 1.50 2.00	1.00 1.25 1.50 1.00 1.25 1.50
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	1.25 1.50 1.75 2.00 4.00 1.50 2.00 2.50 3.00	.90 1.25 1.50 1.75 1.25 1.50 2.00 2.50	.80 1.00 1.25 1.50 1.00 1.25
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft.	1.25 1.50 1.75 2.00 4.00 1.50 2.00 2.50	.90 1.25 1.50 1.75 1.25 1.50 2.00	1.00 1.25 1.50 1.00 1.25 1.50
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. oblata. Early Lilac. 12'	1.25 1.50 1.75 2.00 4.00 1.50 2.00 2.50 3.00 5.00	.90 1.25 1.50 1.75 1.25 1.50 2.00 2.50	1.00 1.25 1.50 1.00 1.25 1.50
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft. oblata. Early Lilac. 12' 3 to 4 ft.	1.25 1.50 1.75 2.00 4.00 1.50 2.00 2.50 3.00 5.00	.90 1.25 1.50 1.75 1.25 1.50 2.00 2.50	1.00 1.25 1.50 1.00 1.25 1.50
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. oblata. Early Lilac. 12'	1.25 1.50 1.75 2.00 4.00 1.50 2.00 2.50 3.00 5.00	.90 1.25 1.50 1.75 1.25 1.50 2.00 2.50	1.00 1.25 1.50 1.00 1.25 1.50

E	4 5-2 ach Eac	4 25 & up ch Each
Syringa	10	
oblata dilatata. Korean Early Lilac. 3 to 4 ft		.0
	.00 1.5	
	$\begin{array}{ccc} .50 & 2.0 \\ .00 & 2.5 \end{array}$	
5 10 0 11	.00 2.5	0
pekinensis. Peking Lilac. 15'		
	.75 1.5	
	.50 2.2	
	.00 3.5	
	00 4.5	60 4.00
10 to 12 ft		
6 to 8 ft. specB&B 15.		
8 to 10 ft. spec	.00	
persica. Persian Lilac. 10'		
2 to 3 ft	.00 .7	5 .65
3 to 4 ft	.25 1.0	.90
4 to 5 ft	.75 1.5	0 1.25
persica alba. White Persian Lilac. 10	n'	
-	, .50 1.2	25
	.75 1.5	_
prestoniae. Preston Lilac. 20'	0.0	
	.00	
	.00	
Handel — magenta		
Paulina — fuchsine pink		
Isabella — fuchsine pink		
Nerissa — pink		
Hecla — fuchsia purple		
pubescens. Hairy Lilac. 6'		
	.00	
4 to 5 ft	.50	
reflexa. Nodding Lilac. 12'		
	.50	
velutina. Manchurian Lilac. 10'		
4 to 5 ft 2	.50 2.0	00
5 to 6 ft	.00 2.5	50
villosa. Late Lilac. 8'		
	.85 .'	70 .65
		.80
	.50 1.2	
	.00 1.0	35 1.35
	.50 2.0	00

	4 25 & up
Syringa Each Each	ch Each
vulgaris. Common Purple Lilac. 15'	\$ av
2 to 3 ft	0 .55
3 to 4 ft 1.25 .8	
4 to 5 ft	
5 to 6 ft 2.00 1.7	5. 1.50
6 to 8 ft	5 2.00
4 to 5 ft. clumpsB&B 10.00	
5 to 6 ft. clumps B&B 12.50	
vulgaris alba. Common White Lilac. 15'	
2 to 3 ft 1,25 .8	5
3 to 4 ft	
4 to 5 ft	5
5 to 6 ft	0
4 to 5 ft. clumps B&B 10.00	
5 to 6 ft. clumpsB&B 12.50	
vulgaris. Named Varieties. 15'	
These hybrid lilacs are grown on the	ir own
1 9 7 7 0	shed in
tree form in first two sizes at 25% add	
2 to 3 ft 1.75 1.25	
3 to 4 ft 2.00 1.50	
4 to 5 ft	2.25
5 to 6 ft	3.00
6 to 8 ft 5.00 4.00	3.50
Belle de Nancy — Double Rose	
2-3' 3-4' 4-5' 5-6' 6-8'	
Chas. Joly - Dark Purplish Red	
2-3' 3-4' 4-5' 5-6' 6-8'	
Fran Dammann Cingle William	
Frau Dammann — Single White 2-3' 3-4' 4-5' 5-6' 6-8'	
~	
La Tour d'Auvergne — Double Purple	2 to 1
2-3' 3-4' 4-5' 5-6' 6-8'	
Ludwig Spaeth — Single Red	· Programme
2-3' 3-4' 4-5' 5-6'	
Mad. Abel Chatenay - Double White	
2-3' 3-4' 4-5' 5-6' 6-8'	
Mad. Casimer Perier — Double Creamy Wh	ite
2-3' 3-4' 4-5' 5-6' 6-8'	
Mad. Lemoine — Large Double White	
2-3' 3-4' 4-5' 5-6' 6-8'	

	1-4	5-24 2			
Syringa vulgaris. Named Varieties	Each	Each	Each		
Marie Le Graye — Single White					
2-3' 3-4' 4-5' 5-6' 6-8'					
Pres. Grevy — Double Blue 2-3' 3-4' 4-5' 5-6' 6-8'					
Princess Alexandra — Single Wh	nite				
2-3' 3-4' 4-5' 5-6' 6-8'					
We have a limited quantity rieties of Lemoine's hybrid na we offer at the following priorieties will be forwarded on a	med i	lilacs, v A list c	which		
2 to 3 ft	2.00				
3 to 4 ft	2.50				
4 to 5 ft	3.50				
5 to 6 ft	5.00				
6 to 8 ft	7.50				
yunnanensis. Yunnan Lilac. 10'					
4 to 5 ft	3.50				
5 to 6 ft	4.00				
Tamarix africana. African Tamarix. 18	5' 1.00	.85	.75		
4 to 5 ft	1.35		.95		
5 to 6 ft	1.75	1.35	1.10		
gallica. French Tamarix. 10'					
3 to 4 ft	1.00	.85	.75		
4 to 5 ft	1.35	1.10	.95		
gallica indica. India Tamarix. 10'					
3 to 4 ft	1.00	.85			
4 to 5 ft	1.35	1.10			
odessana. Odessa Tamarix. 6'	•				
3 to 4 ft	1.00	.85	.75		
4 to 5 ft	1.35	1.10	.95		
5 to 6 ft	1.75	1.35	1.10		
pentandra. Fivestamen Tamarix. 12'					
3 to 4 ft	1.00	.85	.75		
4 to 5 ft	1.50	1.10	.95		
tetandra. Fourstamen Tamarix. 10'					
3 to 4 ft	1.00	.85	.75		
4 to 5 ft	1.35	1.10	.95		

	1-4 Each		25 & up Each	
Taxodium distichum. Common Baldcypress. 50'				
5 to 6 ftB&B		90		
6 to 8 ftB&B				
8 to 10 ftB&B				
10 to 12 ftB&B				
Taxus baccata. English Yew. 50'				
18 inB&B	5.00			
baccata. erecta. Broom Yew. 10'				
2 ftB&B	6.00	5.00		
2½ ftB&B	7.50	6.50		
baccata repandens. $Spreading\ Eng$	lish V	e701 2°		
18 to 24 in. spd		6.50	·	
24 to 30 in. spdB&B		8.00		
30 to 36 in. spdB&B		0.00		
36 to 42 in. spdB&B	15.00			
hands a 11 to 12 to 12				
baccata washingtoni. Washington				
15 in	7.50	6.00		
18 inB&B	10.00	7.50		
cuspidata. Japanese Yew. 10'				
15 to 18 in. spdB&B	5.50	5.00	4.50	
18 to 24 in. spdB&B	7.00	6.50	6.00	
2 to 2½ ft. spdB&B	9.00	8.00	7.50	
$2\frac{1}{2}$ to 3 ft. spdB&B	15.00	12.50	11.00	
3 to 3½ ft. spdB&B	20.00	18.00	15.00	
$3\frac{1}{2}$ to 4 ft. spdB&B	25.00			
Heavy clipped specimens, 4 t	o 8 ft.	broad	, 3 to	
5 ft. high, quoted on request.			•	
cuspidata aurescens. Goldtip Japan	nese Ye	ew. 20'		
18 inB&B	7.50			
2 ftB&B	10.00			
cuspidata nana. Dwarf Japanese Yew. 6'				
15 to 18 inB&B	7.50	7.00	6.00	
18 to 24 inB&B		8.00	7.50	
24 to 30 inB&B		11.00	10.00	
30 to 36 inB&B		15.00	20.00	
36 to 42 inB&B				

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

<u></u>	1-4 Each	5-24 Each	25 & up Each
Taxus			
cuspidata nana compacta. 6'			
18 to 24 inB&B			7.50
24 to 30 inB&B		11.00	10.00
30 to 36 inB&B	18.00	15.00	
cuspidata capitata. $Upright\ Japan$	ese Ye	w. 25'	
2 ftB&B	7.50	6.75	6.25
2½ ftB&B		10.00	8.00
3 ftB&B	15.00	13.50	11.00
3½ ftB&B			15.00
4 ftB&B		25.00	22.50
4½ ftB&B		30.00	27.50
5 ftB&B		35.00	32.50
5½ ftB&B		40.00	
6 ftB&B		45.00	
6½ ftB&B		50.00	
7 ftB&B	60.00	55.00	
hunnewelliana. $Hunnewell\ Yew.$			
18 to 24 inB&B	7.50		
media. Anglojap Yew. 12'			
18 to 24 inB&B	6.50		
24 to 30 inB&B	8.50		
media andersoni. Anderson Yew.			
18 to 24 inB&B	7.50		
24 to 30 inB&B	10.00		
media browni. Brown's Yew. 10'			
18 to 24 inB&B	7.50		
media hatfieldi. Hatfield Yew. 20	"		
18 to 24 in	6.50	6.00	
24 to 30 inB&B	8.50	8.00	
media hicksi. Hicks Yew. 20'			
18 to 24 inB&B	6.00	5.00	4.50
24 to 30 inB&B	8.00	7.00	6.50
30 to 36 inB&B	12.50	10.00	9.00
36 to 42 inB&B	15.00	13.50	
media kelseyi. Kelsey Yew. 10'			
18 to 24 inB&B	7.50		
24 to 30 inB&B	10.00		
media wellesleyana. Wellesley Ye	w. 8'		
18 to 24 inB&B	7.50		

	1-4 5-24 Each Each	25 & up Each
Thuja occidentalis. Eastern Arborvitae.		Laci
3 ft B&B		4.00
4 ft B&B		5.50
4 ft. heavy spc. B&B		0.00
5 ft		
5 ft. heavy specB&B		•
6 ft		
6 ft. heavy specB&B 1		
7 ft		
8 ft		
For larger gizes to 10 ft and de	5 00 m	
For larger sizes to 18 ft., add \$5	0.00 per 100t	
occidentalis aurea douglasi.		
Douglas Golden Arborvitae. 15'		
0 (1	4.00 3.50	
4 04	6.00 5.00	
5 ftB&B	7.50 6.50	
6 ftB&B 1	0.00 7.50	
occidentalis columbia. Silvertip Arb	orvitae. 40'	
A	6.00 5.00	
	7.50	
5 ftB&B 10		
6 ft B&B 12		
7 ft B&B 15	5.00	
occidentalis sempasta a		
occidentalis compacta. Compact Ar		
10 :	3.00 2.75	2.50
	1.00 3.50	3.00
24 in B&B 5		
30 in		
36 inB&B 7	7.50 6.50	
occidentalis Parson's Compacta. $6'$		
36 in	50 650	
40 :		
48 in B&B 12		
54 in		

1-4		25 & up
Thuja	Each	Each
occidentalis cristata. Crested Arborvitae.	15 '	
5 ftB&B 10.00	10	
occidentalis elegantissima.		
Geo. Peabody Arborvitae. 15'		
2 ftB&B 5.00	4.50	4.25
3 ft	6.00	5.50
4 ftB&B 10.00	8.50	7.50
5 ftB&B 12.50	10.00	
6 ftB&B 15.00		
occidentalis ellwangeriana.		
Ellwanger Arborvitae. 6'		
2 ftB&B 3.75	3.50	
2½ ftB&B 4.50	4.00	
3 ftB&B 5.50	5.00	
3½ ftB&B 6.50	6.00	
4 ftB&B 10.00	7.50	
4½ ftB&B 12.50	10.00	
occidentalis ericoides. Heath Arborvitae.	5 '	
2 ftB&B 4.50	4.00	•
2½ ftB&B 5.00	4.50	
occidentalis globosa. Globe Arborvitae. 3'		
18 in	3.50	3.25
24 inB&B 5.00	4.75	4.50
3 0 in	5.50	5.00
36 in	6.00	5.50
42 inB&B 10.00	7.50	
occidentalis hoveyi. Hovey Golden Arbox	rvitae.	<i>8</i> ′
18 inB&B 4.00	3.50	3.00
2 ftB&B 5.00	4.75	4.50
2½ ftB&B 6.00	5.50	5.00
3 ftB&B 7.00	6.00	5.50
3½ ftB&B 8.50	7.50	
4 ftB&B 10.00	9.00	
4½ ftB&B 12.50	11.00	
occidentalis lutea. (see occ. elegantissim	a)	
occidentalis nigra.		
Wintergreen Pyramidal Arborvitae. 25	,	
2 ftB&B 4.50	4.25	4.00
3 ftB&B 6.00	5.50	5.00
4 ftB&B 7.50	7.00	
5 ftB&B 10.00	8.50	

	1-4		25 & up
Thuja	Each	Each	Each
occidentalis pumila. Little Gem	Arborv	itae. 3'	
18 in. spreadB&B	4.50	4.00	3.50
24 in. spreadB&B	5.00	4.75	4.50
30 in. spread	6.00	5.50	5.00
36 in. spreadB&B	7.50	6.00	
occidentalis pygmaea. $Pygmy\ Arbo$	rvitae	. 2'	
15 inB&B	4.00	3.00	2.75
18 inB&B	5.00	4.00	
24 inB&B	6.00	5.00	
occidentalis pyramidalis. Pyramida	al Arb	orvitae.	25'
2 ftB&B	5.00	4.00	3.50
3 ftB&B	6.00	5.00	4.50
4 ftB&B	7.50	6.50	6.00
5 ftB&B	10.00	8.50	7.50
6 ftB&B	15.00	12.50	11.50
7 ftB&B	18.00	15.00	
8 ftB&B	20.00		
9 ftB&B			
10 ft,	30.00		
For larger sizes to 18 ft., add	\$5.00	per foo	t
occidentalis douglasi pyramidalis.			
Douglas Pyramidal Arborvitae.	20'		
2 ftB&B	5.00	4.00	
3 ftB&B	6.00	5.00	
4 ftB&B	7.50	6.50	
5 ftB&B	10.00		
6 ftB&B	12.50		
occidentalis reevesi. Reeves Arbon	rvitae.	10'	
2½ ftB&B	4.50	4.00	
3 ftB&B	5.00	4.50	
4 ftB&B	7.50	6.00	
occidentalis reidi. Reid Arborvitae	. 8'		
2 ft	. <i>5</i> .00	4.75	4.50
2½ ft	6.00		5.00
3 ft	7.50		5.50
3½ ft			
4 ft		*	0.00
4½ ft			

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

1-4 5-24 25 & up Each Each Each

Thuja

ıja		
occidentalis riversi. Rivers Arborvitae.	12'	
3 ft		
4 ft		
1.00		
occidentalis rosenthali. Rosenthal Arbor	vitae. 1	o '
2 ftB&B 5.00	4.50	4.25
3 ft	6.00	5.50
4 ft B&B 10.00	8.50	7.50
5 ftB&B 12.50	10.00	
6 ftB&B 15.00	12.50	
7 ftB&B 20.00		
occidentalis spiralis. Spiral Arborvitae.	25 '	
2 ft	4.00	3.50
3 ft	5.00	4.50
4 ft	6.50	6.00
5 ft	8.50	8.00
6 ft B&B 15.00	12.50	11.50
7 ft		
For larger sizes to 20 ft., add \$5.00	per foo	ot.
occidentalis umbraculifera. Umbrella A	lrborvita	e. 3'
15 to 18 in. spdB&B 3.50	3.00	2.75
18 to 24 in. spdB&B 4.00	3.50	3.25
24 to 30 in. spdB&B 5.00	4.75	4.50
2½ to 3 ft. spdB&B 6.00		
3 to 3½ ft. spdB&B 7.50		
, , , , , , , , , , , , , , , , , , ,		
occidentalis vervaeneana. Vervaene Ar	borvitae.	12'
3 ft	5.00	
4 ft		
5 ft		
6 ft		
0 It		

S	ON		
	1-4 Each	5-24 S Each	25 & up Each
7"	vitae.	15 '	
3	3.50	2.75	2.50
	4.00	3.50	3.25
3	6.00	5.50	5.00
3	7.50	7.00	6.75
3		8.00	7.50
3		9.00	1.00
3	12.50		
3			
	10.00	12.00	
•	5.00	4.50	
3	5.00 7.50	4.50 6.00	
)	7.30	0.00	
	d Amb	rvitae.	6'
			U
	4.00	3.50	
3	5.50	5.00	
25	1		
3	5.00	4.50	
3	7.50	6.50	
3	10.00	8.50	
3	12.50	10.00	
3	15.00		
3	20.00		

Thuja

occid	lentalis wareana. $\it W$	are Arbor	vitae.	<i>15</i> ′	
1	8 in	B&B	3.50	2.75	2
	2 ft	B&B	4.00	3.50	3
	2½ ft	B&B	6.00	5.50	5
	3 ft			7.00	6
	3½ ft	B&B	8.50	8.00	7
	4 ft	B&B	10.00	9.00	
	4½ ft	B&B	12.50	10.00	
	5 ft	B&B	15.00	12.50	
occi	dentalis wareana lu Ware Gold Arborvita				
1	8 in	B&B	5.00	4.50	
•	2 ft				
1	dentalis woodwardi. 8 in	B&B	4.00	3.50	6 '
orie	ntalis. Oriental Arbo	orvitae. 25	.,		
	3 ft	B&B	5.00	4.50	
	4 ft	B&B	7.50	6.50	
	5 ft			8.50	
	6 ft	B&B	12.50	10.00	
	7 ft	B&B	15.00		
	8 ft	B&B	20.00		
orie	ntalis elegantissima.				
	Yellow Column Arbo	rvitae. 10			
	2 ft	B&B	5.00	4.50	
	3 ft.				

Theria	1-4 Each	5-24 Each	25 & up Each
Thuja			
orientalis nana aurea.	-0		
Berkman's Golden Arborvitae.	_		
18 inB&B 2 ft. B&B			
2 ftB&B	4.50		
plicata. Giant Arborvitae. 20'			
2 ftB&B	5.00	4.50	
3 ft B&B	6.50	5.50	
4 ft	10.00	7.50	
plicata atrovirens. Darkgreen Gian	nt Amh	arritae	15'
2 ftB&B		oronae.	10
3 ft			
5 IW	0.00		
plicata fastigiata. Pyramidal Giant			
3 ft		6.00	5.50
4 ft			7.50
5 ft			
6 ft		12.50	
7 ft			
For larger sizes to 12 ft., add	\$5.00	per 100	t.
Tilia americana. American Linden. 75'			
8 to 10 ft	3.50		
1½ to 1½ in	4.50		
1½ to 1¾ in	5.50		
13/4 to 2 in	8.50		
2 to 2½ in	12.50		
2½ to 3 in	20.00		
3 to 3½ in	25.00		
3½ to 4 in	30.00		
numanisana fasticiata			
americana fastigiata. Pyramidal American Linden. 7	= !		
2 to 2½ in			
2 to 272 m	20.00		
cordata. Littleleaf European Linden.	70'		
13/4 to 2 in	12.50		
2 to 2½ in	15.00		
2½ to 3 in			
3 to 3½ in	30.00		
3½ to 4 in	35.00		
cordata pyramidalis. Pyramidal Lit	tleleaf	Lindo	270
1½ to 1¾ in		Linaer	6. 10
172 10 174 111	10.00		

Tilia				1-4 Each	5-24 25 & up Each Each
euchlor	a. (rimeo	in Linden. 75'		
11/4	to	11/2	in	10.00	
11/2	to	13⁄4	in	12.50	
13/4	to	2	in	17.50	
2	to	$2\frac{1}{2}$	in	20.00	
21/2	to	3	in	25.00	20.00
3	to	$3\frac{1}{2}$	in	35.00	30.00
$3\frac{1}{2}$	to	4	in	40.00	35.00
			•		
europae	ea.	Eurog	pean Linden. 75'		
11/2	to	13⁄4	in	10.00	9.00
13/4	to	2	in	12.50	11.00
2	to	$2\frac{1}{2}$	in,	15.00	14.00
21/2	to	3	in	20.00	18.00
3	to	$3\frac{1}{2}$	in.	30.00	25.00
$3\frac{1}{2}$	to	4	in	35.00	30.00
4	to	5	in	50.00	
oliveri.	Oli	ver L	inden. 50'		
3	to	3½	in	35.00	
plaivph	vllo	s. B_{i}	igleaf Linden. 75'		
6	to	8		4.50	
8	to	10			•
_			in		
			in		
		2	in		
2			in		
		3	in		
3			in		
$3\frac{1}{2}$		4			
4	to	5	in	45.00	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Tilia	1-4	5-24 2	5 & up
platyphyllos pyramidalis.	Each	Each	Each
Pyramidal Bigleaf Linden. 50'			
2 to 2½ in	25.00		
3 to 3½ in	35.00		
tomentosa. Silver Linden. 40'			
2 to 2½ in	25.00		
2½ to 3 in	30.00		
vulgaris. (see europea).			
Tripterygium regeli. Regels Threewingn	ut. 5'		
2 to 3 ftB&B		2.50	
3 to 4 ftB&B			
Tsuga canadensis. Canada Hemlock. 75	,		
2½ ft		6.50	6.00
3 ft		9.50	9.00
4 ft		15.00	5.00
4 ft. extra broad B&B		10.00	
5 ft		18.00	
5 ft. extra broad B&B		20.00	
6 ft		22.50	
7 ft		27.50	
8 ft	40.00	35.00	
For larger sizes to 18 ft. add \$			
caroliniana. Carolina Hemlock. 50'	_		
2 ftB&B	10.00	8.00	
3 ft	12.50		
4 ft	15.00		
5 ft	20.00		
6 ftB&B	25.00		
7 ft	30.00		
Ulex europeaus. Common Gorse. 4'			
18 to 24 in., 4 in. pots	2.25	1.75	
Ulmus alatus. Wahoo Elm. 50' 6 to 8 ft	4.00	3.50	
8 to 10 ft		$\frac{3.50}{4.50}$	
americana. American Elm. 80'	5.00	7.00	
8 to 10 ft	3.50	2.75	2.50
1½ to 1½ in	4.50		3.75
1½ to 1¾ in	6.00	5.50	5.00
134 to 2 in	8.00	7.00	
	12.50	10.00	
2½ to 3 in	15.00	14.00	13.50
3 to 3½ in		,-	
3½ to 4 in			

					1-4 Each	5-24 Each	25 & up Each
Ulmus							
america	ana	colun	nnaris.	Columnar	Americ	an Elm	a. 60'
8	to	10	ft		5.00	4.50	
11/4	to	$1\frac{1}{2}$	$in.\dots$		6.50	5.50	
11/2	to	$1\frac{3}{4}$	in		8.00	7.00	
13/4	to	2	in		12.50	10.00	
2	to	$2\frac{1}{2}$	in		15.00	14.00	
21/2	to to	3	in		22.50	18.00	
3	to	$3\frac{1}{2}$	in		27.50	25.00	
americ	ana	moli	ne. Mo	line Elm.	80 '		
6	to	8	ft		2.75	2.25	2.00
8	to	10	ft		4.00	3.50	3.25
11/	i to	11/2	in		6.00	5.50	5.00
11/2	to to	13/4	in		8.00	7.00	6.50
13/	i to	2	in		. 12.50	10.00	9.00
2	to	21/2	in		. 15.00	14.00	
21/	z to	3	in		22.50	18.00	
3	to	$3\frac{1}{2}$	in		27.50		
americ	ana	urni.	Vase	Elm. 60'			
6	to	8	ft		2.75	2.25	2.00
8	to	10	ft		4.00	3.50	3.25
11/	to	11/2	in		6.00	5.50	5.00
11/2	to to	13/4	in		8.00	7.00	6.50
13/4	i to	2	in		12.50	10.00	9.00
2	to	2½	in		15.00	14.00	13.50
21/2	to	3	in		22.50	18.00	
3	to	$3\frac{1}{2}$	in		27.50	25.00	
campes	tris.	. (see	proce	ra).			
carpini	folia	corr	ubiens	sis. Cornish	Elm.	75 '	
11/2	to	13⁄4	in		10.00		
13/4	to	2	in		15.00		
2	to	$2\frac{1}{2}$	in		18.00		
21/2	to	3	$in.\dots$		25.00		
carpini	folia	sarr	niensis.	Wheatley	Elm.	75 '	
6						•	
11/4							
		2					
4	to						
	to					60.00	
- / -							

				1-4 5-24 Each Each	25 & up Each
Uln	nus			2401	2300
	fulva. 8	Slip	pery I	Elm. 65'	
	11/4	to	$1\frac{1}{2}$	in 7.50 6.00	
	11/2	to	13/4	in 10.00 7.50	
	$1\frac{3}{4}$	to	2	in 12.50 10.00	
	2	to	$2\frac{1}{2}$	in 15.00 12.50	
	21/2	to	3	in 20.00 15.00	
	glabra.	Sc	otch I	Elm. 75'	
	6	to	8	ft 3.50 3.00	2.50
	8	to	10	ft 5.00 4.50	4.00
	11/4	to	11/2	in 6.00 5.50	5.00
	11/2	to	13/4	in 9.00 8.00	7.50
	13/4	to	2	in 13.50 12.50	11.00
	2	to	$2\frac{1}{2}$	in 17.50 15.00	14.00
	$2\frac{1}{2}$	to	3	in	
	3	to	$3\frac{1}{2}$	in	
	glabra d	am	perdo	owni. Camperdown Elm. 20'	
				10.00 9.00	
	glabra	nan	a. <i>Gl</i>	lobe Elm.	
	_		~	tandards 12.50	
	8 to	10	ft. s	tandards 15.00	
	hollandi	ca	klem	meri. Klemmer Elm. 75'	
	13/4	to	2	in	
	2	to	$2\frac{1}{2}$	in 18.00	
	hollandi	ca	latifo	olia. Belgian Elm. 75'	
	8	to	10	ft 6.00 5.50	5.00
	11/4	to	$1\frac{1}{2}$	in 8.00 7.00	6.50
	11/2	to	13/4	in 10.00 9.00	
	13/4	to	2	in 15.00 13.50	
	2	to	$2\frac{1}{2}$	in	
	$2\frac{1}{2}$	to	3	in 25.00 20.00	
	3	to	$3\frac{1}{2}$	in 30.00	
	hollandi	ca	vege	ta. Huntington Elm. 75'	
	8	to	10	ft 6.00 5.50	
	11/4	to	11/2	in 8.00 7.00	6.50
	11/2	to	13/4	in 10.00 9.00	8.50
	13/4	to	2	in 15.00 13.50	12.00
	2	to	21/2	in	
	21/2	to	3	in 25.00 20.00	
	3	to		in 30.00 25.00	
		to	4	in	

	1-4		25 & up
Ulmus	Each	Each	Each
japonica. Japanese Elm. 70'			
8 to 10 ft	7.50	•	
1½ to 1¾ in	10.00		
1¾ to 2 in	12.50		
2 to 2½ in			
parvifolia. Chinese Elm. 30'			
6 to 8 ft	4.00	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	8.50	7.00	6.00
12 to 14 ft		10.00	0.00
procera. (campestris). $English$ E			
6 to 8 ft	4.50	3.50	3.25
8 to 10 ft	6.00	5.25	5.00
1¼ to 1½ in	8.00	7.00	6.50
1½ to 1¾ in	10.00	9.00	8.50
1¾ to 2 in	15.00	13.50	12.00
2 to 2½ in	17.50	15.00	14.00
2½ to 3 in	22.50	20.00	18.00
3 to 3½ in		20.00	10.00
3½ to 4 in			
		nı ~t	
p. monumentalis. Monument English 6 to 8 ft	6.00	75'	
8 to 10 ft	7.50		
2 to 2½ in	20.00		
2½ to 3 in			
	25.00		
	40.00		
4 to $4\frac{1}{2}$ in		CO 00	
		60.00	
p. purpurea. Purpleleaf English El	m. 70 5.00		
8 to 10 ft			
1½ to 1½ in	7.50		
pumila. Siberian Elm. 75'	7.50		
6 to 8 ft	2.50	1.75	1.65
8 to 10 ft	3.50	2.50	2.25
10 to 12 ft	4.00	3.00	
1½ to 1¾ in	6.00		2.75
1¾ to 2 in		5.00	
· ·	8.00	7.00	
		10.00	
$2\frac{1}{2}$ to 3 in	18.00	15.00	
3½ to 4 in			
U/2 tO T III	00.00		

	1-4 Each	5-24 Each	25 & up Each
Ulmus	110011	Laci	Laon
thomasi. (racemosa). $Rock\ Elm.$	75 '		
6 to 8 ft	5.00	4.50	4.00
8 to 10 ft	6.00	5.50	5.00
1¼ to 1½ in	7.50	7.00	6.50
1½ to 1¾ in	9.00	00.8	7.50
13/4 to 2 in	12.50	10.00	9.00
2 to 2½ in	15.00	12.50	
Vaccinium angustifolium laevifolium.			
Smoothleaf Blueberry. 18"			
2 to 3 ftB&B	7.50	6.00	
corymbosum. Highbush Blueberry.	8'		
3 to 4 ft		9.50	9.00
4 to 5 ft		12.50	
$oldsymbol{Viburnum}$ acerifolium. $Mapleleaf\ Vibu$	urnum.	5 '	
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.00	2.75	
americanum. (see trilobum)			
betulifolium. Birchleaf Viburnum.	12 '		
2 to 3 ft	3.00	2.50	
3 to 4 ft	3.50		
bitchuiense. Yeddo Viburnum. 6'			
3 to 4 ft B&B	4.00	3.50	
4 to 5 ft B&B	5.50	5.00	
burejaeticum. Manchurian Viburnu	m. 15'		
	3.00	2.50	
3 to 4 ft		3.00	
burkwoodi. Burkwood Viburnum.	,		
2 to 3 ft B&B		5.00	
3 to 4 ft B&B	7.50	7.00	
carlesi. Koreanspice Viburnum. 4'	0		
18 to 24 in B&B		3.00	
2 to 2½ ft B&B		4.50	
2½ to 3 ft B&B		6.50	
18 to 24 in., own roots B&B			
24 to 30 in., own roots B&B	6.00		
Standards	10.00		
2 ft. stem 5 yr. hds B&B			
3 ft. stem 5 yr. hds B&B	12.50		

				1-4	5-24	25 & up
771				Each	Each	Each
Viburnum						
			Witherod Viburnum.			
3			ft	1.50	1.00	
4			ft	2.00	1.50	
5	to	6	ft	2.50	2.00	1.75
6	to	8	ft	3.00	2.50	
denta	lum	1.	Arrowwood Viburnum.	12'		
_			ft	.75	.60	.55
3			ft	1.00	.80	.75
4	to		ft	1.35	1.10	.95
5	to		ft	1.75	1.50	1.25
•			ft	2.00	1.75	1.50
U	ιο	U	1.00.4	2.00	1.70	1.00
dilata	tun	1.	Linden Viburnum. 10'			
2	to	3	ft	1.50	1.25	
			ft	2.00	1.50	
			ft	2.50	2.00	
	••			2.00	2.00	
d. xar	ath	oca	arpum.			
$oldsymbol{Y}$	ello	wl	verry Linden Viburnum.	10 '		
2	to	3	ft	2.50		
•						
_			ragrant Viburnum. 10'			
			ft B&B	6.00	5.00	
			ftB&B	7.50	6.00	
4	to	5	ft B&B	10.00	7.50	
hupeh	ens	e.	Hupeh Viburnum. 6'			
			ft.	2.50	2.00	
			ft	3.00	2.50	
· ·		•	Ja- 4,5	0.00	2.00	
lanian	a.	W	ayfaring Tree. 15'			
2	to	3	ft	.75	.65	.60
3	to	4	ft	1.00	.80	.75
4	to	5	ft	1.50	1.25	1.00
			ft	1.75	1.50	1.25
			ft	2.00	1.75	1.50
				2.00	10	1.00
lantan	a i	ru	josum. Wrinkleleaf Wa	y faring	-tree.	15'
3	to	4	ft	1.00	.80	
4	to	5	ft	1.50	1.25	
5	to	6	ft	1.75	1.50	
6	to	8	ft	2.00	1.75	

		1-4 Each	5-24 Each	25 & up Each
2 to 3 ft	'iburnum		234011	234011
3 to 4 ft. 1.00 .80 .76 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.75 1.56 6 to 8 ft. 2.50 2.25 2.00 8 to 10 ft. 3.00 2.75 2.56 10 to 12 ft. spec. B&B 30.00 molle. Kentucky Viburnum. 10' 2 to 3 ft. 7.75 .60 .56 3 to 4 ft. 1.00 .80 .76 4 to 5 ft. 1.35 1.10 .96 5 to 6 ft. 1.75 1.50 1.26 6 to 8 ft. 2.00 1.75 1.56 nudum. Possumhaw Viburnum. 15' 2 to 3 ft. 1.00 .85 .76 3 to 4 ft. 1.35 1.10 .96 5 to 6 ft. 1.35 1.10 .96 5 to 6 ft. 1.35 1.10 .96 5 to 6 ft. 1.35 1.10 .96 6 to 8 ft. 2.00 1.50 6 to 6 ft. 1.75 1.50 1.26 6 to 8 ft. 1.35 1.10 .96 6 to 8 ft. 1.55 1.50 1.26 6 to 8 ft. 1.55 1.50 1.50 6 to 8 ft. 1.50 1.35 1.20 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.26 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .79 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.79 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50	lentago. Nannyberry. 20'			
4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.50 2.25 2.06 8 to 10 ft. 3.00 2.75 2.50 10 to 12 ft. spec. B&B 30.00 molle. Kentucky Viburnum. 10' 2 to 3 ft	2 to 3 ft	.75	.65	.60
5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.50 2.25 2.00 8 to 10 ft. 3.00 2.75 2.50 10 to 12 ft. spec. B&B 30.00 molle. Kentucky Viburnum. 10' 2 to 3 ft. 1.00 .80 .70 4 to 5 ft. 1.35 1.10 .90 5 to 6 ft. 1.75 1.50 1.20 6 to 8 ft. 2.00 1.75 1.50 nudum. Possumhaw Viburnum. 15' 2 to 3 ft. 1.00 .85 .70 3 to 4 ft. 1.35 1.10 .90 4 to 5 ft. 2.00 1.75 1.50 nudum. Possumhaw Viburnum. 15' 2 to 3 ft. 2.00 1.50 5 to 6 ft. 2.50 2.00 opulus. European Cranberrybush. 12' 2 to 3 ft. 1.00 .80 .70 3 to 4 ft. 1.35 1.10 .90 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.50 2.00 opulus. European Cranberrybush. 12' 2 to 3 ft. 1.75 1.50 1.20 6 to 8 ft. 2.00 1.75 1.50 6 to 8 ft. 2.00 1.75 1.50 6 to 8 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.78 8 to 10 ft. 3.00 2.50 2.20 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.20 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .70 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.78 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.78 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50	3 to 4 ft	1.00	.80	.75
6 to 8 ft. 2.50 2.25 2.00 8 to 10 ft. 3.00 2.75 2.50 10 to 12 ft. spec. B&B 30.00 molle. Kentucky Viburnum. 10' 2 to 3 ft	4 to 5 ft	1.50	1.25	1.00
8 to 10 ft. 3.00 2.75 2.50 10 to 12 ft. spec. B&B 30.00 molle. Kentucky Viburnum. 10' 2 to 3 ft	5 to 6 ft	2.00	1.75	1.50
molle. Kentucky Viburnum. 10' 2 to 3 ft	6 to 8 ft	2.50	2.25	2.00
molle. Kentucky Viburnum. 10' 2 to 3 ft. .75 .60 .56 3 to 4 ft. 1.00 .80 .76 4 to 5 ft. 1.35 1.10 .96 5 to 6 ft. 1.75 1.50 1.26 6 to 8 ft. 2.00 1.75 1.56 nudum. Possumhaw Viburnum. 15' 2 to 3 ft. 1.00 .85 .76 3 to 4 ft. 1.35 1.10 .96 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.50 2.00 opulus. European Cranberrybush. 12' 2 to 3 ft. 1.00 .80 .76 3 to 4 ft. 1.35 1.10 .96 4 to 5 ft. 1.75 1.50 1.26 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.75 8 to 10 ft. 3.00 2.50 2.25 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.25 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.25 1.10 1.06 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.75	8 to 10 ft	3.00	2.75	2.50
2 to 3 ft	10 to 12 ft. specB&B	30.00		
2 to 3 ft	molle. Kentucky Viburnum. 10'			
4 to 5 ft. 1.35 1.10 99 5 to 6 ft. 1.75 1.50 1.29 6 to 8 ft. 2.00 1.75 1.50 nudum. Possumhaw Viburnum. 15' 2 to 3 ft. 1.00 .85 .76 3 to 4 ft. 1.35 1.10 .99 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.50 2.00 opulus. European Cranberrybush. 12' 2 to 3 ft. 1.00 .80 .76 3 to 4 ft. 1.35 1.10 .99 4 to 5 ft. 1.75 1.50 1.29 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.76 8 to 10 ft. 3.00 2.50 2.29 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.25 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .76 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.76 Opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .76 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.76 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50		.75	.60	.55
4 to 5 ft. 1.35 1.10 99 5 to 6 ft. 1.75 1.50 1.29 6 to 8 ft. 2.00 1.75 1.50 nudum. Possumhaw Viburnum. 15' 2 to 3 ft. 1.00 .85 .76 3 to 4 ft. 1.35 1.10 .99 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.50 2.00 opulus. European Cranberrybush. 12' 2 to 3 ft. 1.00 .80 .76 3 to 4 ft. 1.35 1.10 .99 4 to 5 ft. 1.75 1.50 1.29 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.76 8 to 10 ft. 3.00 2.50 2.29 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.25 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .76 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.76 Opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .76 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.76 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50	3 to 4 ft	1.00	.80	.75
5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75 1.50 1.25 1.50 1.25 1.50 1.25 1.50 1.25 1.50 1.25 1.50 1.25 1.50 1.25 1.50 1.25 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.5			1.10	.95
6 to 8 ft. 2.00 1.75 1.50 nudum. Possumhaw Viburnum. 15' 2 to 3 ft. 1.00 .85 .76 3 to 4 ft. 1.35 1.10 .98 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.50 2.00 opulus. European Cranberrybush. 12' 2 to 3 ft. 1.00 .80 .78 3 to 4 ft. 1.35 1.10 .98 4 to 5 ft. 1.75 1.50 1.28 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.75 8 to 10 ft. 3.00 2.50 2.25 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.25 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.75 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50 </th <th></th> <th>1.75</th> <th>1.50</th> <th>1.25</th>		1.75	1.50	1.25
2 to 3 ft. 1.00 .85 .76 3 to 4 ft. 1.35 1.10 .96 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.50 2.00 opulus. European Cranberrybush. 12' 2 to 3 ft. 1.00 .80 .76 3 to 4 ft. 1.35 1.10 .96 4 to 5 ft. 1.75 1.50 1.26 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.76 8 to 10 ft. 3.00 2.50 2.26 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.26 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .76 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.76 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50				1.50
2 to 3 ft. 1.00 .85 .76 3 to 4 ft. 1.35 1.10 .96 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.50 2.00 opulus. European Cranberrybush. 12' 2 to 3 ft. 1.00 .80 .76 3 to 4 ft. 1.35 1.10 .96 4 to 5 ft. 1.75 1.50 1.26 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.76 8 to 10 ft. 3.00 2.50 2.26 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.26 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .76 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.76 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50				
3 to 4 ft. 1.35 1.10 .98 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.50 2.00 opulus. European Cranberrybush. 12' 2 to 3 ft. 1.35 1.10 .98 4 to 5 ft. 1.35 1.10 .98 4 to 5 ft. 1.75 1.50 1.28 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.78 8 to 10 ft. 3.00 2.50 2.28 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.28 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .78 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.56 5 to 6 ft. 2.25 2.00 1.78 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50				
4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.50 2.00 opulus. European Cranberrybush. 12' 2 to 3 ft. 1.00 .80 .73 3 to 4 ft. 1.35 1.10 .93 4 to 5 ft. 1.75 1.50 1.23 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.73 8 to 10 ft. 3.00 2.50 2.23 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.23 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .73 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.73 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50				.75
5 to 6 ft. 2.50 2.00 opulus. European Cranberrybush. 12' 2 to 3 ft. 1.00 .80 .73 3 to 4 ft. 1.35 1.10 .93 4 to 5 ft. 1.75 1.50 1.23 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.73 8 to 10 ft. 3.00 2.50 2.23 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.25 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.75 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50	3 to 4 ft		1.10	.95
opulus. European Cranberrybush. 12' 2 to 3 ft	4 to 5 ft	2.00	1.50	
2 to 3 ft. 1.00 .80 .73 3 to 4 ft. 1.35 1.10 .93 4 to 5 ft. 1.75 1.50 1.23 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.73 8 to 10 ft. 3.00 2.50 2.23 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.23 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .73 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.73 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50	5 to 6 ft	2.50	2.00	
2 to 3 ft. 1.00 .80 .73 3 to 4 ft. 1.35 1.10 .93 4 to 5 ft. 1.75 1.50 1.23 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.73 8 to 10 ft. 3.00 2.50 2.23 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.23 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .73 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.73 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50	opulus. Euronean Cranberrubush 1	2'		
3 to 4 ft. 1.35 1.10 .98 4 to 5 ft. 1.75 1.50 1.28 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.78 8 to 10 ft. 3.00 2.50 2.28 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.28 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .78 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.78 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50	-		.80	.75
4 to 5 ft. 1.75 1.50 1.25 5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.75 8 to 10 ft. 3.00 2.50 2.25 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.25 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .75 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.75 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50				.95
5 to 6 ft. 2.00 1.75 1.50 6 to 8 ft. 2.25 2.00 1.73 8 to 10 ft. 3.00 2.50 2.23 opulus nanum. Dwarf Cranberry Bush. Z' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.23 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .75 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.75 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50				1.25
6 to 8 ft. 2.25 2.00 1.73 8 to 10 ft. 3.00 2.50 2.25 copulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.25 copulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .73 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.75 copulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50				4 = 0
8 to 10 ft. 3.00 2.50 2.23 opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.23 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .73 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.73 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50				1.75
opulus nanum. Dwarf Cranberry Bush. 2' 8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.25 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .75 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.75 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50				2.25
8 to 10 in. 1.25 1.10 1.00 10 to 12 in. 1.50 1.35 1.25 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .75 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.75 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50				
10 to 12 in. 1.50 1.35 1.25 opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .75 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.75 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50				
opulus sterile. Common Snowball. 10' 2 to 3 ft. 1.00 .85 .75 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.75 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50				1.00
2 to 3 ft. 1.00 .85 .73 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.73 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50	10 to 12 in	1.50	1.35	1.25
2 to 3 ft. 1.00 .85 .73 3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.73 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50	opulus sterile. Common Snovehall	10'		
3 to 4 ft. 1.25 1.10 1.00 4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.75 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50	-		85	.75
4 to 5 ft. 1.75 1.65 1.50 5 to 6 ft. 2.25 2.00 1.75 opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft. 2.50				1.00
5 to 6 ft				1.50
opulus xanthocarpum. Yellowfruit Cranberrybush. 10' 2 to 3 ft				1.75
Yellowfruit Cranberrybush. 10' 2 to 3 ft 2.50	0 0 0 10	4.20	2.00	1.10
2 to 3 ft	opulus xanthocarpum.			
	Yellowfruit Cranberrybush. 10'			
3 to 4 ft	2 to 3 ft	2.50		
	3 to 4 ft	3.00		

prunifolium. Blackhaw Viburnum. 15' 2 to 3 ft. 2.00 1.75 1.50 3 to 4 ft. 2.50 2.25 2.00 4 to 5 ft. 3.00 2.75 5 to 6 ft. 4.00 3.50 6 to 8 ft. 4.50 4.00 8 to 10 ft. 6.00 5.00	Viburnum		1-4 Each	5-24 Each	25 & up Each
2 to 3 ft. 2.00 1.75 1.50 3 to 4 ft. 2.50 2.25 2.00 4 to 5 ft. 3.00 2.75 5 to 6 ft. 4.00 3.50 6 to 8 ft. 4.50 4.00	ifa	D1 - 11 - 17 - 17 - 17 - 17 - 17 - 17 -	4 ~?		
3 to 4 ft. 2.50 2.25 2.00 4 to 5 ft. 3.00 2.75 5 to 6 ft. 4.00 3.50 6 to 8 ft. 4.50 4.00	-			1 75	1.50
4 to 5 ft. 3.00 2.75 5 to 6 ft. 4.00 3.50 6 to 8 ft. 4.50 4.00	-				
5 to 6 ft					2.00
6 to 8 ft	_				
				_	
0.00 0.00					
		10 10 10 10 10 10 10 10 10 10 10 10 10 1	0.00	0.00	
pubescens. Downy Viburnum. 6'	pubesce	ns. Downy Viburnum. 6'			
4 to 5 ft 2.00 1.50	4 to	5 ft	2.00	1.50	
5 to 6 ft	5 to	6 ft	2.25	1.75	
p. canbyi. Canby Downy Viburnum. 10'	p. canb	7i. Canby Downy Viburnum	n. 10'		
2 to 3 ft	2 to	3 ft	1.00	.75	.65
3 to 4 ft 1.25 1.00 .75	3 to	4 ft	1.25	1.00	.75
4 to 5 ft 1.50 1.25 1.00	4 to	5 ft	1.50	1.25	1.00
5 to 6 ft	5 to	6 ft	2.00	1.50	1.25
rhytidophyllum. Leatherleaf Viburnum. 8'	rhytidor	hyllum. Leatherleaf Viburi	num. 8'		
2 to 3 ftB&B 6.00 5.50 5.00	2 to	3 ftB&B	6.00	5.50	5.00
3 to 4 ftB&B 7.50	3 to	4 ftB&B	7.50		
rufidulum. Rusty Blackhaw Viburnum. 15' 8 to 10 ft		10 ft	7.50		
sargenti. Sargent Cranberrybush. 10'	•				
3 to 4 ft					
4 to 5 ft	4 to	5 ft	2.00	1.50	
sieboldi. Siebold Viburnum. 10'	sieboldi.	Siebold Viburnum. 10'			
2 to 3 ft	2 to	3 ft	1.25	1.00	
3 to 4 ft 1.75 1.50	3 to	4 ft			
A 1 = 01	4 to	5 ft	2.00		1.50
F 1 0 01	5 to	6 ft	2.50		2.00
	6 to	8 ft	3.00	2.75	2.50
8 to 10 ft	8 to	10 ft	3.50	3.25	3.00

Viburnum	1-4 Each	5-24 Each	25 & up Each
setigerum. Tea Viburnum. 12'	9.50		
2 to 3 ft	2.50		
tomentosum. Doublefile Viburnum.	8 "		
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.50	1.10	1.00
4 to 5 ft	1.75		
t. sterile. (plicatum). Japanese Sna	owball.	8 '	
2 to 3 ft	1.75	1.50	
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.75	2.25	
trilobum. (americanum). American	Cranbe	rruhu.	sh 12'
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.35	1.10	.95
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
trilobum compactum. 6'			
18 to 24 in	2.25		
2 to 3 ft	2.75		
	4.10		
veitchi. Veitch Viburnum 6'			
3 to 4 ft	2.00		
wrighti. Wright Viburnum 8'			
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
Vinca minor. (see Herbaceous Material	.).		
Vitex agnuscastus. Lilac Chastetree 4'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft		1.10	.95
a. alba. White Chastetree. 4'			
2 to 3 ft	1.00		.75
3 to 4 ft	1.35	1.10	
a. latifolia (macrophylla). $Hardy\ Le$	ilac Cha	stetre	e. 4'
2 to 3 ft	1.00		,
3 to 4 ft	1.35	1.10	
negundo. Negundo Chastetree. 4'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	

	1-4 Each	5-24 Each	25 & up Each
Vitex			
negundo incisa. Cutleaf Chastetree	3. 4'		
3 to 4 ft	1.25		
Vitis aestivalis. Summer Grape. 40'			
2 year	.75	.65	.60
3 year	1.00	.80	.75
amurensis. Amur Grape. 40'			
3 year	.75		
coignetiae. Gloryvine. 40'			
3 year	1.25	1.00	.90
4 year	1.50	1.25	
labrusca. Fox Grape. 40'			
2 year	.75	.65	.60
3 year	1.00	.80	.75
riparia. Riverbank Grape. 40'			
2 year	.75	.65	
3 year	1.00	.80	
rotundifolia. Muscadine Grape. 40'			
3 year	.75	.65	.60
4 year	1.00	.80	
vulpina. Frost Grape. 40'			
2 year	.75	.65	.60
3 year	1.00	.80	.75
4 year	1.25	1.00	.90
Weigela floribunda. Crimson Weigela.			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
florida. (rosea). $Oldfashioned\ Weig$	ela. 8'		
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.75	.70
4 to 5 ft	1.35	1.15	1.00
5 to 6 ft	1.75	1.50	1.25
hendersoni. Henderson Weigela. 18			
3 to 4 ft	1.00	.80	
4 to 5 ft	1.35	1.15	
hortensis rubra. 10'			
2 to 3 ft	.75	.60	55
3 to 4 ft	1.00	.75	.70
4 to 5 ft	1.35	1.15	1.00
5 to 6 ft		1.50	1.25
6 to 8 ft	2.00	1.75	1.50

	1-4 Each	5-24 Each	25 & up Each
Weigela	Басп	Each	Lach
japonica. Japanese Weigela. 8'			
3 to 4 ft	1.00	.75	.70
4 to 5 ft	1.35	1.15	1.00
5 to 6 ft	1.75	1.50	
rosea. (see florida).			
vaniceki. Red Weigela. 6'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
wagneri Abel Carriere.			
Abel Carriere Wagner Weigela.	10 '		
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.75	1.50	1.25
w. Candida. Snow Weigela. 8'	1.10	1.00	1.20
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.50	1.25	1.10
w. Desboisi. Desbois Weigela. 8'	1.00	1.20	1.10
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
w. Eva Rathke. Eva Rathke Weige		1.10	.00
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.35	1.10	.95
w. Groenewegeni W			
3 to 4 ft	1.00	.80	.75
4 to 5 ft		1.10	.95
5 to 6 ft		1.50	1.25
w. Gustav Mallot. Gustav Mallot			1.20
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
w. nana variegata. Dwarf Variega			
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	1.00	.90
w. sieboldi argenteomarginata.	1.20	1.00	.00
Siebold Silveredge Weigela. 8'			
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.50	1.25	.10
5 to 6 ft	2.00	1.75	
w. Styriaca. 8'	4.00	1.10	
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.50	1.25	1.00
T 10 0 11	1.00	1.20	1.00

	1-4 Each		25 & up Each
Weigela	a.t		
w. vanhouttei. Vanhoutte Weigela.			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
5 to 6 ft	1.75	1.50	1.25
Wistaria floribunda hybrids.			
2 year	4.00		
Issai — purple			
Kyushaku — lavender			
Murasaki Noda — purple			
Naga Noda — lavender			
Penn Valley — deep purpl	.e		
Rosea Alabama — pink			
Royal Purple - purple			
Rubra — red			
•			
floribunda macrobotrys (multijuga).		
Longcluster Japanese Wistaria.	30 '		`
2 year	1.25	1.10	1.00
3 year	1.50	1.35	1.25
4 year	2.00	1.75	
frutescens. American Wistaria. 30'			
2 year	1.50	1.25	1.00
sinensis. Chinese Wistaria. 40'			
2 year	1.00	.85	.75
3 year			1.00
3 year grafted flowering			
plants	3.50		
Standards, 4 ft. stem,			
30 in. headB&B 1	0.00		
sinensis alba. White Chinese Wistar	ia. 40'		
2 year	1.00	.85	
3 year grafted flowering			
plants	3.50		

			1-4 Each	5-24 Each	25 & up Each
Zanthorhiz	za s	implicissima. $Yellowroot$.	3'		
12	to	15 in. clumps	1.25	1.00	.95
15	to	18 in. clumps	1.50	1.25	1.10
18	to	24 in. clumps	1.75	1.50	1.35
Zanthoxyl	um	americanum. Prickly Ass	h. 15'		
3	to	4 ft	1.25	.85	.75
4	to	5 ft	1.50	1.25	1.00
5	to	6 ft	2.00	1.75	1.50
6	to	8 ft	2.75	2.25	2.00
schini	foli	um. Peppertree Prickly As	h. 12'		
3	to	4 ft	2.50	2.00	
4	to	5 ft	3.00	2.50	
simula	ans.	Flatspine Prickly Ash. 2	?5 '		
4	to	5 ft	3.50		
5	to	6 ft	4.50		
		ta. Japanese Zelkova. 50			

HERBACEOUS AND ALPINE MATERIAL

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

plant will be made for mose so grown.		
	5-24 Each	25 & up Each
*Acaena buchanani. Bluish gray, Aug. 1"\$.30	\$.25
*sanguisorbae. Bright green foliage, 2"	.35	.30
* Aghillon agoratifolia nizoen White Merr		
*Achillea ageratifolia aizoon. White, May, June, 8"	.30	.25
		.20
Angel's Breath. White, summer, 18"		0.5
filipendulina. Yellow, June, July, 3'	.30	.25
*millefolium Cerise Queen. Rose, July, 2'	.25	.20
*nana. White, June, July, 6"	.25	.20
*nitida. White, June, July, 1'	.25	.20
*ptarmica The Pearl. White, July, 2'	.25	.20
*ptarmica Boule de Neige. White, June,		
July, 2'	.25	.20
*ptarmica Perry White. June, July, 2'	.25	.20
*tomentosa. Yellow, June, 1'	.25	.20
Aconitum autumnale. Blue, July, August, 4'	.40	
fischeri. Blue, September, 3'	.35	.30
fischeri wilsoni. Violet blue, Sept. 5'	.40	
napellus. Blue, July, Aug. 4'	.45	
napellus Spark's. Violet blue, July,	110	
August, 5'	.35	.30
*Actinea herbacea. Yellow, May, 6"	.30	
* Actson sibn White Bues Town 0.4/	0.5	0.0
*Actaea alba. White, May, June, 3-4' rubra. Red, May, June, 3-4'	.25	.20
iddia. Ited, May, Julie, 5-4	.25	.20
Adenophora chinensis. Blue, fall, 3'		
potanini. Light blue, July, August, 3'	.25	
*Adiantum pedatum. Maiden Hair Fern	.30	.22
Adonis amurensis. Yellow, March, 18"	.75	

	5-24 Each	25 & up Each
*Aegopodium podograria variegatum. Varie-		
gated foliage, 1'	.25	.20
*Aethionema cordifolium. Rosy lilac, June, 6"	.30	.25
grandiflorum. Pink, June, 12"	.30	.25
*kotschyi. Rose, July, 4"	.30	.25
*persicum. Pink, June, July, 9"	.30	.25
*pulchellum. Pink, June, 8"	.30	.25
*schistosum. Rose, June, 4"	.30	.25
*Ajuga brockbanki. Purple, June, 6"	.25	.20
*genevensis. Bright blue, May, 6"	.30	.25
*genevensis rosea. Pink, May, 6"	.30	.25
*reptans. Blue, May, 6"	.25	.20
*reptans alba. White, May, 6"	.25	.20
*Allium carinatum. Rose, June, July, 2'	.30	.25
*narcissiflorum. Rose, June, July, 1'	.30	.25
*pulchellum. Violet, June, July, 9"	.30	
schoenoprasum. Rose purple, June,		0.5
July, 2'	.30	.25
stellatum. Rose, June, July, 18"	.30	.25
*thibetica. Lilac mauve, June, July, 8"	.30	.25
Althea rosea. Hollyhock		
*Double. Separate colors, July, Aug. 5'	.25	.20
*Double. Chaters' strain, separate colors	.25	.20
Fringed Allegheny. July, August, 5'	.25	.20
Single. Mixed colors, July, August, 5'	.25	.20
Single. Separate colors, July, Aug. 5'	.25	.20
*Alyssum argenteum. Yellow, July, Aug. 6"	.25	.20
, , , , , , , , , , , , , , , , , , , ,	.25	.20
*montanum. Yellow, June, July, 8"	.30	.25
*rostratum. Yellow, June, July, 12"	.25	.20
saxatile compactum. Yellow, May, 1'	.25	.20
*saxatile sulphureum. Yellow, May, 1'	.30	.25
*spinosum. Pink and white, June, 3"	.35	.30
*Amsonia tabernaemontana. Blue, May,		
June, 3'	.25	.20
Anchusa barrelieri. Blue, May, 2'	.30	
italica Dropmorei. Blue, June, 4-5'		.25
*myosotidiflora. Bright blue, May, 1'		

	5-24 Each	25 & up Each
Anemone hupehensis. Mauve, AugSept. 1'	.35	.30
*japonica alba. White, fall, 3'	.35	.30
*japonica Alice. Rose pink, fall, 3'	.35	.30
japonica Louise Uhink. White, fall, 3'	.35	
japonica Marie Manchard. White, fall, 3'	.35	
japonica Prince Heinrich. Deep pink,		
fall, 3'	.35	.30
japonica Queen Charlotte. Rose, fall, 3'	.35	.30
japonica Richard Ahrends. Shell pink,		
fall, 2'	.35	.30
japonica rubra. Red, fall, 2'	.35	.30
japonica September Charm. Silvery	0.5	
pink, fall, 2'	.35	0.0
japonica September Sprite. Pink, fall, 2' *japonica Whirlwind. Pure white, fall, 3'	.35	.30
*pennsylvanica. White, July, 18"	.35 .35	.30
*pulsatilla. Blue, April, 15"	.35	.30
*pulsatilla alba. White, April, 1'	.50	.50
*pulsatilla rubra. Dark red, April, 12"	.40	.35
*Antennaria dioica. White, May, 6"	.25	.20
*Anthemis cinerea. White, August, 1'	.25	.20
*montana. White, July, 10"	.25	.20
Moonlight. Pale yellow, summer, 2'	.35	.30
nobilis. White, summer, 1'	.25	.20
tinctoria. Yellow, July, August, 3' tinctoria E. C. Buxton. White, yellow	.25	.20
eye, July, August, 3'	.30	.25
tinctoria kelwayi. Yellow, July, Aug. 3'		
tinctoria kelwayi. White, July, 3'	.25	.20
Anthericum liliago. White, May, June, 3'	.40	
Anthyllis vulneraria dilleni. Red, summer, 1'	.35	
*Aquilegia alpina. Blue, May, June, 1'		
*coerulea. Blue, May, June, 1½'	.30	.25
*canadensis. Scarlet, May, June, 2'	.25	.20
chrysantha. Yellow, June, July, 3'	.30	.25

	5-24 Each	25 & up Each
Aquilegia	Buch	Buch
chrysantha alba. White, June, July, 3'	.30	.25
Crimson Star. Crimson, May, June, 2'	.35	.30
*flabellata nana-alba. White, June, 10"	.25	.20
*hybrida. Mrs. Scott Elliott. Various,		
June, 2'	.25	.20
longissima. Yellow, June, 2'	.40	.35
rosea. Long spurred pink, June, 2'	.30	.25
*skinneri. Red and yellow, May, 2'	.25	.20
*vulgaris. Purple, May, June, 2'	.25	.20
vulgaris nivea. White, May, 2'	.25	.20
**	0.0	0.5
*Arabis albida. White, May, 6"	.30	
*alpina. White, April, May, 6"	.30	
*alpina fl. pl. Dbl. white, April, May, 6"	.35	
*alpina Rosabella. Pink, April, May, 6"	.35	
*alpina rosea. Pink, April, May, 6"	.30	
*aubretioides. Pink, May, 8"	.30	
*cockilis. White, April, May, 6"	.30	.25
*procurrens. White, May, 1'	.30	.25
*Arenaria balearica. White, July, Aug. 3"	.30	.22
*grandiflora. White, May, 4"	.30	.22
*montana. White, June, 4"	.30	.22
*verna. White, June, July, 3"	.30	.22
Arisaema triphyllum. Purple, May, 1'	.30	.25
*Armeria alpina. Pink, summer, 6"	.30	
*Bee's Ruby. Red, summer, 10"		
*cephalotes rubra. Deep pink, May, June,		
6"	.35	
*laucheana. Crimson, May, June, 8"		
*maritima. Pink, May, June, 6" *maritima alba. White, May, June, 6"		
*robusta. Crimson, May, June, 10"		
Townsia Climbon, Hay, Falle, 10	.00	.20
Artemesia absinthium. Wormwood, 4'	.25	.20
dracunculus. White August. 2'	.35	

		25 & up Each
Artemesia		
frigida. Silver foliage, 18"	.35	.30
lactiflora. White, August, 4'	.25	.20
pontica. Gray foliage, 12"	.25	.20
purshiana. Gray foliage, 3'	.25	.20
Silver King. White foliage, 3'	.30	.25
ville lonage, b	.00	
*Arundo-donax. Giant reed, 12'	.40	.35
*Asarum canadense. Chocolate, May, 6"	.25	.20
Asclepias incarnata. Red, August, 4'	.30	.25
tuberosa. Orange, July, August, 2'	.25	.20
Table Stange, Salj, Hagabi, 2	.20	.20
*Asperula cynanchica. Pink, summer, 10"	.35	
hexaphylla. White, June, 1'	.30	.25
*hirta. Pink, July, August, 6"	.35	.30
*longifolia. White, summer, 8"	.30	
*odorata. White, May, 8"	.30	.25
*scutellaria. White, June, July, 6"	.35	
Asphodeline lutea. Yellow, July, 3'	.35	
*Asplenium felix faemina. Lady Fern	.30	.2 2
*Aster alpinus. Blue, June, July, 8"	.25	.20
*alpinus Goliath. Bluish purple, May,		
June, 8"	.30	
amellus Mrs. R. Wood. Rose, July, 18"	.30	
Abendrothe. Rose pink, Oct. 3'	.25	.20
Acme. Light lavender, Oct. 5'	.25	.20
Adorable. Pink, fall, 3'	.40	
Ballard's Crimson. Fall, 3'	.25	.20
Beechwood Challenger. Crimson, fall,		
18"	.30	.25
Blue Gem. Blue, September, 3'	.25	.20
Blue Gown. Blue, fall, 4'	.30	.25
Blue Lagoon. Blue, fall, 4'	.40	.35
Climax. Blue, September, October, 3'	.25	.20
dracunculoides. Light blue, July, 2'	.30	.25
frikarti Wonder of Staefa. Lavender,		
fall, 2'	.45	.40

	Each	Each
Aster		
Harrington's Pink. Fall, 3'	.30	.25
laevis. Lavender, September, 4'	.25	.20
Mauve Cushion. Mauve, October, 12"	.25	.20
Mauve Queen. Mauve, September, 3'	.25	.20
Mrs. Raynor. Crimson, Sept. 3'	.25	
Mt. Everest. White, fall, 3'	.30	.25
novae-angliae. Purple, Sept., Oct., 4'	.25	.20
Novae-angliae roseus. Rose, Sept., 4'	.25	.20
Palmyra. Pink, fall, 3'	.35	.30
Queen Mary. Blue, Sept., 3'	.25	.20
Red Cloud. Deep pink, fall, 3'	.35	.30
Red Rover. Red, fall, 3'	.30	
Robt. Parker. Lavender, Sept., Oct., 5'	.25	.20
Royal Blue. Blue, fall, 4'	.30	
Skylands Queen. Light blue, fall, 3'	.25	
Sunset. Pink, Sept. 3'	.30	.25
tartaricus. Purple, Oct. and Nov., 6'	.25	.20
Violetta. Violet, Sept., 3'	.45	
Wartberg Star. Lilac blue, spring, 1'	.35	.30
White Climax. White, fall, 4'	.25	.20
dwarf varieties		
Countess of Dudley. Clear pink,		
Sept., 9"	.25	.20
Lady Henry Maddocks. Pink, Sept.,		
1'	.25	
Lavenda. Lavender blue, Sept. 6"	.30	
Lilac Time. Lilac, Sept. 1'	.25	
Marjorie. Rose pink, Sept. 1'	.25	.20
Nancy. Flesh pink, Sept. 1'	.25	.20
Niobe. White, Sept. 6"	.25	
Ronald. Lilac pink, Sept. 1'	.25	
Victor. Lavender blue, Sept. 8"	.25	.20
Astilbe arendsi Ceres. Rosy lilac, July, 2'	.50	.45
arendsi Fanal. Red, July, 18"	.50	
arendsi Gladstone. White, July, 18"	.50	
arendsi Granat. Crimson, June, 2'	.50	
arendsi Grandis rosea magnifica. Pink,		
July, 4'	.50	
arendsi Juno. Purplish pink, July, 3'	.50	.45
arendsi Kreimhilde. Rose, June, July, 2'	.50	.45
arendsi Marguerite Van Rechteren. Red,		
tinged lilac, August, 4'	.50	.45

	5-24 Each	25 & up Each
Astilbe	Each	Each
arendsi Moerheimi. White, July, 3'	.50	
arendsi Philadelphia. Lavender rose,		
July, 2'	.50	
arendsi Rhineland. Crimson, shaded sal-		
mon, June, 2'	.50	.45
arendsi Rose Pearl. Shell pink, July, 3'	.50	.45
arendsi Salland. Red, July, 5'	.50	.45
rosea Queen Alexandra. Deep pink,	50	45
July, 3' Base with	.50	.45
rosea Queen of Holland. Rose pink,	.50	.45
July, 3'	.50	.45
Astrantia major. Silvery pink, May, 2'	.25	.20
*Aubretia deltoides. Purple, April, May, 4"	.25	.20
*deltoides bougainvillei. Dark blue,		
April, 5"	.30	.25
*deltoidea eyrei. Rosy lilac, April, 5"	.30	.25
*deltoidea Fire King. Red, May, 4"	.30	
*deltoidea graeca. Violet, May, 4"	.30	.25
*deltoidea leichtlini. Pink, April, 5"	.30	.25
*deltoidea purpurea. Purple, April, 5"	.30	
*hybrida. Various, April, May, 6"	.25	
Baptisia australis. Indigo, June, 4'	.25	.20
tinctoria. Yellow, June, 3'	.30	.25
Belamcanda chinensis. Orange, summer, 3'	.25	.20
*Bellis perennis alba. White, April, May, 3"	.25	.20
*perennis rosea. Pink, April, May, 3"	.25	.20
*rotundifolia caerulescens. Blue, May		
2"	.35	
*Bellium bellidioeides. Bluish, summer, 4"	.30	
Bocconia cordata. Creamy white, Aug. 6'	.30	.25
Boltonia asteroides. White, Sept. 5'	.25	.20
latisquama. Lavender, Aug., 5'	.25	.20
latisquama nana. Lavender, Aug. 2'	.30	.25
Boykinia rotundifolia. White, June, 2'	.25	.20
Buphthalmum speciosum. Yellow, June, 3'	.25	.20
salicifolium. Yellow, summer, 2'	.25	.20
*Calamintha alpina. Purple, summer, 6"	.35	.30
*Calandrinia umbellata. Crimson, summer, 6"	.30	.25

	5-24 Each	25 & up Each
Calimeris incisa. Pink, summer, 2'	.25	.20
*Callirhoe involucrata. Red, all summer, 6"	.25	.20
*Caltha palustris. Yellow, April, May, 12"	.25	.20
Camassia leichtlini. Blue, May, 2'	.25	.20
quamash. Blue, May, 2'	.25	.20
*Campanula alliariaefolia. White, June, July,		
2'	.30	.25
*bononiensis. Blue, June, 2'	.25	.20
*carpatica. Blue, July, August, 9"	.30	.25
*carpatica alba. White, July, Aug. 9"	.30	.25
*cullinmore. Blue, summer, 9"	.35	.30
*garganica. Light blue, June, 6"	.35	.30
*garganica hirsuta. Blue, June, 4"	.40	
*glomerata. Purple, June, July, 2'	.35	.30
glomerata acaulis. Purple, June, 6"	.35	.30
glomerata superba. Violet, June, July, 2'	.35	.30
*grosseki. Blue, summer, 2'	.25	.20
lactiflora. Light blue, August, 4'	.35	.30
latifolia alba. White, July, 3'	.35	.30
latifolia macrantha. Purplish blue,		
July, 3'	.35	.30
medium. Mixed, June, July, 3'	.25	.20
medium. Separate colors, June, July, 3'	.25	.20
medium calycanthema. Mixed, July, 3'	.25	.20
medium calycanthema. Separate colors,		
July, 3'	.25	.20
*muralis. Blue-purple, June, 6"	.35	.30
persicifolia. Blue, June, July, 2'	.30	.25
*persicifolia alba. White, June, 2'	.30	.25
persicifolia alba fl. pl. White, sum-		
mer, 2'	.40	
persicifolia dbl. blue. Blue, summer, 2' persicifolia Telham Beauty. Blue, sum-		
mer, 2'	.35	.30
*poscharskyana. Blue, summer, 5"	.35	
pyramidalis. Blue, July, 4-5'		.25
pyramidalis alba. White, July, 4-5'		.25
*raineri. Dark blue, July, 6"		

	5-24 Each	25 & up Each
Campanula	0.0	
*raineri alba. White, July, 6"	.30	.25
*riverslea. Dark blue, July, 9"	.30	.25
*riverslea alba. White, July, 9"	.30	.25
*rotundifolia. Blue, June, July, 12"	.25	.20
*sarmatica. Pale blue, summer, 12"	.35	.30
*turbinata. Blue, June, July, 6"	.30	.25
*turbinata alba. White, June, July, 6"	.30	.25
*trachelium. Blue, July, 2-3'	.25	.20
*Carex morrowi. White-edged foliage, 1'	.40	
Cassia marilandica. Yellow, July, 3-4'	.25	.20
Catananche caerulea. Blue, June, July, 18"	.30	.25
Caulophyllum thalictroides	.30	.25
Centaurea babylonica. Yellow, July, 5'	.35	
*dealbata. Red, July, 1½'	.25	.20
macrocephala. Yellow, July, 3-4'	.25	.20
*montana. Blue, June, July, 2'	.25	.20
ruthenica. Straw color, July, 4'	.35	
Centranthus angustifolius. Rose, summer,		
18"	.30	
ruber. Red, summer, 3'	.30	.25
ruber albus. White, all summer, 3'	.30	.25
Cephalaria alpina. Yellow, July, 5'	.25	.20
tatarica. Cream, summer, 6'	.25	.20
	.25	9.0
*Cerastium biebersteini. White, June, 6"		
*tomentosum. White, June, 6"	.25	.20
*Ceratostigma plumbaginoides. Blue, fall, 6"	.30	.25
*Chieranthus allioni. Orange, July, 1'	.30	.25
*Golden Bedder. June, 1'	.30	.25
Chelone glabra. White, rosy tinged, July, 2'	.30	.25
lyoni. Deep rose, August, 2'	.25	.20
Chrysanthemum anemone-flowered	.25	.20
Snow Queen — white.		
*arcticum. White, fall, 2'	.30	.25
*arcticum Astrid. Pink, fall, 18"	.30	.25
balsamita. Yellow, AugSept. 2'	.25	.20
coreanum. Blush, fall, 3'	.25	.20
Cushion varieties. Fall, 1'	.25	.20
(white, yellow, pink, red, bronze)		•

Chrysanthemum 5-2	4 25 & up
${f Eac}$	h Each
*erubescens. Pink, AugSept. 18"3	
hardy button varieties	0 .22
Irene — blush white.	
Lillian Doty — pink.	
Mitzi — yellow.	
Mrs. H. Harrison — pink.	
Niza — delicate pink.	
Pygmy Gold — golden yellow.	
September Bronze — bronze.	
September Cloud — white.	
September Gold — gold.	
White Doty — white.	
White Gull — white.	
hardy large flowering, double, fall, 4'30	0 .22
Algonquin — yellow.	
Angelo — pink.	
Barbara Small — rose pink.	
Boston — orange.	
Brune Poitevine — deep velvety reddish	bronze.
Caliph — oxblood red.	
Chippewa — aster purple.	
Cydonia — Orange, overlaid mahogany l	oronze.
Early Wonder — soft pink.	
Eugene A. Wander — golden yellow.	
Ganna — lavender, light silver shading. Harvest Home — yellow.	
James Eadie — bronze yellow.	
Lavender Lady — clear lavender.	
Magnolia — soft pink with cream tint.	
Mrs. Pierre S. DuPont III — peach, with	mauve
undertone.	
Mrs. Sam Rotan — large golden yellow.	
Murillo — pink.	
Oconto — white.	
Ohio Gold — yellow.	
Pacific Supreme — pink.	
Pink Radiance — soft pink.	
Polar Ice — white.	
R. Marion Hatton — canary yellow.	
Vesuve — red.	
White Wonder — white.	0 0=
Dazzler — Cardinal red, fall, 2' 3	
Daybreak — Shell pink, fall, 2'30	
For less than five, add five cents per plant to the 5-24	rate.

Chrysanthemum, hardy, large-flowering.		25 & up Each
Dean Kay. Rose pink, SeptOct. 2'	.35	.30
Dean Ladd. Reddish bronze, Sept		
Oct. 2'	.45	
Emma Marie. Lemon yellow, fall, 2'	.30	.25
Glory of Seven Oaks. Yellow, Sept. 2'	.30	.25
Judith Anderson. Yellow, fall, 18"	.30	.25
Pale Moon. Yellow, fall, 2'	.30	.25
Peggy Ann Hoover. Lilac pink,		
fall, 2'	.30	.25
Tassiva. White, Sept. 18"	.30	.25
Yellow Spoon. Yellow, Oct. 18"	.30	.25
hardy large flowering. Single, fall, 4'	.30	.25
California — yellow.		
Country Girl — lavender.		
Excelsior — golden yellow.		
Gypsy Girl — crimson, shading ches	tnut.	
Mrs. Calvin Coolidge — cardinal red.		
Mrs. W. E. Buckingham — salmon p	ink.	
Silver Moon — white.		
Korean hybrids. October, 2-2½'	.30	.22
Aphrodite — pale pink.		
Apollo — bronze, red and gold.		
Ceres — chamois yellow.		
Clara Curtis — salmon pink.		
Daphne — daphne pink.		
Diana — rose pink, blended lilac rose		
Indian Summer — double orange.		
Kristina — deep rose pink.		
Mars — amaranth red.		
Mercury — bronze red.		
Nancy Copeland — spectrum red.		

		25 & up
Chrysanthemum, Korean hybrids.	Each	Each
Sappho — pure yellow.		
Saturn — orange and bronze.		
Siegfried — rich yellow.		
The Moor — port wine red.		
Viking — burnt orange.		
_	0.5	0.0
maximum. White, all summer, 2'	.25	.20
maximum Alaska. White, July, Aug. 2'	.25	.20
maximum Chiffon. Double white, sum-	0.0	
mer, 18"	.30	
maximum Esther Reed. Double, white,	4	
summer, 18"	.45	
maximum Giant Single. White, sum-		
mer, 30"	.25	.20
maximum Mrs. C. Lothian Bell. White,		
June, July, 2'	.25	.20
maximum White Swan. Double white,		
summer, 18"	.30	.25
*morifolium. Rose, fall, 18"	.35	.30
Cimicifuga racemosa. White, July, 5'	.25	.20
Clematis davidiana. Blue, August, 3'	.45	
davidiana hybrida. Light blue, Aug. 18"	.50	.40
integrifolia. Blue, July, 2'	.30	.25
recta. White, July, 3'	.35	.30
recta mandschurica. White, July, 4'	.35	.30
*Colchicum autumnale. Rosy lilac, Sept. 1'	.40	
autumnale roseum plenum. Rosy lilac,		
September, 1'	.50	
*Convallaria majalis. Clumps, white, May, 6"		.35
Coptis trifolia. White, summer, 6"	.35	.30
Coreopsis auriculata. Orange, summer, 18"	.25	.20
auriculata nana. Orange, summer, 1'	.35	
grandiflora. Yellow, summer, 3'	.25	.20
lanceolata. Yellow, summer, 2'	.25	.20
*rosea. Rose, AugSept. 1'	.30	
verticillata. Yellow, July-Aug. 2'	.30	
*Coronilla cappadoccia. Yellow, June, 6"	.35	
*varia. Pink, summer, 18"	.25	
*Corydalis cheilanthifolia. Creamy white,	.20	.20
•	.30	.25
July, 2'* *lutea. Yellow, July, 8"	.35	
	.30	
*Cotula squalida. White, summer, 2"		.40
*Crucianella stylosa. Crimson pink, July, 8"	.30	

	5-24 2 each	25 & up each
*Cynanchum acuminatifolium. White, sum-	0.5	0.0
mer, 18"	.35	.30
Cypripedium acaule. Rose-purple, May-		
June, 1'	.50	
parviflorum. Yellow, May, June, 1'	.50	
spectabile. Rose, June, 2'	.50	
Delphinium belladonna. Sky blue, all sum-		
mer, 4'	.30	.22
bellamosum. Dark blue, all summer, 4'	.30	.22
*chinense. Blue, July, 2'	.30	.22
*chinense album. White, July, 2'	.30	.22
elatum. Blue, July, 4'	.30	.22
formosum. Indigo, July, 4'	.30	.22
hybridum Blackmore and Langdon.		
Various, July, 4'	.30	.25
hybridum Gold Medal. Shades of blue,		
July, 4'	.30	.22
hybridum Wrexham's. Various, June, 5'	.35	.30
Pacific Hybrids. Various, summer, 4'	.40	.35
Pacific Hybrids. Separate colors, sum-	= 0	
mer, 4'	.50	
Black Knight — dark violet		
Blue Jay — blue		
Cameliard — soft lavender		
Galahad — white		
Guinevere — light pink lavender		
King Arthur — royal violet Lancelot — soft lavender		
siberica hybrids. Shades of blue, July, 3'	.30	.25
-		
Dennstedtia punctilobula. Hay-scented Fern		.22
Dianthus allwoodi. Pink, July, 1'	.30	.25
*alpinus. Rose, summer, 4"	.35	.30
*arenarius. White, July, 10"	.30	.25
*arvernensis. Pink, June, 4"	.30	
barbatus. (Single Sweet William),		
mixed colors, June, July, 1'	.25	.20
barbatus atrococcineus. Crimson, June,		
1'	.25	.20
*barbatus Dwarf Giants. Various, June,	-	
8"	.25	.20
barbatus fl. pl. (Double Sweet William),	0=	
mixed colors, June, July, 1'	.25	.20

Dianthus	5-24 2 each	5 & up each
barbatus Giant White. June, 1'	.25	.20
barbatus nigricans. Dark velvety red,	.40	.40
June, 1'	.25	.20
barbatus Pink Beauty. Pink, June, 1'	.25	.20
barbatus Salamoni. Salmon, June, 1'	.25	.20
barbatus Sutton's Scarlet. Crimson,	.40	.20
June, 1'	.25	.20
*caesius. Rose pink, June, July, 9"	.25	.20
*chinensis heddewigi. Mixed, June, July,	.20	.20
8"	.25	.20
*deltoides. Pink, June, 9"	.25	.20
*deltoides albus. White, June, 9"	.30	.25
*deltoides Brilliant. Red, June, 9"	.30	.25
giganteus. Red, July, 2'	.25	.20
*grisebachi. Purple, June, 1'	.25	.20
hardy pinks. Single, mixed, all sum-		-
mer, 9"	.25	.20
knappi. Yellow, summer, 1'	.35	
*latifolius atrococcineus. Crimson, sum-		
mer, 1'	.25	.20
*plumarius. Mixed, summer, 8"	.25	.20
*plumarius fl. pl. Mixed, summer, 8'	.25	.20
*plumarius semperflorens. Pink, June,	.25	.20
*Beatrix. Salmon pink, June, 18"	.35	.30
*Bristol Jewel. White and crimson, June,	.00	
18"	.35	
*Bristol Purity. White, June, 18"	.35	.30
*Elizabeth Peters. Pink, June, July, 9"	.35	0.0
*Furst Bismarck. Rose, summer, 1'	.35	.30
*Gladys Cranfield. Pink, summer, 1' *Grenadin. Mixed, summer, 1'	$.30 \\ .25$.20
*Grenadin. Red, summer, 1'	.25	.20
*Hardy Harvard. Red, summer, 1'	.40	
Her Majesty. Dbl. white, June-July, 9"	.30	.25
*Little Joe. Crimson, summer, 6"	.35	
*Pheasant's Eye. Pink, white eye, June, 1'		.20
*Robert. Pink, summer, 1'	.35	.30
*Rose Cushion. Pink, June, 3"	.30	

Disables	5-24 25 & up each each	
Dianthus.	25	20
*Silver Mine. White, summer, 1'	.35	.30
*Souv. de Sales. Dbl. pink, June, 9"	.25	.20
*Uncle Sam. White, red eye, June, 12"	.25	0.0
*White Reserve. White, June-July, 9"	.25	.20
*seguieri. Carmine, summer, 1'	.25	
*subacaulis. Purple, June, July, 4"	.35	.30
*Dicentra eximea. Rose, all summer, 1'	.30	.25
spectabilis. Rose, May, June, 2'	.55	.50
Dictamnus albus. White, June, 2'	.50	.45
·	.45	.40
albus ruber. Red, June, 2'		.40
caucasicus. Red, June, 3'	.45	
Digitalis ambigua. Yellow, June, July, 3'	.30	.25
gloxinaeflora. Mixed, June, July, 3'	.25	.20
lanata. Creamy, yellow, July 3'	.25	.20
lutea. Yellow, June, July, 18"	.35	.30
purpurea. Mixed, June, July, 3'	.25	.20
purpurea maculata. Spotted, June, July,		
18"	.25	.20
purpurea, rose. June, July, 3'	.25	.20
purpurea, white. June, July, 3'	.25	.20
Shirley Hybrids, mixed. June, July, 3'	.25	.20
*Dodecatheon meadia. Rose, May, 1'	.30	.25
*latilobum. White, May, June, 1'	.30	.25
Doronicum caucasicum. Yellow, April,		
May, 18"	.35	.30
plantagineum excelsum. Yellow, April,		
May, 3'	.35	.30
Dorycnium hirsutum. Pink, summer, 2'	.30	.25
*Draba aizoides. Yellow, March, 4"	.35	
*bruniifolia. Orange, April, May, 4"	.40	
*fladnizensis. White, April, May, 3"	.35	.30
*repens. Yellow, April, 6"		.30
Lonow, Inpin, O	.00	.00
*Dracocephalum botryoides. Rose, July, 6"	.30	25
*nutans. Blue, August, 1'	.30	.25
Ruyschianum japonicum. Blue, sum-		0
mer, 2'	.30	.25

	5-24 each	25 & up each
Dryopteris spinulosum. Wood Fern	.30	.22
thelypteris. Shield Fern	.30	.22
Echinacea purpurea. Purple, July-Aug. 3'	.25	.20
Echinops humilis. Blue, July, 2'	.30	.25
ritro. Deep steel blue, July, 3'	.30	.25
sphaerocephalus. Pale blue, July, 5'	.30	.25
*Edraianthus dinaricus. Lilac, July, 3"	.35	
Elymus glaucus. Blue Lime Grass, 3'	.25	.20
*Epigaea repens. Pink, April, May, 4"	.50	
Epilobium angustifolium. Rose, Aug. 4'	.30	
*Epimedium alpinum. Red, May, June, 1'	.50	.45
niveum. White, May, June, 1'	.50	.45
macranthum lilacina. Lilac, May,		
June, 1'	.50	.45
sulphureum. Yellow, May, 1'	.50	
Eremurus himalaicus. White, June, 6'	1.25	1.00
Erianthus ravennae. Plume Grass, 10'	.40	.35
*Erigeron elatior. Purple, July, 2'	.30	.25
*glabellus. Violet, June, July, 1'	.30	.25
glabratus roseus. Pink, June, 1'	.30	.25
macranthus. Violet, June, 2'	.30	.25
*speciosus. Rich purple, June, July, 2'	.30	.25
*Erinus alpinus albus. White, May, 4"	.35	.30
*alpinus roseus. Rosy purple, May, 4"	.35	.30
*Erodium corsicum. Pink, summer, 2"	.35	
Eryngium alpinum. Blue, July, 2'	.25	.20
amethystinum. Blue, summer, 18"	.25	.20
*planum. Blue, July, Aug. 3'	.25	.20
*Erysimum kotchyanum. Orange, May,		
June, 5"	.25	.20
*cchroleucum. Yellow, May, 1'	.25	.20
*pulchellum. Lemon, May, 6"	.25	.20
Eulalia gracillima. Japan Rush, 4-6'	.40	.35
japonica variegata. 4-6'	.40	.35
zebrina. Zebra Grass, 4-6'	.40	.35
*Eupatorium ageroides. White, Aug. 3'	.25	.20
*coelestinum. Blue, SeptOct. 18"	.25	.20
purpureum. Purple, AugSept. 5'	.25	.20
Euphorbia corollata. White, July-Aug. 2'	.30	.25
*cyparissias. Yellow, May, 10"	.30	.25
*epithymoides. Yellow, May, June, 1'	.30	0.5
*myrsinites. Yellow, May, June, 6"	.30	.25

	5-24	25 & up
	each	each
Festuca glauca. Fescue Grass, June, 10"	.25	.20
Foeniculum atrosanguineum. Summer, 6'	.25	
*Fragaria indica. White, May, 6"	.25	.20
*Fuchsia magellanica. Red, summer, 3'	.40	
Funkia. (see Hosta).		
*Gaillardia grandiflora. Yellow and crim-		
son, all summer, 2'	.25	.20
Burgundy. Red, summer, 2'	.35	.30
Goblin. Yellow and red, summer, 1'	.25	.20
Mr. Sherbrook. Yellow, summer, 2'	.35	.30
*Galax aphylla. White, June, 10"	.30	.25
Galega officinalis. Blue, June, July, 3'	.25	.20
officinalis hartlandi. Bluish white,		
July, 3'	.25	.20
Galium boreale. White, July, 1½'	30	.25
*purpureum. Dark brown, Aug. 1'	.30	.25
*verum. Yellow, June, July, 6"	.30	.25
*Gentiana acaulis. Dark blue, Aug. 4"	.35	.30
andrewsi. Blue, August, 2'	.30	.25
*cruciata. Deep blue, June, July, 1'	.30	.25
*Purdomi. Blue, July, Aug. 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.35	
*Geranium endressi. Rose, summer, 18"	.35	
*Buxton's Blue. Blue, summer, 10"	.50	9.0
*grandiflorum. Lilac, June, July, 15"	.25	.20
*grevilleanum. Mauve, June, July, 6" *ibericum. Purple, May, June, 2'	.25	
*maculatum. Pink, May, June, 1'		.20
*pratense album. White, July, Aug. 2'		
*sanguineum. Red, June, July, 2'		
*Geum atrosanguineum. Dark red, sum-	.20	20
mer, 1½'	.35	.30
Lady Strathedon. Orange, summer, 15"		.30
*montana. Yellow, July, 1'		
*Mrs. Bradshaw. Double red, summer, 1'		
*Orange Queen. Orange, summer, 15"		
*urbanum. Yellow, July, 15"		
*Gillenia trifoliata. White, July, 4'		
*Globularia cordifolia. Pale blue, June, 4"		
*nana. Pale blue, June, 2"		
*trichosantha. Blue, May, June, 6"		
2200, 2120, 0 alle, 0	.00	.20

		25 & up
Gypsophila acutifolia. Pink, July, 2-3'	each .25	each .20
*cerastoides. White, summer, 4"	.35	
Flamingo. Pink, summer, 2'	.50	
paniculata. White, July, Aug. 2-3'	.25	.20
paniculata Bristol Fairy. Double white,		
summer, 3'	.45	.40
paniculata fl. pl. Double white, July,		
August, 3'	.45	.40
*repens. Bluish white, all summer, 6"	.25	.20
*repens bodgeri. Dbl. white, summer, 2'	.40	.35
*repens rosea. Pink, summer, 6"	.40	.35
Rosy Veil. Pink, summer, 2'	.40	.35
Helenium autumnale. Yellow, AugSept. 5'	.30	.25
autumnale superbum. Yellow, Sept. 5'	.35	.30
bigelovi. Yellow, Sept. 4'	.30	.25
Gartensonne. Yellow, AugSept. 3'	.30	.25
hoopesi. Orange, June, July, 3'	.30	.25
*pumilum. Yellow, Aug. 15"	.30	
Riverton Beauty. Lemon, AugSept. 5'	.30	.25
Riverton Gem. Old Gold, SeptOct. 4'	.30	.25
rubrum. Brick red, Sept. 4'	.30	.25
*Helianthemum citrinum. Yellow, summer, 6"	.30	.25
*croceum. Saffron, June, July, 9"	.30	.25
*cupreum. Copper, June, July, 6"	.30	.25
*Fire Ball. Red, July, Aug. 12"	.30	.25
*mutabile. Flesh, May, June, 12"	.30	.25
*perfoliatum roseum. Salmon, sum-		
mer, 6"	.30	.25
*purpureum. Bright pink, June, 6"		
*The Bride. White, June, July, 6"	.30	
Helianthus atrorubens. Yellow, fall, 6'	.25	.20
maximiliana. Yellow, Sept. 6'	.25	.20
Miss Mellish. Yellow, AugSept. 6'	.25	.20
mollis grandiflorus. Yellow, August,		
September, 4'	.25	.20
multiflorus fl. pl. Yellow, summer, 4'		.25
orgyalis. Bright yellow, Sept. 6-8'	.25	.20
rigidus. Yellow, August, 3'	.25	.20
Wolly Dod. Deep yellow, Sept. 7'		
Heliopsis excelsa. Double yellow, Aug. 3'		.20
incomparabilis. Gold, summer, 30"		
pitcheriana. Orange, July, Aug. 3'	.25	.20

*Helleborus niger. White, FebMar. 1'	each	25 & up each
Hemerocallis Apricot. Apricot color, June, 2'		.20
aurantiaca. Orange, June, July, 2½'	.25	.20
Dauntless. Yellowish orange, July, Aug.	.20	.20
3'	.50	
Dr. Regal. Orange yellow, May, 18"	.30	.25
flava. Lemon yellow, June, 3'	.30	.25
florham. Golden yellow, June, 3'	.30	.25
fulva. Bronze, August, 3'	.25	.20
Gold Dust. Indian yellow, June, 2½'	.25	.20
gracilis. Yellow, June, 2'	.25	.20
Hyperion. Lemon, July, 4'	.65	
J. A. Crawford. Apricot yellow, July, 4'	.35	.30
kwanso fl. pl. Reddish orange, June, 2½'	.25	.20
luteola. Light orange, June, 2'	.25	.20
Leonian hybrids. Various, summer, 3'	.60	
Mikado. Red orange, June, July, 3'	.40	
May Queen. Orange, May, 4'	.25	
minor. Yellow, June, 2'	.25	.20
Ophir. Orange, July, 3'	.40	
Patricia. Pale yellow, July, 3'	.50	
Sovereign. Rich orange, June, 1½'	.25	.20
thunbergi. Lemon yellow, June, 2-3'	.25	.20
Vesta. Golden orange, July, 30"	.50	
hybrids. Named varieties, 2-3'	.40	.35
Bay State. Deep yellow, August.		
Gypsy. Deep orange, July.		
Harvest Moon Orange, July.		
Lemona. Pale lemon yellow, August.		
Mrs. W. H. Wyman. Pale lemon, Augus	t.	
The Gem. Deep orange, June, July.		
*Hepatica triloba. Light blue, March, Apr. 4"	.25	.20
*Herniaria glabra. Green, summer, 4"	.25	
*Hesperis matronalis. Purple, June, July, 3'	.25	.20
*matronalis alba. White, June, July, 3'		.20
Heuchera americana. Greenish white, 3'	.25	
*brizoides. Pink, June, July, 2'	.25	.20
*Fire King. Red, May, June, 15"	.35	.20
40 11 70 1	.35	
*Perry's White. White, summer, 15"	.35	.30
+D1 5	.30	.25
*Red Pimpernell. June, 1'	.30	.20
	.00	

Heuchera	5-24 each	25 & up
*rosamundi. Coral, summer, 18"	.30	.25
*sanguinea. Coral red, June, 1'	.30	.25
*sanguinea hybrids. Various summer, 18"	.30	.25
*villosa. White, summer, 12"	.25	
Hibiscus Mallow Marvels. Mixed, July,		
August, 5'	.25	.20
Mallow Marvels. Separate colors,		
August, 5'	.30	.25
Mallow Marvels. Giant red, Aug. 5'	.30	.25
moscheutos. Rose, June, July, 5'	.25	.20
moscheutos crimson eye. White, red		
eye, August, 5'	.25	.20
*Hieracium aurantiacum. Orange, summer, 6"	.25	.20
*alpinum. Yellow, May, June, 9"	.25	.20
Hosta caerulea. Blue, July, 1½'	.25	.20
fortunei. Pale lilac, July, 2'	.25	.20
lancifolia. Blue, July, 2'	.25	.20
sieboldiana. Silvery foliage	.30	.25
sub-cordata grandiflora. White, Aug.		
18"	.45	.40
Thos. Hogg. Blue, summer, 18"	.45	
undulata variegata. White foliage, 2'	.25	.20
*Houstonia serpyllifolia. Blue, April, 2"	.30	.25
Hyacinthus candicans. White, Aug. 3'	.25	.20
*Hypericum calycinum. Yellow, July-Aug. 1'	.30	.25
*Coris. Yellow, summer, 4"	.30	.25
*fragile. Yellow, July-Aug. 1'	.30	.25
moserianum. (see Shrubs).	0.0	0.5
*polyphyllum. Yellow, summer, 8"		.25
*repens. Yellow, July, 4"	.30 .30	.25 .25
*rhodopaeum. Yellow, July, 4"		
*Hyssopus officinalis. Purple, Aug. 18"	.30	.25
*Iberis gibraltarica. Delicate lilac, May, 1½'	.30	.25
*jordani. Rose, May, June, 6"	.30	.25
*sempervirens. White, May, June, 8"	.30	.25
*sempervirens Climax. White, May, 6"	.30	.25
*sempervirens Little Cushion. White,	40	25
May, June, 4"	.40	.35
*sempervirens Little Gem. White, April, 6"	.30	.25
*sempervirens Snowflake. White, May, 9"	.35	.30
*tenoreana. Purplish white, June, 6"	.30	.50
		wast.
For less than five, add five cents per plant to the	J-24	rate.

*Incarvillea delavayi. Rosy purple, June,	5-24 2 each	
July, 2'	.50	-
*Inula ensifolia. Yellow, July, Aug. 8"	.30	.25
*Iris cristata. Light blue, May, June, 6"	.30	.25
dichotoma. Purple, August, 1'	.25	
*ensata. Lilac, June, 10"	.30	.25
*ensata alba. White, June, 10"	.30	
*flavissima. Yellow, May, 6"	.30	.25
fall blooming. Spring and fall, 1½-2'	.30	.25
Autumn King — blue-purple		
Autumn Queen — snow white		
Jean Siret — yellow		
Lt. Chavagnac — violet		
Olive White — cream		
Ultra — ultramarine-blue		
germanica. May, June, 1½-2'		
Afterglow. Soft lavender shading		
yellow	20	.15
Ambassadeur. Bronze, purple ma-	20	.10
roon falls	.20	.15
Anjelus. Pink, shaded lavender	.40	.10
Aphrodite. Lilac pink	.20	.15
Archiveque. Purple	.20	.10
Asia. Smoky blue	.20	.15
Ballerine. Violet with deeper falls		.15
Blue Peter. Dark blue purple	.30	.13
Blue Triumph. Pale blue		
	.40	15
Cecil Minturn. Pink	.20	.15
China Maid. Pink	.20	.15
China Rose. Orchid pink	.40	4.5
Crystal Boards Tall white		.15
Crystal Beauty. Tall white	.30	
Depute Nomblot. Coppery red,	0.5	
flushed bronze	.25	
Dorothea. Pearl gray	.20	.15
=	.20	
E. B. Williamson. Coppery red	.40	.35
Elmohr. Purple	.40	
Elsa Sass. Lemon yellow	.40	
Fairy. White, bordered blue	.20	.15
Florentina. Pale blue	.20	.15
Florentina alba. White	.20	.15
Frieda Mohr. Pink bicolor	.30	

	5-24 2 each	5 & up each
Iris germanica.	еасц	cach
Gold Imperial. Golden yellow	.20	.15
Golden Majesty. Golden yellow	.35	
Golden Treasure. Cream	.35	
Grand Canyon. Plum and gold	.60	
Indian Chief. Velvety red	.30	
Labor. Electric blue	.25	
Leonidas. Lavender, mauve falls	.25	.20
Lent A. Williamson. Violet, rich		
purple falls with yellow beard	.20	.15
Lord of June. Lavender blue, violet		
falls	.20	.15
Lucrezia Bori. Soft yellow	.60	
Mad. Henri Cayeau. Dark purple	.20	.15
Mary Barnet. Lavender blue	.20	.15
Mary Geddes. Pink, overlaid		
Pomeranian red	.40	
Midnight. Dark blue	.20	.15
Missouri. Deep blue	.50	
Moonlight. Silvery white	.20	.15
Moonlight Madonna. Light yellow	.75	
Morocco Rose. Pink	.50	
Opera. Violet red, purple falls	.25	.20
Pallida Dalmatica. Lavender	.25	.20
Pallida speciosa. Light blue		.15
Pink Opal. Pink lilac	.50	
Pluie d'Or. Yellow	.30	
Pocahontas. White, edged blue	.25	.20
Prairie Gold. Yellow	.20	.15
Prospero. Lavender and purple	.20	.15
Robt. W. Wallace. Violet purple	.20	.15
Shekinah. Pale yellow, shading to	0.5	0.0
buff	.25	.20
Snowking. Large white	.40	
Snow White. White	.20	

	5-24 each	25 & up each
*Iris germanica		
Souv. de Mad. Gaudichau. Deep		
velvety purple	20	.15
Taj Mahal. White	20	.15
True Delight. Pure pink	25	
Victorine. White, mottled blue	20	.15
Wedgewood. Blue	20	.15
intermedia hybrids. May, 18"	25	.20
Gerda. Creamy yellow, darker falls	5.	
Halfdan. Creamy white.		
Ingeborg. Ivory white.		
Helge. Light citron.		
Walhalla. Light blue, purple falls.		
kaempferi. Japanese Iris. July, 2-3'	30	.25
Awaji. Large white overlaid lavend		e.
Bandai-San. White standards and i	falls,	
bordered lavender.		
Blue Bird. Single dark blue.		
Eumee. Double lavender blue.		
Florence. Amaranth purple.		
Fukushima. Reddish purple, veined	white	•
Gold Bound. White, yellow shading	gs.	
Iso-no-namie. Double soft blue.		
Kagaribi. Double pink lavender.		
Kumonoobi. Clear purple, white ha	alo.	
Mahogany. Double rich dark red.		
Oyodo. Double wine red.		
Patrocle. Single reddish violet.		
Purple Emperor. Large deep violet		
Purple & Gold. Violet purple, golde		
Pyramid. Double violet purple, vei	ned wh	ite.
Seacrest. Foam white.		
Tacoma Beauty. Pure white.		
Thais. Rich royal purple, velvety s		
Uchiu. Crimson purple, white vein		•
Warei-hotei. Lavender blue, light k	olue ha	10.
prismatica. Violet, May, June, 2'		.20
pseudacorus. Yellow, June, 3'		.20
*pumila atroviolacea. Wine, April, 6".		.20
*pumila Bride. White, April, 6"	25	.20

Iris		25 & up
pumila Cyanea. Crimson purple, April	each	each
6"	.25	.20
*pumila Curiosa. Yellow, April, May, 9"	.30	.25
*pumila Fairy. Pale blue, April, 6"	.30	.25
*pumila lutea. Pale yellow, April, 6"	.25	.20
*pumila Midget. Purplish red, April, 6"	.25	
*pumila Schneecuppe. White, April, 6"	.25	.20
*pumila Sambo. Violet, April, 9"	.25	.20
sibirica. Purplish blue, June, 3'	.25	.20
sibirica alba. White, June, 3'	.25	.20
sibirica Emperor. Clear blue, May, 2'	.25	.20
sibirica Snow Queen. White, May, 2'	.25	.20
spuria Dorothy Foster. Violet standards,		
lighter falls, June, 2'	.50	.40
*Stewart. Dwarf, yellow, April, 9"	.30	.25
*tectorum. Blue, June, 1'	.30	.25
*tectorum alba. White, June, 10"	.35	
*verna. Blue, May, June, 6"	.25	.20
versicolor. Blue, June, 2'	.25	.20
Isatis tinctoria, Yellow, May, June, 6'	.30	.25
*Jasione humilis. Blue, July, Aug. 6"	.30	.25
*perennis. Blue, June, July, 6"	.30	.25
*Jeffersonia diphylla. White, May, 8"	.40	
*Kniphofia pfitzeri. Coral, AugSept. 4'	.30	.25
Chromatella. Orange, summer, 3'	.50	
Red and Gold. July, 3'	.50	
White Giant. White, summer, 3'	.50	
*Lactuca perennis. Blue, June, 15"	.25	.20
*Lamium maculatum. Purple red, summer, 8"	.50	.45
*maculatum album. White, summer, 8"	.50	
Lathyrus latifolius. Pink to red, July, 6'	.25	.20
*Lavandula officinalis. (Sweet Lavender).		
July, 2'	.30	.25
officinalis alba. White, July, 2'	.30	.25
*nana. Lavender, Aug. 9"	.30	.25
*Leontopodium alpinum. Yellow, summer, 5"	.35	.30
Liatris pycnostachya. Purple, AugSept. 4'	.25	.20
spicata. Purple, Aug. 3'	.25	.20
Ligularia clivorum. Yellow, AugSept. 3'	.30	.25
Lilium auratum. White, gold band, summer,		
3'	1.50	
batemanniae. Salmon red, July, 3'	.45	
canadense. Yellow to red, June-July, 3'	.25	.20
andidum White June 3'	60	50

	5-24 each	25 & up each
Lilium		
concolor. Scarlet, July, 1'		
elegans. Orange, July, 1'		
hansoni. Orange, June, July, 4'		
henryi. Yellow, July, 2'		
pardalinum. Scarlet and yellow, 2'	.35	.30
phillippinense formosanum. White, June		
July, 2'	.50	
philadelphicum. Orange red, June, July	•	4.0
3'		.40
regale. White, July, 4'		.35
speciosum album. White, Aug. 2'	1.00	
speciosum rubrum. Pink carmine,	1.00	00
August, 2'		.90
superbum. Orange, July, Aug. 5'	.30	.25
*tenuifolium. Scarlet, June, 18"	.40	.35
_ , , , , , , , , , , , , , , , , , , ,	2.50	
tigrinum. Orange, spotted, Aug. 4'	.50	
tigrinum fl. pl. Orange, spotted, Aug. 4'	.50	40
umbellatum. Scarlet red, July, 2'		.40
willmottiae. Orange, July, 4'	1.00	
*Limonium auriculaefolium. Blue, June,		
July, 6"	.30	.25
*gmelini. Purplish blue, Aug. 18"	.30	.25
*latifolium. Blue, July, Aug. 2'	.30	.25
*Linaria aequitriloba. Pale mauve, June, 1"	.35	.30
*alpina. Blue, summer, 6"	.35	.30
*alpina rosea. Rose, summer, 6"	.35	
*cymbalaria. Lavender, summer, 4"	.30	.25
*origanifolia. Purple, June, 10"	.35	
*purpurea. Purple, summer, 3'	.30	.25
*Linum austriacum. Blue, summer, 3'	.30	.25
*alpinum. Blue, June, 10"	.30	.25
*flavum. Yellow, June, July, 1'	.30	.25
*narbonnense. Blue, June, July, 2'	.30	.25
*perenne. Blue, June, July, 1½'	.25	.20
Liriope graminifolia. Violet, summer, 1'	.50	.45
muscari. Lilac, summer, 15"	.50	
*Lithospermum purpureo-caeruleum. Blue		
May, 10"	.60	
Lobelia cardinalis. Scarlet, AugSept. 3'		0.5
siphilitica. Blue, Sept. 3'	.30	.25
sipinimed. Dive, Sept. 3	.30	.25
For less than five, add five cents per plant to the	5-24 r	ate.

	5-24 : each	25 & up each
Lupinus polyphyllus. Blue, June, July, 3'	.30	.25
polyphyllus albus. White, June, July, 3'	.30	.25
polyphyllus roseus. Pink, June, July, 3'	.30	.25
Russell hybrids. Various, June, July, 3'	.30	.25
*Lychnis alpina. Rose color, June, 1'	.30	.25
arkwrighti. Scarlet, summer, 15"	.30	.25
chalcedonica. Scarlet, July, 3'	.25	.20
coronaria. Crimson, July, 2'	.25	.20
coronaria alba. White, July, 2'	.25	.20
flos jovis. Pink, June, 18"	.25	.2 0
*haageana. Scarlet, June, July, 1'	.30	.25
*viscaria splendens fl. pl. Red, June, 1'	.30	.25
Lysimachia clethroides. White, July, Aug. 3'	.30	.25
*nummularia. Yellow, June, July, 6"	.25	.20
*nummularia aurea. Yellow leaves, 3"	.25	
punctata. Yellow, June, 3'	.30	.25
vulgaris. Yellow, July, Aug. 3'	.30	.25
Lythrum alatum. Magenta, July-Aug. 3'	.25	.20
salicaria roseum. Rose, July, 4'	.25	.20
superbum The Beacon. Rose, July, 3'	.30	.25
virgatum. Deep rose, July-Aug. 1½'	.25	.20
Malva alcea. Rosy purple, July-Aug. 3'	.25	.20
moschata. Rose, July, Aug. 2'	.25	.20
moschata alba. White, July, Aug. 2'	.25	.20
Marrubium vulgare. White, summer, 3'	.35	
Matricaria Golden Ball. Yellow, summer, 1'	.30	.25
*parthenoides. White, May, 1'	.30	.25
Silver Ball. Dbl. white, summer, 1'	.30	
*Mazus reptans. Lilac, April, 4"	.30	.25
Melissa officinalis. White, Aug. 2"	.25	.20
Mentha crispa. Curly mint, 12"	.25	
piperita. Peppermint, purple, 2'	.25	.20
rotundifolia. Apple mint, 30"	.25	
spicata. Spearmint, 2'	.25	.20
*Mertensia virginica. Purplish blue, March,		
April, 2'	.25	.18
*Micromeria rupestris. White, fall, 10"	.30	.25
Mimulus luteus. Yellow, summer, 1'	.35	.30
Mitchella repens. White shaded pink, March		
A"	, 30	.25

		25 & up
Monarda didyma. Red, July, Aug. 3'	each .25	each .20
didyma alba. White, summer, 3'	.30	.25
didyma Cambridge. Scarlet, July, Aug.		
3'	.30	.25
didyma Salmonea. Salmon, July, Aug. 3'	.30	.25
didyma Sunset. Mahogany, July, Aug. 3'	.25	.20
didyma splendens. Scarlet, July, Aug. 3'	.25	.20
didyma violacea. Violet, July, Aug. 3'	.25	.20
fistulosa. Lilac, July, 3'	.25	.20
Mulgedium Bourgaei. Lilac, summer, 5'	.30	.25
*Myosotis alpestris. Blue, April, May, 8"	.25	.20
*alpestris alba. White, May, June, 8"	.25	.20
*alpestris pink. May, June, 8"	.25	.20
*palustris. Blue, all summer, 6"	.25	.20
*palustris Pink Beauty. All summer, 6"	.30	.25
Narcissus poeticus. White, May, 1'	.15	.12
*Nepeta hederacea. Blue, May, 2"	.25	.20
macrantha. Lavender, summer, 2'	.30	.25
*mussini. Blue, June, July, 1'	.30	.25
nuda. Violet, August, 3'	.35	
*Six Hills Giant. Blue, summer, 1'	.30	.25
*Souv. de Andre Chaudron. Blue, sum-		
mer, 1'	.35	.30
*Nierembergia rivularis. Creamy white, sum-		
mer, 4"	.35	.30
Oenothera fraseri. Yellow, summer, 1'	.35	
fruiticosa youngi. Lemon, June, July, 2'	.30	.25
lamarckiana. Yellow, July, Aug. 4'	.25	.20
missouriensis. Yellow, July, Aug. 6"	.30	.25
rosea. Rose summer, 15"	.30	.25
speciosa. White, July, Aug. 1½'	.35	.30
Onoclea sensibilis. Sensitive Fern	.30	.22
struthiopteris. Ostrich Fern	.30	.22
Onopordon bracteatum, Pink, July, 5'	.25	.20
*Opuntia fragilis. Yellow, June, 4"	40	
*humifusa. Yellow, June, 10"	.40	
megacantha. Yellow, June, 3'	.40	
Origanum vulgare. Pink, summer, 2'	.35	
*Orobus vernus. Rose purple, May, 1'	.35	

		25 & up each
Osmunda cinnamonea. Cinnamon Fern	.30	.22
regalis. Royal Fern		
Pachysandra terminalis. White, May, 3"		
2 year from pots	.25	.20
Paeonia officinalis rosea. Rose pink	.60	.50
officinalis rubra. Red	.60	.50
sinensis. Strong plants, 3-5 eyes.		
Albert Crousse. Salmon pink	.75	
August Dessert. Velvety rose	1.00	
Beauty of France. Pale rose	.60	
Claire Dubois. Satiny pink	.65	
Dr. Vandertak. Crimson	.65	
Duc de Wellington. White	.60	.55
Duchess de Nemours. Creamy white		
Edulis. Deep rose		
Felix Crouse. Brilliant red		.75
Festiva maxima. Finest early white		.75
Karl Rosenfield. Early red		
Lady Alexandra Duff. Pale pink.		
Longfellow. Red		
Marie Crousse. Salmon pink		
Marie Lemoine. Creamy white		.60
Marquise of Lansdowne. Large, pink	.75	
Mons. Martin Cahuzac. Dark pur-	1.05	
ple garnet	1.25	
Mons. Jules Elie. Pink with darker	. 05	75
guard petals Light original		.75
Mrs. Van Leeuwen. Light crimson		45
Roem von Boskoop. Deep rose Solange. White petals, golden	.50	.45
brown center	1.25	
Souv. de Louis Bigot. Bengal rose		
Therese. Violet rose		
Triumph de Paris. Light pink, yel-	1.00	
low center	.50	.45
Virginie. Lilac rose		
Walter Faxon. Pure pink		
Wm. Mesman. White		
single Japanese. Named varieties	1.25	
Alba Grandiflora. White.		
Cleopatra. Red.		
Eva. Bright lilac-crimson.		
Jacqueline. Pure white.		

5-24 25 & up each each

Paeonia single Japanese	0401	0401
L'Etincelante. Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to whi	ite.	
Shi-pen-kue. Nearest to blue in Peoni		
suffruticosa. Tree Peony. (see Page 91)	•	
·		
*Papaver alpinum. Various, summer, 6"	.35	
*nudicaule. All colors, summer, 8"	.25	.20
*orientale bracteatum. Red, June, 2'	.25	.20
oriental. Orange scarlet, June, 2'	.25	.20
Beauty of Livermore. Crimson.		
June, 3'	.40	
Fairy. Pale pink, June, 2'	.35	.30
Giant Mulberry. Mulberry, June, 2'	.60	.50
Helen Elizabeth. Pink, June, 2'	.40	.35
Indian Chief. Mahogany, June, 2'	.50	.45
Lulu A. Neeley. Ox-blood red,		
June, 3'	.40	
May Sadler. Salmon, June, 2'	.40	
Mrs. Perry. Salmon pink, June, 3'	.40	.35
Olympia. Scarlet, June, 3'	.35	.30
Perry's White. White, June, 3'	.50	
Wurtembergia. Rose-red, June, 2'	.40	
pilosum. Brick red, June, 3'	.30	.25
Pardanthus. (see Belamcanda).		
*Pennisetum japonicum. Fountain Grass	.35	.30
*Pentstemon alpinus. Bluish purple, June, 1'	.25	.20
*arizonicus. Purple, June, July, 8"		.20
	.25	.20
barbatus coccineus. Scarlet, July, Aug. 4'	.25	.20
barbatus Pink Beauty. Pink, summer, 2'	.35	.30
digitalis. White, August, 3'	.30	.25
Garnet. Red, summer, 18"	.35	.30
glaber. Blue, summer, 2'	.25	
grandiflora. Blue, summer, 3'	.35	
hirsutus. Rosy purple, July, Aug. 2'	.35	
ovatus. Blue, July, Aug. 3'	.35	
*pygmaeus. Purplish blue, summer, 6"	.35	
unilateralis. Blue, June, 2'	.30	.25
Phalaris arundinacea variegata. Ribbon Grass	.25	.20
	0	

Phlox amoena. Pink, May, 4"	5-24 each .25	25 & up each .20
*divaricata. Lavender, May, June, 1'	.30	.25
*divaricata laphami. Violet, June, 1'	.35	
glaberrima. Pink, June, 18"	.35	.30
maculata. Purplish red, May, June, 4'	.25	.20
*ovata. Red, May, June, 1'	.25	
paniculata. 2-3'		
Africa. Carmine, red eye	.30	.25
Antonin Mercie. Lilac, white center	.25	.20
America. Rose pink	.25	.20
B. Compte. Rich French purple	.30	.25
Baron von Dedem. Salmon red	.25	.20
Border Queen. Dwarf pink	.30	.25
Caroline Vandenburg. Lavender blue	.30	
Champs Elysees. Rich purple		
crimson	.25	.20
Chas. Curtis. Red	.40	.30
Colonial. Light blue	.25	.20
Commander. Crimson	.25	.20
Count Zeppelin. White, red eye	.30	
Daily Sketch. Salmon pink, car-		
mine eye	.30	.25
Enchantress. Salmon pink, dark eye		.20
Elizabeth Campbell. Salmon pink.	.25	.20
Ethel Pritchard. Mauve	.25	.20
Feuerbrand. Orange scarlet	.25	.20
Fiancee. White	.25	.20
George Stipp. Salmon, lighter eye.		.25
Gustave Lind. Deep salmon	.30	
Jules Sandeau. Large pink		.25
Karl Foerster. Orange scarlet		
Lavender Beauty. Lavender	.25	.20
Louis Abbema. Dwarf white	.25	.20
Leo Shlageter. Bright scarlet		.30
Lilian. Fine light pink		.25
Mad. Paul Dutrie. Soft pink		.25
Maid Marian. Soft lavender	.30	.25
Mary Louise. Pure waxy white	.30	.25
Mia Ruys. White		.00
Mrs. Jenkins. Pure white		.20
Mrs. Milly van Hoboken. Soft pink	.25	.20

Dhlan maniaulata	5-24 each	25 & up each
Phlox paniculata		
Mrs. W. Van Bueningen. Salmon red		.25
Miss Lingard. White	.35	.30
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.30	.25
P. D. Williams. Apple blossom pink	.30	
Peachblossom. Shell pink	.25	.20
Rheinlander. Salmon pink, claret		
eye	.30	.25
R. P. Struthers. Carmine, claret eye	.25	.20
Salmon Glow. Salmon pink	.30	
Special French. Soft pink	.25	.20
Splendour. Pink	.30	.25
Thor. Deep salmon pink	.25	.20
Von Hockberg. Velvety red	.30	.25
Widar. Light reddish violet, white		
eye	.25	.20
*pilosa. Lavender, May, 1'	.25	.20
*reptans. Lilac, May, 6-12"	.25	.20
*stellaria. Creeping, May, 4"	.25	.20
*subulata alba. White, April, May, 4"	.25	.20
*subulata atropurpurea. Purple, Apr. 4"	.25	.20
*subulata Blue Hills. Light blue, April, 4"	.30	.20
*subulata Camla. Pink, May, 4"	.50	
*subulata Dixie Brilliant. Red, May, 4"	.30	.25
*subulata Fairy. Blue, purple eye, April	.00	.20
4"	.25	.20
*subulata G. F. Wilson. Lilac, May, 6"	.25	.20
*subulata lilacina. Light blue, April		.20
May, 4"	.25	.20
*subulata Little Dot. Lilac, April, 4"		.20
*subulata nelsoni. White, May, 4"	.25	.20
*subulata Perfection. Rose, pink eye,		
April, 4"	.25	.20
*subulata rosea. Pink, May, 4"	.25	.20
*subulata The Bride. White, pink eye,		
May, 5"	.25	.20
*subulata Vivid. Pink, red eye, April, 4"	.35	.30
Phygelius capensis. Red, AugSept. 3'	.50	
*Physalis francheti. Red pods, Oct. 2'	.25	.20
*Physostegia virginiana. Rose, Aug. 3'	.25	.20
virginiana alba. White, Aug. 3'	.25	.20
virginiana Vivid. Deep pink, Aug. 2'	.30	.25
2 00p pilin, 11ug. 2	.00	.40

		25 & up
*Phyteuma orbiculare. Purple, June, July, 2'	.30	each
Platycoden grandiflorum. Blue, summer, 2'	.25	.20
grandiflorum. Pink, summer, 2'	.40	.20
grandiflorum album. White, summer, 2'	.25	.20
*mariesi. Deep blue, summer, 1'	.30	.25
*mariesi album. White, summer, 1'	.30	.25
mariesi. Dbl. blue, summer, 18"	.40	.40
mariesi. Dbl. white, summer, 18"	.40	
*Plumbago larpentae. (see Ceratostigma).		
Podophyllum peltatum. White, May, June, 1'	.25	.20
*Polemonium caeruleum. Deep blue, June,		
July, 1½'	.25	.20
*caeruleum album. White, June, July,		
1½'	.25	
*reptans. Blue, May, June, 6"	.25	.20
richardsoni. Sky blue, May, June, 6"	.25	.20
*Polygonum compactum. White, AugSept.,		
1½'	.25	.20
cuspidatum. White, AugSept. 5'	.25	.20
oxyphyllum. Creamy white, Sept. 3'	.30	.25
reynoutria. Pink, Sept. 1'	.40	.35
spaethi. Pink, Sept. 6'	.50	
Polystichum acrostichoides. Christmas Fern	.30	.22
*Potentilla atrosanguinea. Red, summer, 18"	.30	.25
*argentea. Yellow, summer, 18"	.25	.20
*crinita. Yellow, summer, 1'	.25	.20
*nepalensis. Showy red, May, June, 2'	.30	.35
*nepalensis Miss Willmott. Salmon pink,		
summer, 12"		.25
*pyrenaica. Yellow, summer, 18"		.20
*tridentata. White, summer, 1'	.30	.25
*Primula acaulis. Yellow, May, 9"	.30	.25
*auricula alpina. Various, May, 6"	.35	.30
*beesiana. Purple, May, 18"	.35	.30
*bulleyana. Apricot, June, 18"	.35	.30
*bulleyana hybrids. Various, May, 18"	.35	.30
*cashmiriana. Light lilac, May, 8"	.35	.30
*denticulata. Purple, yellow eye, May, 6"	.35	.30
*denticulata alba. White, May, 6"	.40	.35
*elatior. Yellow, May, 8"	.45	
*elatior atrocoerulea. Dark blue, May, 8"	.45	
florindae. Yellow, May, 4'	.40	.3 5

	5-24 each	25 & up each
*Primula *japonica atrosanguinea. Red, May,		
	9.5	
June, 1'* *japonica pink. May, June, 1'	.35	.30
	.35	.30
*polyanthus. White, or yellow, May, 10" *saxatilis. Rose, May, 10"	.30	.25
*veris. Yellow, April, May, 9"	.35	.30
*veris Giant Munstead. Various, May, 1'	.30	.25
*veris Gold Laced. Various, May, 9"	.30	.25
*veris lilacina fl. pl. Lilac, May, 4"	.50	.30
*Pulmonaria angustifolia. Blue, April, May, 8"		.30
*saccharata. Pink, April, May, 8"	.35	.30
*Prunella grandiflora. Violet, summer, 8"	.35	
*incisa rubra. Red, summer, 6"	.35	
Pyrethrum James Kelway. Sgl. red, June, 1'	.35	
*Princess Margaret. Crested pink,		
June, 1'	.35	
Rose Glory. Dbl. rose, June, 1'	.35	
roseum. Various, May, June, 1'	.25	.20
roseum double. Various, May, June, 2'	.35	
roseum Rosy Morn. Pink, June, 2'	.30	.25
roseum single scarlet. Summer, 1'	.35	
uliginosum. White, Sept. 5'	25	.20
Ranunculus acris fl. pl. Yellow, June, 3'	.35	.30
*repens. Yellow, June, 4"	.25	.20
repens fl. pl. Yellow, June, 1'	.25	.20
Rosmarinus officinalis. Light blue, April, 4"	.35	.30
Rudbeckia Autumn Glory. Yellow, Aug	0.5	
Sept. 6'	.25	.20
laciniata. (Golden Glow). Yellow, Aug. 6'		.20
nitida. Single yellow, AugSept. 6'	.25	.20
Rayon d'Or. Yellow, Aug. 5'	.25	.20
speciosa. Yellow, July, Aug. 2'	.25	.20
subtomentosa. Lemon yellow, Aug	.20	.20
Sept. 4'	25	.20
*Ruta graveolens. Yellow, summer, 2½'	.30	.25
	.30	.25
Salvia argentea. Pinkish white, June, 3'	.25	.20
azurea. Blue, Aug. 4'	.25	.20
azurea grandiflora. Blue, Aug. 4'	.35	.30
mlesting and 37-11- 7 7 7 4 4.	.25	.20
glutinosa. Yellow, June, July, 3'	.25	.20

	5-24 25 8 each ea	& up ach
officinalis. Blue, summer, 18"	.25	.20
pitcheri. (See azurea grandiflora) pratensis. Deep blue, June, 3' pratensis alba. White, June, 3' pratensis rubicunda. Rose, June, July, 3'	.25 .35 .35	.20
viscosa. Pink, July, 3'	.25	.20
*Sanguinaria canadensis. White, April, 8"	.30	.25
*Santolina chamaecyparissus. Gray foliage, 1'	.30	.25
*Saponaria ocymoides. Pink, summer, 9" officinalis rosea pl. Pink, summer, 18"	.25 .25	.20 .20
*Saxifraga aizoides. Yellow, Aug. 4"	.35 .35	
*caespitosa. Various, June, July, 6" *cochlearis. White, May, June, 9"	.35 .35	.30
*cordifolia. Rose pink, May, June, 1	.35 .35	.30 .30
*cotyledon. White, May, June, 18" *crassifolia. Rosy pink, April 1'	.55	.30
*deciniens. White, May, June, 4"	.50	.30
*haussmani. Yellow, May, June, 8" *lantoscana. White, May, June, 1'	.50	.30
*lingulata rosea, Pink, April, I'	.50	.30
*lingulata leichtlini. Rose, April, 1'	35	.30
*marginata. White, May, June, 3 *McNahiana. White, May, June, 12"	35	.30
*purpurea. Rosy purple, April, 1 *sarmentosa. White, summer, 2'	00	.25
Scabiosa caucasica. Lavender, all sum-	30	
*caucasica alba. White, summer, 1' caucasica House's Hybrids. Various,	.35	
nummer 1'	.35	.20
fischeri. Blue purple, summer, 2' japonica. Lavender, AugSept. 18"	.25	.20
*Schivereckia bornmulleri. White, summer,	4" .35	.30
*Scu'ellaria alpina. Purple and white, sum	35	.30
mer, 6"		.25

	5-24 each	25 & up each
*Scutellaria	each	eacn
*orientalis. Yellow, June, July, 8"	.35	
*Sedum acre. Yellow, June, July, 4"	.25	.20
*aizoon. Yellow, July, Aug. 1'	.25	
*album. White, July, 4"	.25	.20
*altissimum. Yellow, July, Aug. 9"	.25	.20
*dasyphyllus. White, tinged pink, June, 2"	.35	
*douglasi. Yellow, July, 2"	.25	.20
*ewersi. Pink, AugSept. 6"	.30	.25
*glaucum. Blue foliage, 2"	.30	.25
*kamtschaticum. Yellow, July, 6"	.25	.20
*maximum. Pink, SeptOct. 18"	.25	.20
*middendorffianum. Yellow, June, July,		
4"	.25	.20
*murale. Pink, July, 1'	.25	.20
*obtusatum. Yellow, July, Aug. 3"	.25	.20
*sarmentosum. Yellow, July, 3"	.25	.20
*sexangulare. Yellow, June, July, 6"	.25	.20
*sieboldi. Pink, July, Aug. 1'	.35	.30
*spectabile. Pink, Aug. Sept. 1½'	.25	.20
spectabile Brilliant. Crimson, Sept. 1½'	.25	.20
*spurium album. White, July, Aug. 6"	.25	.20
*spurium splendens. Rosy crimson,	0.5	
August, 6"	.25	.20
*stoloniferum. Pink, July, Aug. 6" *stoloniferum coccineum. Crimson,	.25	.20
August, 6"	.25	.20
*ternatum. White, May, June, 4"	.30	.25
	.35	.30
*arenarium. Yellow, July, 6"	.35	.30
*atroviolaceum. Reddish purple, 8"	.35	
*brauni. Bronze, July, 6"	.35	
*funcki. Brown, June, July, 6"	.35	.30
	.35	.30
*glaucum. Pink, July, Aug. 6"	.35	.30
*globiferum. Yellow, June, 12"	.35	.30
*tectorum violaceum. Violet red, June, 4"	.35	.30
*Shortia galacifolia. White, June, 8"	.40	.35

man by D. Wille Tule	5-24 25 each	
Sidalcea Rose Queen. Rose pink, July, August, 4'	.30	.25
*Silene alpestris. White, May, June, 6"	.30	.25
*maritima. White, summer, 1'	.25	.20
*maritima rosea. Pink, summer, 1'	.25	.20
orientalis. Pink, July, 2'	.30	.25
*r^emeri. White, July, Aug. 1'	.30	
*saxifraga. White, summer, 6"	.35	
*schafta. Bright pink, July, 6"	.30	.25
Silphium perfoliatum. Yellow, July, 6'	.35	.30
*Sisyrinchium angustifolium. Blue, June,		
July, 6"	.30	.25
Smilacina racemosa. White, April, 2-3'	.30	.25
Solidago canadensis. Yellow, fall, 4-5'	.25	.20
rigida. Yellow, fall, 3-4'	.25	.20
shorti. Yellow, fall, 4'	.25	.20
Spigelia marilandica. Red, June, July, 2'.	.50	
*Spirea aruncus. White, June, July, 3-5'	.30	.25
camtschatica. White, July, 6'	.30	.25
chinensis. Silvery pink, June, July, 2'	.30	.25
eximea. Pink, June, July, 2'	.30	.25
filipendula. Single, white, June, July, 1'	.30	.25
filipendula fl. pl. White, summer, 15"	.30	0.5
lobata. Pink, July, 4'	.30	.25
palmata. Rosy crimson, June, July, 2'	.30	.25
ulmaria fl. pl. White, June, 3-4'	.30	.25
venusta magnifica. Deep pink, July, 3'	.30 20	.30 .25
Stachys lanata. Purple, June, July, 18" Statice. (see Limonium)	.50	.20
	0.0	0.5
*Stellaria holostea. White, May, June, 1½'		.25
Stokesia laevis. Lavender, AugSept. 1'	.25	.20
laevis alba. White, Aug. Sept. 1'		.25
laevis Blue Moon. Blue, AugSept. 1'		.20
Tanacetum vulgare. Yellow, summer, 3'		.25
Teucrium chamaedrys. Rose, Aug. 1' orientale. Blue, Aug. 10"		.25
Thalictrum adiantifolium. Yellow, June, 4'		.25
aquilegifolium. White, June, 5'	.30	.25
aquilegifolium purpureum. Purple,		
June 3'	.30	.25
dipterocarpum. Lilac, Aug. 3'		.30
,		

Thalictrum		25 & up each
glaucum. Golden-yellow, June, 4' minus. Greenish yellow, June, July, 2'	.30 .30	.25 .25
Thermopsis caroliniana. Yellow, June, 6'. Thymus odoratissimus. Lilac, summer, 6" *nitidus. Rose, June, July, 3". *serpyllum. White, June, 4" *serpyllum citriodorus. Purple, June,	.35 .30 .30 .30	.30 .25 .25
July, 3-5" *serpyllum coccineus. Scarlet, June, 4" *serpyllum lanuginosus. Rosy purple,	.30 .30	.25 .25
June, July, 5"* *serpyllum roseus. Rose, summer, 8" vulgaris. Lilac, June, July, 8"	.30 .30 .30	.25 .25 .25
*Tiarella cordifolia. Creamy white, June, 8"	.30	.25
Tradescantia virginiana. Blue, all summer, 2' James Stratton. Deep blue, summer, 1' Purple Dome. Purple, summer, 1' Pauline. Cattleya mauve, summer, 1' James C. Weguelin. Blue, summer, 1'	.30 .40 .40 .40	.25 .35 .35 .35
Trillium erectum. Purple, May, 1' *grandiflorum. White, May, 1'	.25 .25	.20 .20
Tritoma. (see Kniphofia)		
*Trollius europeus. Citron yellow, July, Aug. 1' europeus Orange Globe. Orange, sum-	.45	
mer, 18" *ledebouri. Orange, summer, 18" *ledebouri Golden Queen. Orange, sum-	.50 .45	
mer, 18"	.45	0.0
*saxifraga alba. White, summer, 6"	.30	.25
*saxifraga rosea fl. pl. Pink, summer, 6"	.35	.30
Valeriana officinalis. Rose, June, July, 5'	.30	.25
olympicum. Yellow, July, Aug. 5'phceniceum. Various, May, June, 3'	.25	.20 .30 .20 .20
willmottiae. White, summer, 5' For less than five, add five cents per plant to the 5-2		.20
5-2	4 rate.	

	5-24 2 each	5 & up each
*Verbena canadensis. Purple, Aug. 18"		.25
hastata. Blue, AugSept. 3'		.25
Vernonia noveboracensis. Purple, Aug.		
Sept. 5'	.30	.25
*Veronica allioni. Violet, June, 2"	.30	.25
*alpestris. Pale blue, June, 18"	.30	.25
amethystina Royal Blue. June, July, 12"	.35	.30
*Blue Spires. Blue, summer, 18"	.35	.30
caucasica. White, July, 6"	.30	.25
*chamaedrys. Blue, May, June, 18"	.30	.25
*elegantissima. Blue, July, Aug. 2'	.30	.25
*erica. Pink, summer, 10"	.30	.2 5
*filiformis. Blue, May, 2"	.30	.25
*incana. Pale blue, July, Aug. 1½'	.25	.20
*longifolia subsessilis. Blue, AugSept. 2'	.35	.30
*orchidea. Blue, July, 18"	.30	.25
*pectinata rosea. Pink, May, June, 6"	.30	.25
*peduncularis. White, June, 6"	.30	.25
*pulchella. Blue, May, 1'	.30	.25
*repens. Pale blue, May, June, 2"	.30	.25
*rupestris. Blue, June, 6"	.30	.25
*rupestris alba. White, June, 4"	.30	.25
*rupestris nana. Dark blue, June, 2"	.30	.25
*rupestris pink. June, 4"	.30	.25
*spicata. Blue, July, Aug. 2'	.25	.20
*spicata alba. White, Aug. 18"	.30	
*spicata nana. Blue, June, 6"	.30	
*spuria. Blue, June, 18"	.30	.25
*teucrium prostrata. Blue, June, 1'	.30	.25
*True Blue. June, July, 12"	.30	.25
virginica. Pale blue, Aug. 4'	.30	.25
*Vesicaria utriculata. Yellow, April, May, 8		.25
Vinca minor. Blue, all summer, 6"	.25	.18
minor alba. White, all summer, 6"	.40	.35
minor Bowles. Blue, summer, 6"	.30	.25
minor rubra plena. Red, all summer, 6	" .45	.40
*Viola alba. White, May, 6"		.20
mer, 6"	25	.20
*cornuta alba, type. White, all summer,	6" .25	.20
*cornuta Apricot. Apricot, summer, 6	.30	.25

		25 & up
*Viola	each	each
*ccrnuta Arkwright Beauty. Red, sum-		
mer, 6"	.35	
*cornuia atropurpurea type. Purple, 6"	.25	.20
*cornuta Blue Perfection. Blue, all		
summer, 6"	.25	.20
*cornuta Catherine Sharp. Blue, sum-		
mer, 6"	.35	.30
*cornuta Chantryland. Apricot, sum-		
mer, 6"	.35	
*cornuta florariensis. Pale blue, sum-		
mer, 6"	.35	
cornuta G. Wermig. Violet, all sum-		
mer, 6"	.25	.20
*cornuta White Wermig. White, sum-		
mer, 8"	.30	.25
*cornuta Lutea Splendens. Yellow, all		
summer, 6"	.25	.20
*cornuta Mauve Queen. Mauve, all		
summer, 6"	.30	.25
*cornuta Papilio. Violet, all summer, 6"	.30	.25
*cornuta Primrose Dame. Yellow, sum-		
mer, 6"	.35	
summer, 6"	0.7	
*Double Russian. Blue, June, 4"	.25	.20
*gracilis. Deep violet, summer, 1'	.35	.30
*Jersey Gem. Rich violet, summer, 6"	.35	0.5
*odorata. Blue, April, May, 6"	.30	.25
*odorata Gov. Herrick. Blue, May, 6"	.25	.20
*odorata Princess of Wales. Violet, May,	.25	.20
6"	.25	20
*odorata Rosina. Pink, May, 4"	.30	.20 .25
*odorata Royal Robe. Violet, summer, 8"	.30	.25
*pedata. Violet, May, June, 6"	.25	.20
*primulifolia. Pale blue, summer, 6"	.30	.25
*Rohrbach's Everblooming. Violet, 4"	.30	.25
*fricolor. Purple and yellow, summer, 6"	.30	.25
"wellsiana. Various, all summer. 6"	.30	.25
Yucca filamentosa. White, June, July, 7'		.20
2 year	.25	.20
3 year	35	.30
*glauca. White, June, July, 3'	.50	

FRUIT GARDEN MATERIAL

We are able to supply all the leading varieties

			1-4 each	5-24 2 each	25 & up each
Apples,	Crab	5 to 7 ft	1.50	1.35	
		5 to 7 ft	1.50	1.35	
Cherry,	Sour,	5 to 7 ft	2.25	2.00	
•	Sweet,	5 to 7 ft	3.00	2.75	
Peaches,		5 to 7 ft	2.00	1.75	
Pears,	Dwarf,	5 to 6 ft	2.25	2.00	
		5 to 7 ft	2.25	2.00	
Plums,		5 to 7 ft	2.25	2.00	
Quinces,		4 to 5 ft	2.50		
Asparagus				.15	.12
Blackb	erries			.20	.18
Grapes	, 3 yr. str	ong	.50	.45	
_				.20	.18
				.25	.22
				.30	.25

CONIFEROUS EVERGREENS

Abies alba A. alba pyramidalis A. balsamea
A. concolor
A. c. violocea A. firma
A. fraseri
A. homolepis A. nordmanniana A. pinsapo A. procera glauca A. veitchi Cedrus deodara C. libani Chamaecyparis lawsoniana C. I. alumi C. I. Triomphe de Boskoop C. nootkatensis
C. n. pendula C. obtusa compacta C. o. nana C. pisifera C. p. aurea C. p. filifera C. p. filifera aurea
C. p. filifera aurea variegata
C. p. plumosa C. p. plumosa aurea
C. p. plumosa argentea
C. p. plumosa sulphurea C. p. squarrosa Cryptomeria japonica lobbi Juniperus chinensis J. c. albovariegata
J. c. columnaris
J. c. globosa
J. c. mas J. c. neaboriensis J. c. oblonga J. c. pfitzeriana J. c. sargenti J. c. smithi J. communis J. c. depressa J. c. depressa aureo-spica J. c. hibernica J. c. suecica J. c. suecica nana J. conferta J. excelsa J. e. stricta J. horizontalis J. h. alpina J. h. glauca J. h. plumosa J. japonica J. j. aurea japonica J. recurva J. rigida J. Sabina J. s. tamariscifolia J. s. von ehron J. scopulorum J. sphaerica J. squamata J. s. meyeri virginiana J. v. canaerti J. v. elegantissima J. v. glauca J. v. globosa

J. v. keteleeri J. v. kosteri J. v. pendula J. v. plumosa J. v. schotti J. v. tripartita J. v. venusta Picea abies P. a. aurea P. a. clanbrasiliana P. a. maxwelli P. a. parviformis
P. a. pendula
P. a. pygmaea P. a. nana
P. a. remonti
P. bicolor P. engelmanni
P. glauca
P. g. aurea
P. g. conica
P. g. densata
P. mariana P. mariana P. m. doumeti P. omorika P. orientalis P. polita P. pungens
P. p. glauca
P. p. kosteri
P. p. moerheimi
Pinus banksiana P. cembra $\bar{\mathbf{P}}$. densiflora P. flexilis P. mugo P. m. mughus P. nigra P. parviflora P. peuce P. ponderosa P. resinosa P. strobus P. sylvestris P. thunbergi Pseudotsuga taxifolia Taxus baccata T. b. erecta
T. b. fastigiata
T. b. repandens
T. b. washingtoni T. canadensis T. cuspidata T. c. aurescens T. c. nana T. c. nana compacta T. c. capitata Т. hunnewelliana T. media T. m. andersoni m. browni m. hatfieldi T. T. T. m. hicksi Thuja occidentalis T. o. aurea douglasi T. o. columbia T. o. compacta T. o. cristata T. o. elegantissima T. o. ellwangeriana o. ericoides

Coniferous Evergreens Continued

T. o. globosa T. o. hoveyi

T. o. pumila
T. o. pyramidalis
T. o. douglasi pyramidalis
T. o. reevesi

T. o. reidi
T. o. riversi
T. o. rosenthali
T. o. spiralis

T. o. umbraculifera T. o. vervaeneana

T. o. wareana
T. o. woodwardi
T. orientalis
T. o. conspicua
T. o. elegantissima
T. o. nana aurea
T. o. sieboldi

T. plicata T. standishi

Tsuga canadensis

T. caroliniana

BROAD - LEAVED EVERGREENS

Arctostaphylos uva-ursi Azalea obtusa amoena A. o. j. hinodegiri

A. rosmarinifolia A. r. sekidera

Berberis sargentiana B. triacanthophora
B. verruculosa

Bruckenthalia spiculifolia Buxus microphylla

B. m. koreana

sempervirens handsworthi

Calluna vulgaris

C. v. alba
C. v. alporti
C. v. aurea
C. v. carnea
C. v. compacta
C. v. rubra
C. v. searlei
Chamacdenhage

Chamaedaphne calyculata

Daphne cneorum Erica carnea E. darleyensis E. vagans

Euonymus fortunei

E. f. argenteo-marginatus
E. f. carrieri
E. f. colorata

E. f. kewensis
E. f. minima
E. f. radicans
E. f. vegetus
E. kiautschovicus

Ilex cornuta

I. crenata

I. c. bullata
I. c. latifolia
I. c. microph
I. glabra
I. opaca

microphylla

Kalmia latifolia Leucothoe catesbaei Lonicera nitida

L. pileata

Mahonia aquifolium Pachistima canbyi Pieris floribunda

P. japonica

Pyracantha lalandi

P. coccinea

P. yunnanensis

Rhododendron carolinianum

R. catawbiense R. maximum

Stranvaesia davidiana Viburnum rhytidophyllum

DECIDUOUS SHADE TREES

Acer compestre

A. cappadocicum
A. negundo
A. nigrum
A. platanoides

A. p. columnare A. p. schwedleri

A. p. schwederi
A. pseudoplatanus
A. rubrum
A. saccharinum
A. s. pyramidale
A. s. wieri
A. saccharum

Aesculus carnea

A. glabra

A. hippocastanum A. h. baumanni

A. octandra A. turbinata

Ailanthus altissima

A. vilmoriniana

Alnus cordata

A. glutinosa
A. g. laciniata
A. hirsuta

A. incana A. japonica

Betula maximowicziana

B. lenta
B. lutea
B. nigra

B. papyrifera

B. p. cordifolia
B. pendula
B. p. fastigiata
B. p. laciniata

B. populifolia

Carpinus betulus C. caroliniana

C. cordata C. tschonoski

Deciduous Shade Trees Continued

Carya ovata Castanea mollissima Catalpa speciosa Cedrela sinensis Celtis occidentalis C. sinensis Cercidiphyllum japonicum C. i. sinense Eucommia ulmoides Fagus grandiflora F. sylvatica
F. s. fastigiata
F. s. heterophylla F. s. pendula
F. s. purpurea
F. s. riversi Fraxinus americana F. excelsior F. mandshurica F. nigra F. pennsylvanica
F. p. lanceolata
F. quadrangulata Ginkgo biloba
G. b. fastigiata
Gleditsia elegantissima G. japonica G. triacanthos
G. t. inermis Gymnocladus dioica Juglans cineria J. nigra J. sieboldiana Larix decidua L. laricina L. leptolepis Liquidambar formosana L. styraciflua Liriodendron tulipfera L. t. fastigiatum Magnolia acuminata M. denudata M. fraseri M. obovata M. tripetala Morus alba tatarica Ostrya virginica Paulownia tomentosa Phellodendron amurense P. lavallei Platanus occidentalis P. orientalis Populus alba
P. a. bolleana
P. a. nivea P. berolinensis P. candicans P. maximowiczi
P. nigra italica
P. nigra betulifolia
P. simoni
P. simoni P. suaveolens
P. tremuloides
P. trichocarpa Prunus serotina Ptelia trifoliata

Quercus alba

Q. bicolor Q. borealis Q. cerris Q. coccinea Q imbricaria Q. lyrata Q. macrocarpa Q. palustris Q. phellos Q. Q. rubra Q. stellata Q. texana
Q. variabilis
Q. velutina Robinia pseudoacacia R. p. bessoniana R. p. decaisneana Salix alba chermesina S. a. vitellina
S. a. pendula
S. b. crispa
S. blanda S. elegan. S. fragilis mandsh elegantissima S. mandshurica S. niobe S. pentandra S. sepulcralis S. sieboldiana S. wentworthi Sassafras albidum Sorbus aria latifolia S. aucuparia S. a. fastigiata S. thuringiaca S. torminalis Taxodium distichum Tilia americana T. cordata
T. cordata
T. euchlora
T. eúropea
T. henryana
T. heterophylla
T. oliveri
T. platvphyllos T. platyphyllos
T. p. pyramidalis
T. tomentosa Ulmus americana U. a. moline U. a. urni U. carpinifolia sarniensis U. hollandica belgica U. h. klemmeri U. h. vegata U. procera
U. p. monumentalis
U. p. purpurea
U. fulva
U. glabra U. g. camperdowni U. g. nana U. japonica U. parvifolia U. pumila U. thomasi Zelkova serrata

DECIDUOUS SMALL TREES

Acer buergerianum

A. ginnala

griseum

A. japonicum aureum

A. nikoense

A. palmatum
A. p. atropurpureum
A. p. filicifolium
A. p. elegans

A. pennsylvanicum A. platanoides globosum

A. sieboldianum
A. spicatum
A. tartaricum

Albizzia julibrissin rosea

Alnus pendula Aralia spinosa Asimina triloba

Broussonetia papyrifera

Cercis canadensis

C. c. alba

Cladrastis lutea Cornus florida C. f. plena C. f. rubra C. f. welchi C. kousa C. k. chinensis

C. mas

C. officinalis Cotinus coggygria Crataegus aprica

C. arkansana C. arnoldiana C. cocciniodes C. crusgalli C. cuneata

C. hupehensis C. intricataC. lavalleiC. macracantha

C. mollis

C. monogyna C. m. stricta C. nitida C. oxyacantha

C. o. plena
C. o. pauli
C. o. punicea
C. o. rosea plena

C. peregrina C. persistens C.

phaenopyrum C. pinnatifida major

C. pruinosa
C. prunifolia
C. punctata C. succulenta C. tomentosa C. viridis

Diospyros virginiana Franklinia alatamaha Halesia tetraptera

H. monticola Idesia polycarpa Kalepanax pictus

K. p. maximowiczi Koelreuteria paniculata Laburnum alpinum

L. anagyroides L watereri

Maackia amurensis Magnolia kobus

M. soulangeana M. s. nigra M. s. lennei

M. virginiana

Malus angustifolia

M. arnoldiana M. adstringens M. atrosanguinea M. baccata

M. b. mandshurica

M. brevipes M. coronaria M. c. Charlotte

M. dolga M. Elisa Rathke M. florentina M. floribunda M. fusca

M. glaucescens M. halliana

M. h. parkmani M. hopa M. hupehensis M. h. rosea

M. ioensis M. i. plena M. micromalus M. niedzwetzkyana

M. Oekonemurat Echtermeyer

M. purpurea
M. p. aldenhamensis
M. p. eleyi M. p. lemoinei M. prunifolia rinki M. robusta

M. r. erecta M. r. persicifolia M. sargenti M. scheideckeri

M. sieboldi
M. spectabilis
M. s. alba plena
M. sublobata

M. toringoides
M. tschonoski
M. yunnanensis veitchi
M. zumi
M. z. calocarpa
Morus alba pendula
Nyssa aquatica

N. sylvatica Oxydendrum arboreum

Prunus americana P. a. Newport P. armeniaca sibirica

P. avium plena P. cerasifera pissardi

P. cistena P. davidiana P. d. alba Ρ. hortulana P. incisa P. maacki

P. moseri fl. pl.

P. mume P. mume fl. pl.

P. padus pennsylvanicum

P. persica

Deciduous Small Trees Continued

P. p. alboplena
P. p. Clara Meyer
P. p. rubroplena
P. sargenti
P. serrulata
P. s. Amenograms

P. s. Amanogawa

P. s. Gioiko
P. s. Hata-zakura

P. s. Horaisan P. s. Hosokaw Hosokawanioi

P. s. Higantakura
P. s. Higantakura
P. s. Jas. H. Veitch
P. s. Jonioi

P. s. Kuramayami

P. s. Kwanzan P. s. lannesiana

P. s. Miyako

P. s. Shirofugen
P. s. Shogetsu
P. s. sirotae
P. s. Sumizome

P. sieboldi syn. Naden P. spinosa

P. subhirtella
P. s. ascendens

P. s. autumnalis P. s. pendula

P. virginiana

P. yedoensis P. y. taizanfukun

Pterostyrax corymbosa

Pyrus calleryana

P. betulaefolia P. salicifolia P. serrulata

Rhus chinensis

Robinia fertilis
R. globosa
R. hispida

R. holdti R. Margaretta

Salix amygdaloides

S. caprea
S. matsudana
S. m. tortuosa
S. regalis

Sophora japonica Sorbus americana

S. commixta S. spuria

Styrax japonica

S. obassia

Syringa amurensis japonica

S. pekinensis

DECIDUOUS SHRUBS

Abelia chinensis

A. grandiflora

A. schumanni

Acanthopanax sieboldianus

Aesculus parviflora

Alnus rugosa

A. viridis

Amelanchier alnifolia

A. asiatica

A. canau A. laevis canadensis

A. grandiflora rubescens

A. oblongifolia
A. ovalis
A. sanguinea

A. stolonifera Amorpha brachycarpa

A. canescens

A. fruticosa

Aronia arbutifolia

A. melanocarpa A. m. elata

A. prunifolia

Artemisia abrotanum

Azalea calendulacea

A. canescens

A. kaempferi A. lutea A. mollis

A. nudiflora
A. viscosa
A. yedoensis
A. y. poukhanensis

Baccharis halimifolia Berberis koreana

B. circumserrata

B. thunbergi
B. t. atropurpurea
B. t. minor

B. t. pluriflora
B. t. erecta

Berchemia racemosa

Bischoffia javanica Buddleia Charming B. alternifolia

B. davidi
B. d. superba
B. d. veitchiana

B. farquhariB. Ile de France

B. intermedia

B. lindleyana

B. paniculata Callicarpa americana

C. dichotoma

C. giraldiana C. japonica

Calycanthus floridus

C. occidentalis

Caragana arborescens

C. a. lorbergi

C. boisi

C. frutexC. sophoraefolia

Caryopteris incana

Ceanothus americanus Cephalanthus occidentalis

Cercis chinensis

Chaenomeles japonica

C. j. alpina
C. lagenaria
C. l. alba
C. l. cathayensis
C. l. Columbia
C. l. Falconet Charlet
C. l. kermesina semiplena
C. l. pygmaea

C. l. pygmaea
C. l. rosea grandiflora
C. l. rosea plena
C. l. rubra
C. l. semperflorens
C. l. umbilicata
C. l. Vermilion
Chieranthus virginious Chionanthus virginicus

Clerodendron trichotomum

Clethra alnifolia C. a. paniculata barbinervis C.

Colutea arborescens

C. cilicica C. media

Comptonia asplenifolia

Cornus alba
C. a. elegantissima
C. a. sibirica C. a. spaethi C. alternifolia C. amomum C. baileyi C. paucinervis
C. pubescens
C. racemosa
C. rugosa
C. sanguinea
C. s. viridissima
C. stolonifore

C. stolonifera C. s. flaviramea Corylus americana

C. avellana

C. a. atropurpurea

C. heterophylla setchuenensis C. rostrata

Cotoneaster acutifolia

C. a. villosula
C. adpressa
C. ambigua
C. apiculata
C. demmori C. dammeri C. dielsiana divaricata C. C. foveolata
C. francheti
C. himalaicus
C. horizontalis

C. h. perpusilla
C. h. wilsoni
C. hupehensis
C. integerrima

C. lucida

C. melanocarpa C. microphylla C. moupinensis C. multiflora
C. nitens

C. obscura C. racemiflora soongarica

C. rotundifolia

C. rosea
C. s. floccosa
C. simonsi C. tenuipesC. zabeli

Cytisus nigricans C. scoparius C. s. andreanus C. supinus

Daphne mezereum

D. m. alba Deutzia gracilis

D. lemoinei

D. l. compacta

D. myriantha Boule Rose
D. ningpoense
D. parviflora
D. rosea

D. rosea companulata
D. r. carminea
D. r. venusta

D. r. venusta
D. scabra
D. s. Pride of Rochester
D. s. rosea plena
D. s. wellsi
D. s. wellsi

D. schneideriana laxiflora D. vilmorinae

Diervilla sessilifolia

D. lonicera

Eleagnus angustifolia

E. commutata E. multiflora E. umbellata E. u. parvifolia Elsholtzia stauntoni

Enkianthus campanulatus

Euonymus alatus E. a. compacta E. americanus E. atropurpureus E. bungeanus E. europaeus

E. e. fructu-coccineus

E. latifolius E. maacki E. nanus E. obovatus E. oxyphyllusE. yedoensis Evodia danieli E. hupehensis

Exochorda racemosa

E. g. wilsoni

Fontanesia fortunei Forsythia europea F. intermedia
F. i. primulina
F. i. spectabilis

F. ovata F. suspensa
F. s. atrocaulis
F. s. fortunei F. s. sieboldi F. viridissima

Fothergilla gardeni Gaylussacia baccata Genista juncea

G. pilosa G. sagittalis G. tinctoria

Hamamelis japonica

H. j. rubra
H. mollis
H. vernalis
H. v. tomentella
H. virginiana Helwingia japonica Hibiscus syriacus

H. variegatus H. v. meehani Hippophae rhamnoides Hovenia duleis Hydrangea arborescens H. a. grandiflora H. a. grandiflora
H. cineria sterilis
H. m. Otaksa
H. paniculata
H. p. grandiflora
H. p. praecox
H. quercifolia
H. radiata
H. x. Thos. Hogg
Hypericum arnoldiana
H. bucklei H. bucklei H. densiflorum H. frondosum H. kalmianum H. lobocarpum H. moserianum H. patulum
H. p. henryi
H. prolificum
Ilex geniculata I. laevigata I. montana I. serrata syn. sieboldi I. verticillata I. v. chrysocarpa Indigofera amblyantha I. kirilowi I. potanini Itea virginica Jasminum nudiflorum J. stephanense Kerria japonica K. j. pleniflora Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicelor L. thunbergi L. japonica Ligustrum acuminatum L. a. macrocarpum L. amurense L. ibolium L. obtusifolium L. o. nanum
L. o. regelianum
L. ovalifolium L. o. variegatum L. vulgare
L. v. foliosum
L. v. leucocarpum
L. v. nanum Lindera benzoin Lonicera bella albida L. bella atrorosea L. billardi L. chrysantha L. conjugialis L. dioica L. fragrantissima L. gracilipes L. orientalis longifolia L. kohneana L. korolkowi floribunda

L. ledebouri L. maacki L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana L. saccata L. spinosa alberti L. Standishi L. syringantha L. s. wolfi L. tatarica L. t. alba L. t. lutea L. t. rosea L. t. sibirica L. t. virginalis L. xylosteum Lycium chinense L. halimifolium Lyonia ligustrina L. mariana Magnolia sieboldi M. stellata M. s. rosea Myrica pennsylvanica M. cerifera M. gale Nandina domestica Neillia longeracemosa N. sinensis Nemopanthus mucronata Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus coronarius P. c. aureus P. c. multiflorus plenus P. c. mutiliorus pien
P. c. nanus
P. cymosus Banniere
P. c. Norma
P. c. Voie Lactee
P. falconeri
P. gordonianus
P. orandiflorus P. grandiflorus P. incanus P. inodorus P. lemoinei Avalanche P. l. erectus P. l. Dame Blanche
P. l. Pyramidale
P. lewisi P. magdalenae P. nepalensis P. nivalis P. nivalis
P. polyanthus Faverite
P. p. Gerbe de Neige
P. p. Pavillon Blanc
P. purpureo mac. Ophelia
P. p. Sybille
P. sericanthus
P. splendens
P. virginalis Albatre P. virginalis Albatre
P. v. Argentine
P. v. Boquet Blanc
P. v. Glacier
P. v. Virginal

P. zeyheri Photinia villosa P. v. laevis Physocarpus intermedius P. i. parvifolius
P. monogynus
P. opulifolius
P. o. luteus
P. o. nanus Potentilla fruticosa Prinsepia sinensis Prunus besseyi Prunus besseyi
P. dunbari
P. glandulosa
P. g. albiplena
P. g. sinensis
P. japonica
P. maritima
P. mumila P. pumila P. tenella P. tomentosa P. triloba P. t. plena P. v. demissa Rhamnus caroliniana Rhamnus carolini
R. cathartica
R. dahurica
R. frangula
R. f. asplenifolia
R. koraiensis
R. purshiana
R. spathulaefolia R. utilis
R. wilsoni Rhodotypos scandens Rhus aromatica R. copallina R. glabra
R. trilobata
R. typhina
R. t. laciniata
Ribes alpinum R. aureum R. fasciculatum R. gordonianum R. sanguineum Robinia Ellioti R. Kelseyi R. viscosa Rosa acicularis R. blanda R. carolina R. canina
R. coriifolia froebeli
R. davurica R. ecae R. eglanteria R. e. hybrids R. foetida R. f. persiana R. fuiisanensis R. helenae R. hugonis
R. humilis
R. laevigata
R. marreti R. maximowicziana jacki R. moyesi R. multiflora R. m. cathayensis R. nitida

R. palustris R. pendulina R. rouletti R. rubrifolia R. rugosa R. r. alba R. r. hybrids R. r. repens R. sericea R. setigera R. spinosiss ma altaica
R. s. hispida
R. s. hybrids R. virginiana R. watsoniana R. wichuraiana R. hybrid perpetuals
R. hybrid tea
R. elimbing R. w. hybrids R. polyantha hybrids
R. woodsi
R. xanthina allard
R. x. spontanea Rubus deliciosus R. nemorosus
R. odoratus
R. phoenicolasius Salix discolor S. doniana S. elaeagnos S. irrorata S. jessoensis S. lucida S. mutabilis S. myricoides rigida
S. nigricans cotinifolia
S. patula
S. purpurea nana S. purpurea S. purpurea gracilis Sambucus canadensis S. c. acutiloba S. nigra S. n. aurea
S. n. albo-variegata
S. pubens S. p. xanthocarpa S. racemosus Shepherdia argentea S. canadensis Smilax rotundifolia Sorbaria aitchisoni S. arborea glabrata S. sorbifolia S. tomentosa Spirea arguta S. billiardi S. bumalda S. b. Anthony Waterer S. b. walluffi S. cantoniensis S. c. lanceata S. chamaedryfolia ulmifolia S. douglasi S. froebeli S. japonica S. japonica fortunei S. j. ovalifolia S. j. ruberrima

S. latifolia

S. margaritae

S. nipponica rotundifolia

S. prunifolia
S. pubescens
S. salicifolia S. superba S. syringiflora S. thunbergi

S. tomentosa S. trichocarpa
S. van houttei
S. veitchi

S. wilsoni

Staphylea bumalda

S. colchica S. pinnata S. trifolia

Stephanandra incisa Stewartia ovata S. o. grandiflora S. serrata

Symphoricarpos chenaulti

S. albus S. mollis S. occidentalis S. o. heyeri S. orbiculatus

Symplocos paniculata Syringa amurensis japonica

S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi henryi eximea S.

S. h. lutece S. josikea
S. microphylla
S. oblata S. o. dilatata S. o. giraldi S. persica

S. p. alba S. villosa S. vulgaris

S. vulgaris alba S. v. hybrids S. yunnanensis Tamarix africana

T. gallica
T. g. indica
T. juniperina
T. odessana
T. pentandra T. pentandra T. tetandra tetandra

Ulex europeus

Vaccinium corymbosum Viburnum acerifolium

V. bitchuiense
V. betulifolium
V. burejaeticum
V. burkwoodi
V. carlesi
V. cassinoides
V. dentatum

V. cassinoides
V. dentatum
V. dilatatum
V. d. xanthocarpum
V. fragrans
V. hupehense
V. lantana
V. l. rugosum
V. lentago V. lentago V. molle V. nudum V. opulus V. o. nanum
V. o. sterile
V. o. xanthocarpum

V. prunifolium

V. pruniforium V. pubescens V. p. canbyi V. rufidulum V. sargenti V. sieboldi V. setigerum V. tomentosu V. settgerum
V. tomentosum
V. t. sterile
V. trilobum
V. veitchi
V. wrighti

Vitex agnus castus

V. a. c. alba
V. a. c. latifolia
V. negundo incisa Weigela floribunda

Weigela floribunda
W. florida
W. f. nana variegata
W. hortensis rubra
W. japonica
W. w. Abel Carriere
W. w. candida
W. w. desboisi
W. w. Eva Rathke
W. w. Groenewegeni
W. w. Gustav Mallot
W. sieboldi argenteomarginata
W. w. styriaca
W. w. vanhouttei
Zanthorhiza simplicissima

Zanthorhiza simplicissima Zanthoxylum americanum

VINES

Actinidia arguta Akebia trifoliata A. quinata Ampelopsis acontifolia A. brevipedunculata
A. b. elegans

A. b. maximowiczi Aristolochia durior A. tomentosa Campsis grandiflora C. radicans C. r. Mme. Galen

Vines Continued

C. r. speciosa Celastrus orbiculatus C. scandens Clematis apiifolia

C. chrysocoma sericea

C. crispa
C. fargesi
C. hybrids
C. ligusticifolia
C. montana rubens
C. m. undulata
C. m. wilsoni
C. naniculata C. paniculataC. serratifolia

C. tangutica

C. texensis syn. coccinea C. viorna C. virginiana C. vitalba
C. viticella
Decumaria barbara

Hedera helix H. h. Albany
H. h. baltica
H. h. Emerald Gem
H. h. gracilis
H. h. Hahns
H. h. lobata

Hydrangea petiolaris Lonicera alseusmoides
L. browni plantierensis
L. caprifolium
L. fuchsoides

L. heckrotti L. henryi

L. hirsuta L. japonica L. j. chinensis

L. j. halleana
L. j. aurea reticulata
L. periclymenum belgica
L. prolifera syn. sullavanti

L. sempervirens L. tellmanniana L. thibetica

Parthenocissus henryana

P. quinquefolia
P. q. engelmanni
P. q. saintpauli

P. tricuspidata lowi P. t. veitchi Perpiloca graeca Polygonum auberti Pueraria thunbergiana Schizophragma hydrangoides

Solanum dulcamara

Tripterygium regeli

Vinca minor V. m. alba V. m. rubra plena Vitis aestivalis V. amurensis V. coignetae V. labrusca V. rotundifolia V. vulpina

V. vulpina Wistaria frutescens

W. floribunda macrobotrys
W. macrostachya
W. sinensis
W. s. alba

LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

PLANTS FOR SPECIAL PURPOSES

In the following pages we understake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

WOODY PLANTS FOR AUGUST AND SEPTEMBER FLOWERING

Baccharis halimifolia Buddleia in variety Campsis grandiflora Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix pentandra Vitex agnus castus Vitex agnus castus latifolia

Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Aronia arbutifolia Aronia prunifolia *Betula papyrifera *Betula papyrnera

*Betula populifolia

*Betula lenta

*Betula lutea
Cornus in variety

*Crataegus in variety
Euonymus in variety

*Hypericum prolificum

*Typinomus virginiana *Juniperus virginiana
*Juniperus communis
*Ligustrum in variety Lindera benzoin Lonicera in variety

*Pinus in variety Photinia villosa Prunus besseyi Prunus padus Prunus pennsylvanicum Prunus serotina *Rhamnus in variety *Rhus capallina *Rhus glabra *Rhus typhina
Ribes in variety
Sambucus in variety Symphoricarpus in variety Morus alba *Myrica pennsylvanica Vaccinium corymbosum Viburnum in variety Nyssa sylvatica Vitis in variety *Weigela hybrida in variety

Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta Chamaecyparis obtusa nana Cotoneaster adpressa Juniperus horizontalis Cotoneaster horizontalis perpusilla Juniperus suecica nana Cotoneaster rotundifolia Juniperus sabina tamana Daphne cheorum Daphne cneorum Daphne mezereum Euonymus fortunei minimus

Hypericum henryi Jasminum nudiflorum Juniperus sabina tamariscifolia Lonicera spinosa alberti Lonicera syringantha Lonicera thibetica

Parthenocissus quinquefolia P. tricuspidata vetichi

Woody Plants Enduring Shade

For Dry Soil

Ailanthus altissima Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum obtusifolium

Ligustrum vulgare Rhus aromatica Ribes alpinum Rubus odoratus Symphoricarpus orbiculatus Vinca minor

For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum Acer spicatum Alnus glutinosa Alnus incana Cornus florida Euonymus fortunei in variety Fagus grandiflora Hedera helix Kalmia latifolia

Amelanchier in variety Lindera benzoin Carpinus in variety Cercis canadensis Ostrya virginica Pachysandra terminalis Rhododendron in variety Tsuga canadensis Viburnum acerifolium Zanthorhiza simplicissima

Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus altissima
Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Euonymus fortunei
*Lonicera halleana
*Lonicera japonica
Lonicera tatarica
Physocarpus opulifolius

*Rhus typhina Robinia pseudacacia *Rosa setigera *Rosa wichuraiana

*Rubus odoratus Salix caprea Salix discolor Salix elaeagnos

*Symphoricarpus orbiculatus Vinca minor Vitis vulpina

Plants for the Herb Garden

Achillea millefolum
Allium schoenoprasum
Anthemis nobilis
Artemisia abrotanum
Artemisia absinthium
Artemisia dracunculus
Artemisia pontica
Artemisia stelleriana
Asarum canadense
Asperula odorata
Calamintha alpina
Cedronella cana
Chrysanthemum balsamita
Foeniculum atrosanguineum
Hyssopus officinalis
Lavandula officinalis
Marrubium vulgare

Melissa officinalis
Mentha piperita
Mentha requieni
Monardi didyma
Monardi fistulosa
Nepeta hederacea
Origanum vulgare
Rosmarinus officinalis
Ruta graveolens
Salvia officinalis
Santolina chamaecyparissus
Tanecetum vulgare
Thymus serpyllum
Thymus serpyllum citriodorus
Thymus vulgaris
Valeriana officinalis

SCHEDULE OF B & B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (*) asterisk. Where items are listed "B&B" this charge is included in the printed price.

18-24				S .75
2-3'				
3-4'				
4-5'				
5-6'				
. 0/				Diameter of Ball
	Shrubs Trees	}	\$ 3.00	16"
8-10	' Shrubs		4.25	18"
11/4"	Trees	- ∮	4.23	10
11/2"	Trees		5.50	20"
13/4"	Trees		7.50	22"
2"	Trees		9.00	24"
21/2"	Trees		13.50	30"
	. Trees		22.50	36"
31/2"	Trees		32.50	42"
	Trees		45.00	48"
41/2"	Trees		65.00	54"
5′′	Trees		90.00	60"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.

MEMORANDA

MEMORANDA

MEMORANDA



